About HealthDay | Email Editors | Emai



>> Home

En Español

Printer Friendly For

May 1

Related Stories

<u>Computer Program Helps Drug</u> <u>Abusers Stay Clean</u>

Some Weight-Loss Drugs Might Disrupt Brain Growth in Kids

Many Ob-Gyn Textbooks Lack Good Info on Breast-Feeding

Many Teen Drivers Don't Think They're Inexperienced

Adopted Children at Slightly Higher Mental Health Risk

Researchers Define Mechanism of Methamphetamine Addiction

Problem Gambling Common Among You Adults

U.S. survey estimates 750,000, mostly males, are hooked

MONDAY, May 12 (HealthDay News) -- An estimated 750,000 American teens and young adults are problem gamblers according to researchers at the University at Buffalo's Research Institute on Addictions.



Problem gambling is defined as gambling associated with three or more negative consequences, such as gambling more than you intended or stealing money to gamble.

The national telephone survey of almost 2,300 respondents, ages 14 to 21, fou 2.1 percent were problem gamblers, which works out to a nationwide total of a 750,000 young problem gamblers, the researchers said.

They also found that 11 percent of respondents gambled twice a week or more considered frequent gambling -- and that 68 percent of respondents said they' gambled at least once in the past year.

The findings of the survey, conducted from August 2005 through January 2007 available online and were expected to be published in the June 2008 issue of th *Journal of Gambling Studies*.

"In a society where young people are increasingly exposed to gambling influent there is cause for concern," principal investigator John W. Welte said in a preparatement.

"As might be expected, all statistically significant results showed that greater gambling involvement is associated with aging into an adult status. In fact, gar may be associated with the transition into adulthood," said Welte, a senior rese scientist at the Research Institute on Addictions.

The study found that gambling increased with major life changes such as gettir job, leaving school, living independently from parents, and marriage. Young pe who worked full-time were more likely to gamble, those who weren't in school more likely to gamble frequently (twice a week or more), and those who lived independently were more likely to gamble and to be problem gamblers.

"As far as gender, it seems likely that females' gambling involvement tends to

in adulthood, while male involvement can be high in adolescence. We found ide problem gambling rates for adult males and young males (4 percent). We foun females' gambling rates were much higher (3 percent) than that of young fema (less than one-tenth of a percent). In other words, problem gambling is almost existent among female adolescents and young adults," Welte said.

Among the other findings:

- Black youth were less likely to have gambled than white youth. But if bla youth gambled, they were more likely to be frequent gamblers -- 30 per vs. 12 percent.
- Asians had the lowest gambling involvement.
- Native Americans were more likely than whites to be frequent gamblers percent vs. 9 percent) and were more likely to score higher on measures problem gambling. This may be a reflection of the rapid spread of legal gambling on Native American reservations.
- In general, young people with low socioeconomic status were less likely gamble. However, if they did gamble, they were more likely to be proble gamblers.
- Young people in the highest socioeconomic groups had the lowest gambl involvement, the survey found.

More information

The American Academy of Family Physicians has more about problem gambli

-- Robei

SOURCE: University at Buffalo, news release, May 2008

Last Updated: May 12, 2008

Copyright © 2008 ScoutNews, LLC. All rights reserved.