

SAFETY DATA SHEET

Version 8.2 Revision Date 10/27/2023 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	: Acetic acid, >=99.7%
Product Number	: 01-0310
Brand	: Katayama
Index-No.	: 607-002-00-6
CAS-No.	: 64-19-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	: Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES	
Telephone Fax	: +1 314 771-5765 : +1 800 325-5052	

1.4 Emergency telephone

Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703-
		527-3887 CHEMTREC (International) 24
		Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226 Skin corrosion (Category 1A), H314 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Katayama - 01-0310

Page 1 of 13



Signal Word	Danger
Hazard statement(s) H226 H314	Flammable liquid and vapor. Causes severe skin burns and eye damage.
Precautionary statement(s) P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233 P240 P241 P242	Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P243 P264 P280	Take precautionary measures against static discharge. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face
P301 + P330 + P331 P303 + P361 + P353	protection. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skip with water/ shower
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing, Immediately call a POISON CENTER/ doctor.
P363 P370 + P378	Wash contaminated clothing before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P235 P405 P501	Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

	_		_		
8.1	Substances Synonyms	:	Glacial acetic acid		
	Formula Molecular weight CAS-No. EC-No. Index-No.	: : : :	C₂H₄O₂ 60.05 g/mol 64-19-7 200-580-7 607-002-00-6		
	Component			Classification	Concentration
	acetic acid				
				Flam. Liq. 3; Skin Corr. 1A; Eye Dam. 1; H226, H314, H318	<= 100 %

Katayama - 01-0310

Page 2 of 13



Concentration limits:
>= 90 %: Skin Corr. 1A,
H314; 25 - < 90 %: Skin
Corr. 1B, H314; 10 - < 25
%: Skin Irrit. 2, H315; 10
- < 25 %: Eye Irrit. 2,
H319;

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture Carbon oxides Combustible.

Katayama - 01-0310

Page 3 of 13



Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb[®] H⁺, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Storage stability

Recommended storage temperature 15 - 25 °C

Katayama - 01-0310

Page 4 of 13



Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
acetic acid	64-19-7	TWA	10 ppm	USA. ACGIH Threshold Limit Values (TLV)
		STEL	15 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	10 ppm 25 mg/m3	USA. NIOSH Recommended Exposure Limits
		ST	15 ppm 37 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	10 ppm 25 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		PEL	10 ppm 25 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		С	40 ppm	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		STEL	15 ppm 37 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		TWA	10 ppm 25 mg/m3	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)

Derived No Effect Level (DNEL)

Application Area	Routes of exposure	Health effect	Value
Workers	Inhalation	Acute local effects	25 mg/m3
Workers	Inhalation	Long-term local effects	25 mg/m3
Workers	Skin contact	Long-term local effects	10mg/kg BW/d
Consumers	Inhalation	Acute local effects	25 mg/m3
Consumers	Inhalation	Long-term local effects	25 mg/m3

Katayama - 01-0310

Page 5 of 13



Predicted No Effect Concentration (PNEC)

Compartment	Value
Soil	0.479 mg/kg
5011	0.476 119/89
Sea water	0.3058 mg/l
Fresh water	3.058 mg/l
Sea sediment	1.136 mg/kg
Fresh water sediment	11.36 mg/kg
Sewage treatment plant	85 mg/l
Aquatic intermittent release	30.58 mg/l

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: butyl-rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Latex gloves Minimum layer thickness: 0.6 mm Break through time: 30 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: filter E-(P2) The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Katayama - 01-0310

Page 6 of 13



required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Color: colorless
b)	Odor	stinging
c)	Odor Threshold	0.2 ppm
d)	рН	2.5 at 50 g/l at 20 °C (68 °F)
e)	Melting point/freezing point	Melting point/range: 16.2 °C (61.2 °F) - lit.
f)	Initial boiling point and boiling range	117 - 118 °C 243 - 244 °F - lit.
g)	Flash point	39 °C (102 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 19.9 %(V) Lower explosion limit: 4 %(V)
k)	Vapor pressure	20.79 hPa at 25 °C (77 °F)
I)	Vapor density	2.07
m) Density	1.049 g/cm3 at 25 °C (77 °F) - lit.
	Relative density	No data available
n)	Water solubility	602.9 g/l at 25 °C (77 °F) at 1,013 hPa - completely soluble
0)	Partition coefficient: n-octanol/water	log Pow: -0.17 at 25 °C (77 °F) - Bioaccumulation is not expected., (ECHA)
p)	Autoignition temperature	463 °C (865 °F)
q)	Decomposition temperature	Distillable in an undecomposed state at normal pressure.
r)	Viscosity	1.17 mm2/s at 20 °C (68 °F) -
s)	Explosive properties	No data available
t)	Oxidizing properties	none

Katayama - 01-0310

Page 7 of 13



9.2 Other safety information

Surface tension	28.8 mN/m at 10.0 °C (50.0 °F)
Relative vapor density	2.07

SECTION 10: Stability and reactivity

10.1 Reactivity

Vapor/air-mixtures are explosive at intense warming.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of explosion with: peroxi compounds perchloric acid fuming sulfuric acid phosphorus halides hydrogen peroxide chromium(VI) oxide potassium permanganate Peroxides Strong oxidizing agents Risk of ignition or formation of inflammable gases or vapours with: Iron Zinc magnesium Mild steel Possible formation of: Hydrogen Violent reactions possible with: strong alkalis Aldehydes alkali hydroxides nonmetallic halides ethanolamine Acetaldehyde Alcohols halogen-halogen compounds chlorosulfonic acid chromosulfuric acid Potassium hydroxide Nitric acid

10.4 Conditions to avoid

Heating.

Katayama - 01-0310

Page 8 of 13



10.5 Incompatible materials No data available

10.6 Hazardous decomposition products In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 3,310 mg/kg Remarks: (RTECS) LC50 Inhalation - Mouse - 4 h - 2,819 mg/l - vapor

Remarks: (RTECS) Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit Result: Causes burns. - 4 h (OECD Test Guideline 404) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes burns. - 4 h (OECD Test Guideline 405) Remarks: (IUCLID) Remarks: Causes serious eye damage.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative

Test Type: Micronucleus test Species: Rat Cell type: Bone marrow Application Route: inhalation (vapor) Method: Mutagenicity (micronucleus test) Result: negative

Carcinogenicity

Katayama - 01-0310

Page 9 of 13



- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Ingestion or inhalation of concentrated acetic acid causes damage to tissues of the respiratory and digestive tracts. Symptoms include: hematemesis, bloody diarrhea, edema and/or perforation of the esophagus and pylorus, pancreatitis, hematuria, anuria, uremia, albuminuria, hemolysis, convulsions, bronchitis, pulmonary edema, pneumonia, cardiovascular collapse, shock, and death. Direct contact or exposure to high concentrations of vapor with skin or eyes can cause: erythema, blisters, tissue destruction with slow healing, skin blackening, hyperkeratosis, fissures, corneal erosion, opacification, iritis, conjunctivitis, and possible blindness.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - > 1,000 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic	static test EC50 - Daphnia magna (Water flea) - > 1,000 mg/l $$ - 48 h (OECD Test Guideline 202)

Katayama - 01-0310

Page 10 of 13



invertebrates

Toxicity to algae	static test EC50 - Skeletonema costatum - > 1,000 mg/l - 72 h (ISO 10253)
Toxicity to bacteria	EC5 - Pseudomonas putida - 2,850 mg/l - 16 h Remarks: neutral (maximum permissible toxic concentration) (Lit.)
	microtox test EC50 - Photobacterium phosphoreum - 11 mg/l - 15 min Remarks: (IUCLID)

12.2 Persistence and degradability

Biodegradability Result: 99 % - Readily biodegradable. (OECD Test Guideline 301D) Remarks: (HSDB)

Result: 95 % - Readily eliminated from water (OECD Test Guideline 302B)

Biochemical Oxygen	880 mg/g
Demand (BOD)	Remarks: (Lit.)
Ratio BOD/ThBOD	76 % Remarks: (IUCLID)

- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties No data available

12.7 Other adverse effects

Katayama - 01-0310

Page 11 of 13



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

UN number: 2789 Class: 8 (3) Packing group: II Proper shipping name: Acetic acid, glacial Reportable Quantity (RQ): 5000 lbs Poison Inhalation Hazard: No

IMDG

UN number: 2789 Class: 8 (3) Packing group: II EMS-No: F-E, S-C Proper shipping name: ACETIC ACID, GLACIAL

ΙΑΤΑ

UN number: 2789 Class: 8 (3) Packing group: II Proper shipping name: Acetic acid, glacial

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components		
acetic acid	CAS-No. 64-19-7	Revision Date 1993-04-24
Pennsylvania Right To Know Components		
acetic acid	CAS-No. 64-19-7	Revision Date 1993-04-24

Katayama - 01-0310

Page 12 of 13



SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies

for internal use only. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our pranding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact misbranding@sial.com. Print Date: 12/30/2023 Version: 8.2 Revision Date: 10/27/2023

Katayama - 01-0310

Page 13 of 13





SAFETY DATA SHEET

Creation Date 05-May-2009

Revision Date 26-Dec-2021

Revision Number 6

1. Identification

Product Name

Acetic acid

Cat No. :	AC423220000; AC423220025; AC423220100; AC423225000	
CAS No	64-19-7	
Synonyms	Ethanoic acid; Glacial acetic acid; Methanecarboxylic acid	
Recommended Use	Laboratory chemicals.	
Uses advised against	Food, drug, pesticide or biocidal product use.	

Details of the supplier of the safety data sheet

Company Fisher Scientific Company

One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Uses advised against

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11 Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No.US:001-800-424-9300 / Europe:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Category 3
Category 1 A
Category 1

Label Elements

Signal Word Danger

Hazard Statements Flammable liquid and vapor Causes severe skin burns and eye damage



Precautionary Statements Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking Take precautionary measures against static discharge Wear protective gloves/protective clothing/eye protection/face protection Do not breathe dust/fume/gas/mist/vapors/sprav Use only outdoors or in a well-ventilated area Wash face, hands and any exposed skin thoroughly after handling Keep container tightly closed Response Immediately call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component		CAS No	Weight %	
Acetic acid		64-19-7	>95	
	4.	First-aid measures		
General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention required.		dance. Immediate medical attention is		
Eye Contact	Rinse immeo Immediate m	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.		
Skin Contact	Wash off imr contaminate immediately.	Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.		
Inhalation	lf not breathi mouth-to-mo	If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiratio		

Notes to Physician	Treat symptomatically
Most important symptoms and effects	Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting
Ingestion	Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.
	with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.

5. Fire-fighting measures

Suitable Extinguishing Media	CO ₂ , dry chemical, dry sand, alcohol-resistant foam.
Unsuitable Extinguishing Media	No information available
Flash Point	40 °C / 104 °F
Method -	No information available
Autoignition Temperature	427 °C / 800.6 °F
Explosion Limits Upper Lower	19.9 vol % 4.0 vol %
Sensitivity to Mechanical Impact Sensitivity to Static Discharge	t No information available No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Thermal decomposition can lead to release of irritating gases and vapors. **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA_ Health 3	Flammability 2	Instability 0	Physical hazards N/A
	6. Accidental re	lease measures	
Personal Precautions Environmental Precautions	Use personal protective ec personnel to safe areas. K Should not be released int	uipment as required. Ensure ac eep people away from and upw o the environment.	dequate ventilation. Evacuate /ind of spill/leak.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

	7. Handling and storage
Handling	Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.
Storage.	Corrosives area. Keep away from heat, sparks and flame. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Strong oxidizing agents.

Strong bases. Metals.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Acetic acid	TWA: 10 ppm	(Vacated) TWA: 10 ppm	IDLH: 50 ppm	TWA: 10 ppm
	STEL: 15 ppm	(Vacated) TWA: 25 mg/m ³	TWA: 10 ppm	STEL: 15 ppm
		TWA: 10 ppm	TWA: 25 mg/m ³	
		TWA: 25 mg/m ³	STEL: 15 ppm	
		-	STEL: 37 mg/m ³	

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.	
Personal Protective Equipment		
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Tight sealing safety goggles. Face protection shield.	
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.	
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.	
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.	

9. Physical and chemical properties

Physical State	Liquid
Appearance	Colorless
Odor	vinegar-like
Odor Threshold	No information available
рН	< 2.5 10 g/L aq.sol
Melting Point/Range	16 - 16.5 °C / 60.8 - 61.7 °F
Boiling Point/Range	117 - 118 °C / 242.6 - 244.4 °F
Flash Point	40 °C / 104 °F
Evaporation Rate	0.97 (Butyl Acetate = 1.0)
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	19.9 vol %
Lower	4.0 vol %
Vapor Pressure	1.52 kPa @ 20 °C
Vapor Density	2.10
Specific Gravity	1.048
Solubility	Soluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	427 °C / 800.6 °F
Decomposition Temperature	No information available
Viscosity	1.53 mPa.s @ 25 °C
Molecular Formula	C2 H4 O2

Molecular Weight

60.05

	10. Stability and reactivity					
Reactive Hazard	None known, based on information available					
Stability	Stable under normal conditions.					
Conditions to Avoid	Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.					
Incompatible Materials	Strong oxidizing agents, Strong bases, Metals					
Hazardous Decomposition Products	S Carbon monoxide (CO), Carbon dioxide (CO ₂), Thermal decomposition can lead to release of irritating gases and vapors					
Hazardous Polymerization	Hazardous polymerization does not occur.					
Hazardous Reactions	None under normal processing.					
	11. Toxicological information					

Acute Toxicity

Product Information Component Information

component information			
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acetic acid	3310 mg/kg (Rat)	-	> 40 mg/L (Rat)4 h
Toxicologically Synergistic	No information available		

The table below indicates whether each agency has listed any ingredient as a carcinogen.

```
Products
```

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes severe burns by all exposure routes

Sensitization No information available

Carcinogenicity

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Acetic acid	64-19-7	Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects		Not mutagenic in A	MES Test			
Reproductive Effect	S	No information ava	ailable.			
Developmental Effe	cts	No information ava	ailable.			
Teratogenicity		No information ava	ailable.			
STOT - single expos STOT - repeated exp	sure Dosure	None known None known				
Aspiration hazard		No information ava	ailable			
Symptoms / effects delayed	both acute and,	Ingestion causes s perforation: Sympt and vomiting	evere swelling, se oms of overexposi	vere damage to the ure may be headad	e delicate tissue ar che, dizziness, tire	nd danger of dness, nausea
Endocrine Disrupto	r Information	No information ava	ailable			
Other Adverse Effect	cts	The toxicological p	roperties have not	been fully investig	ated.	

12. Ecological information

Ecotoxicity Do not empty into drains.

Component	Freshw	ater Algae	Freshwa	ter Fish	Microtox	Water Flea
Acetic acid		-	Pimephales pr	omelas: LC50	Photobacterium	EC50 = 95 mg/L/24h
			= 88 m	g/L/96h	phosphoreum: EC50 = 8.8	_
			Lepomis macr	ochirus: LC50	_mg/L/15 min	
			= 75 m	g/L/96h	Photobacterium	
					phosphoreum: EC50 = 8.8	
					Photobacterium	
					phosphoreum: $EC50 = 8.8$	
					mg/L/5 min	
Persistence and Degrada	ability	Miscible with	water Persist	ence is unlik	ely based on information a	available.
Bioaccumulation/ Accum	nulation	No information	on available.			
Mobility		Will likely be	mobile in the	environment	due to its water solubility.	
	Componen	t			log Pow	
	Acetic acid				-0.2	
		13 Di	snosalic	onsider	ations	
Wasta Dispesal Mathada		Chomical wa	sto generator		mine whether a discarded	chamical is classified as a
waste Disposal Methods	•	bazardous w	ste generator	s musi uelen	arators must also consult	local regional and
		national haza	aste. Chemic ardous waste	regulations to	ensure complete and ac	curate classification
		national naze			o ensure complete and ac	
		14. T	ranspor	t inform	ation	
DOT			· · ·			
UN-No		UN2789				
Proper Shipping Nam	ne	ACETIC ACI	D, GLACIAL			
Hazard Class		8				
Subsidiary Hazard Cl	ass	3				
Packing Group		II				
<u>_TDG</u>						
UN-No		UN2789				
Proper Shipping Nam	ne	ACETIC ACI	D, GLACIAL			
Hazard Class		8				
Subsidiary Hazard Cl	d\$5	о II				
		н				
		LIN2789				
Proper Shinning Nam	1e	ACETIC ACI				
Hazard Class		8				
Subsidiary Hazard Cl	222	3				
Packing Group		Ĩ				
IMDG/IMO						
UN-No		UN2789				
Proper Shipping Nam	ne	ACETIC ACI	D, GLACIAL			
Hazard Class		8	, - ·-·· -			
Subsidiary Hazard Cl	ass	3				
Packing Group		11				
		15 P	equilator	v inform	nation	
		10.10	egulator	ymon		

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification -	TSCA - EPA Regulatory
			Active-Inactive	Flags

Acetic acid	64-19-7	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Acetic acid	64-19-7	Х	-	200-580-7	Х	Х	Х	Х	Х	Х

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Acetic acid	Х	5000 lb	-	-

Clean Air Act	Not applicable

OSHA - Occupational Safety and Not applicable Health Administration

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Acetic acid	5000 lb	-

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Acetic acid	Х	Х	Х	-	Х

U.S. Department of Transportation Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	Y N N
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.
Other International Regulations	
Mexico - Grade	Moderate risk, Grade 2

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Acetic acid	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Acetic acid	64-19-7	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Acetic acid	64-19-7	Not applicable	Not applicable	Not applicable	Annex I - Y34

16. Other information				
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com			
Creation Date Revision Date Print Date Revision Summary	05-May-2009 26-Dec-2021 26-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS



Acetone

650501-1L

Version 1.5

Revision Date 24.01.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier					
Product name	:	Acetone			
SDS-number	:	00000020241			
Type of product	:	Substance			
Remarks	:	SDS according to Art. 31 of Re	gulation (EC) 1907/2006.		
Chemical name	:	acetone; propan-2-one; propan	one		
Index-No.	:	606-001-00-8			
REACH Registration Number	:	no data available			
1.2. Relevant identified us	1.2. Relevant identified uses of the substance or mixture and uses advised against				
Use of the Substance/Mixture	:	Laboratory chemicals			
Uses advised against	:	none			
1.3. Details of the supplier	r of	the safety data sheet			
Company Telephone	:	Honeywell SpecialtyHoneywell International, Inc.Chemicals Seelze115 Tabor RoadGmbHMorris Plains, NJ 07950-254Wunstorfer Straße 40USA30926 SeelzeGermany(49) 5137-999 00			
For further information, please contact:	:	PMTEU Product Stewardship: SafetyDataSheet@Honeywell.com			
1.4. Emergency telephone	e nu	mber			
Emergency telephone number Country based Poison Control Center	:	+1-703-527-3887 (ChemTrec-T +1-303-389-1414 (Medical) see chapter 15.1	ransport)		



Acetone

650501-1L

Version 1.5

Revision Date 24.01.2021

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Flammable liquids Category 2 H225 Highly flammable liquid and vapour. Eye irritation Category 2 H319 Causes serious eye irritation. Specific target organ toxicity - single exposure Category 3 - Central nervous system H336 May cause drowsiness or dizziness.

2.2. Label elements

REGULATION (EC) No 1272/2008

Hazard pictograms



Signal word	:	Danger	
Hazard statements	:	H225 H319 H336 EUH066	Highly flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or dizziness. Repeated exposure may cause skin dryness or cracking.
Precautionary statements	:	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
		P280	Wear protective gloves/ eye protection/ face protection.
		P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
		P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		P308 + P313	IF exposed or concerned: Get medical advice/ attention.



Acetone

650501-1L

Version 1.5

Revision Date 24.01.2021

2.3. Other hazards

Highly flammable. May cause drowsiness or dizziness. Take measures to prevent the build up of electrostatic charge.

SECTION 3: Composition/information on ingredients

3.1. Substance

Chemical name	CAS-No. Index-No. REACH Registration Number EC-No.	Classification 1272/2008	Concentration	Remarks
acetone; propan-2-one; propanone	67-64-1 606-001-00-8 200-662-2	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 EUH066	100 %	

3.2. Mixture

Not applicable

Occupational Exposure Limit(s), if available, are listed in Section 8. For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice:

First aider needs to protect himself. Move out of dangerous area. Take off all contaminated clothing immediately.

Inhalation:

Remove to fresh air. Keep patient warm and at rest. If symptoms persist, call a physician.

Skin contact:

After contact with skin, wash immediately with plenty of water. Call a physician if irritation develops or persists.

Eye contact:

Rinse thoroughly with plenty of water, also under the eyelids. Protect unharmed eye. Consult a physician.



Acetone

650501-1L

Version 1.5

Revision Date 24.01.2021

Ingestion: When swallowed, allow water to be drunk. Do NOT induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

See Section 11 for more detailed information on health effects and symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Water spray Foam Carbon dioxide (CO2) Dry powder

Extinguishing media which shall not be used for safety reasons: High volume water jet

5.2. Special hazards arising from the substance or mixture

Vapours may form explosive mixtures with air. Heating will cause pressure rise with risk of bursting and subsequent explosion In case of fire hazardous decomposition products may be produced such as: Carbon monoxide Carbon dioxide (CO2)

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Apply foam in large quantities because some of it will be destroyed by the product.Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Page 4 / 17



Acetone

650501-1L

Version 1.5

Revision Date 24.01.2021

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Pick for disposal in tightly closed containers

6.4. Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling:

Exhaust ventilation at the object is necessary. Use explosion-proof equipment. Provide sufficient air exchange and/or exhaust in work rooms.

Advice on protection against fire and explosion:

The heavy vapours can overcome a considerable distance up to the source of ignition. Take measures to prevent the build up of electrostatic charge. Keep away from sources of ignition - No smoking.

Hygiene measures: Take off all contaminated clothing immediately. Recommended preventive skin protection

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions:

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Recommended storage temperature: 10 - 25 °C.

7.3. Specific end use(s)

no additional data available



Acetone

650501-1L

Version 1.5

Revision Date 24.01.2021

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits:

Components	Basis / Value type	Value / Form of exposure	Exceeding Factor	Remarks
acetone; propan-2-one; propanone	EH40 WEL STEL	3.620 mg/m3 1.500 ppm		
acetone; propan-2-one; propanone	EH40 WEL TWA	1.210 mg/m3 500 ppm		
acetone; propan-2-one; propanone	EU ELV TWA	1.210 mg/m3 500 ppm		Indicative

STEL - Short term exposure limit

TWA - Time weighted average

DNEL/ PNEC-Values

Component	End- use/impact	Exposure duration	Value	Exposure routes	Remarks
acetone; propan-2-one; propanone	Workers / Long-term systemic effects		1210 mg/m3	Inhalation	
acetone; propan-2-one; propanone	Workers / Long-term systemic effects		62mg/kg bw/d	Ingestion	
acetone; propan-2-one; propanone	Workers / Long-term systemic effects		186mg/kg bw/d	Skin contact	
acetone; propan-2-one; propanone	Consumers / Long-term systemic effects		200 mg/m3	Inhalation	
acetone; propan-2-one; propanone	Workers / Acute local effects		2420 mg/m3	Inhalation	
acetone; propan-2-one; propanone	Consumers / Long-term		62mg/kg bw/d	Skin contact	

Page 6 / 17



Acetone

650501-1L

Version 1.5

Revision Date 24.01.2021

systemic effects

Component	Environmental compartment / Value	Remarks
acetone; propan-2-one; propanone	Fresh water: 10,6 mg/l	
acetone; propan-2-one; propanone	Marine water: 1,06 mg/l	
acetone; propan-2-one; propanone	Fresh water sediment: 30,4 mg/l	
acetone; propan-2-one; propanone	Marine sediment: 3,04 mg/l	
acetone; propan-2-one; propanone	Soil: 29,5 mg/l	
acetone; propan-2-one; propanone	Sewage treatment plant: 100 mg/l	

8.2. Exposure controls

Occupational exposure controls

Do not breathe vapours/dust. The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, 511; safety shoes EN-ISO 20345.

Personal protective equipment

Respiratory protection: In the case of vapour formation use a respirator with an approved filter. Recommended Filter type: Organic gas and low boiling vapour type

Hand protection: Glove material: butyl-rubber Break through time: > 480 min Glove thickness: 0,7 mm Butoject® 898 Gloves must be inspected prior to use. Replace when worn.



Acetone

650501-1L

Version 1.5

Revision Date 24.01.2021

Remarks:Supplementary note: The specifications are based on information and tests from similar substances by analogy.

Due to varying conditions (e.g.temperature or other strains) it must be considered that the usage of a chemical protective glove in practice may be much shorter than the permeation time determined in accordance with EN 374.

Since actual conditions of practical use often deviate from standardised conditions according EN 374 the glove manufacturer reccomends to use the chemical protective glove in practice not longer than 50% of the recomended permeation time.

Manufacturer's directions for use should be observed because of great diversity of types . Suitable gloves tested according EN 374 are supplied e.g. from KCL GmbH, D-36124 Eichenzell, Vertrieb@kcl.de

Eye protection: Safety goggles

Skin and body protection: Protective suit

Environmental exposure controls

Handle in accordance with local environmental regulations and good industrial practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	colourless
Odour	:	characteristic
Melting point/range	:	-95 °C
Boiling point/boiling range	:	55 - 57 °C at 1.013 hPa
Upper explosion limit	:	14,3 %(V)
Lower explosion limit	:	2,2 %(V)
Flash point	:	-17 °C Method: closed cup
Ignition temperature	:	465 °C Method: DIN 51794 Page 8 / 17



Acetone

650501-1L

Version 1.5

Revision Date 24.01.2021

Decomposition temperature	:	236 °C
рН	:	Not applicable
Auto-ignition temperature	:	not auto-flammable
Viscosity, kinematic	:	No data available
Water solubility	:	completely miscible
Partition coefficient: n- octanol/water	:	log Pow -0,24
Vapour pressure	:	ca. 240 hPa at 20 °C
Vapour pressure	:	580 hPa at 50 °C
Density	:	0,79 g/cm3 at 20 °C
Relative vapour density	:	No data available
9.2 Other Information		
Oxidizing properties	:	The substance or mixture is not classified as oxidizing
Evaporation rate	:	No data available
Viscosity, dynamic	:	0,32 mPa.s at 20 °C

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Page 9 / 17



Acetone

650501-1L

Version 1.5

Revision Date 24.01.2021

236 °C Decomposition temperature At normal pressure may be distilled without decomposition.

10.3. Possibility of hazardous reactions

Reacts with air to form peroxides. Vapours may form explosive mixture with air.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Plastic materials can be attacked. Strong oxidizing agents Bases Strong acids Alkali metals Alkaline earth metals

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity: LD50 Species: Rat Value: 5.800 mg/kg

Acute dermal toxicity: LD50 Species: Rat Value: > 7.400 mg/kg

Acute inhalation toxicity: LC50 Species: Rat Value: 76 mg/l Exposure time: 4 h

Skin irritation:

Page 10 / 17



Acetone

650501-1L

Version 1.5

Revision Date 24.01.2021

Species: Rabbit Classification: slightly irritant Method: Draize Test

Eye irritation: Species: Rabbit Classification: Severe eye irritation

Respiratory or skin sensitisation: Species: Guinea pig Classification: non-sensitizing

Repeated dose toxicity: Species: Rat, male Application Route: Oral Exposure time: 90 d NOAEL 900 mg/kg Method: OECD Test Guideline 408

Aspiration hazard: No data available

11.2. Information on other hazards

Endocrine disrupting properties No data available

Other information: Solvent removes skin oil from the skin. Inhalation of acetone can cause headaches and a dazed state. Alcohol increases this effect.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity to fish: LC50 Species: Pimephales promelas (fathead minnow) Value: 6.210 mg/l Exposure time: 96 h

LC50 Species: Leuciscus idus (Golden orfe) Value: 11.300 mg/l Exposure time: 48 h

Page 11 / 17



Acetone

650501-1L

Version 1.5

Revision Date 24.01.2021

LC50 Species: Gambusia affinis (Mosquito fish) Value: 13.000 mg/l Exposure time: 48 h

LC50 Species: Oncorhynchus mykiss (rainbow trout) Value: 5.540 mg/l Exposure time: 96 h Method: OECD Test Guideline 203

Toxicity to aquatic plants: EC50 Species: Algae Value: 3.400 mg/l Exposure time: 48 h

Toxicity to Microorganisms: EC50 Species: Bacteria Value: 1.700 mg/l Exposure time: 16 h

Toxicity to aquatic invertebrates: LC50 Species: Daphnia pulex (Water flea) Value: 8.800 mg/l Exposure time: 48 h NOEC Species: Daphnia magna (Water flea) Value: 2.212 mg/l Exposure time: 48 h Method: OECD Guideline No. 211

12.2. Persistence and degradability

Biodegradability: Biodegradation: 90 % Exposure time: 28 d Result: Readily biodegradable

12.3. Bioaccumulative potential

Page 12 / 17



Acetone

650501-1L

Version 1.5

Revision Date 24.01.2021

Bioconcentration factor (BCF): 3 Bioaccumulation is unlikely.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

Biochemical Oxygen : Value: 1.760 mg/g Demand (BOD) Chemical Oxygen Demand : Value: 2.070 mg/g (COD)

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product: Dispose according to legal requirements.

Packaging: Legal requirements are to be considered in regard of reuse or disposal of used packaging materials

Further information: Provisions relating to waste: EC Directive 2006/12/EC; 2008/98/EEC Regulation No. 1013/2006

For personal protection see section 8.

SECTION 14: Transport information

14.1 UN number ADR/RID:1090

IMDG:1090

IATA:1090

14.2 UN proper shipping name ADR/RID:ACETONE IMDG:ACETONE IATA:Acetone

Page 13 / 17



Acetone

650501-1L

Version 1.5	Revision Date 24.01.2021	
14.3 Transport hazard class(es)	
ADR/RID: 3	/ IMDG: 3	IATA: 3
14.4 Packaging group		
ADR/RID: II	IMDG: II	IATA: II
14.5 Environmental hazards		
ADR/RID:no	Marine pollutant: no	
14.6 Special precautions for us	ser	
No data available		

SECTION 15: Regulatory information

No data available

14.7 Maritime transport in bulk according to IMO instruments

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Basis	Value	Remarks
Directive 2012/18/EC Listed in Regulation : P5c: FLAMM/ LIQUIDS Number in Regulation: 1.2.5.3	ABLE Quantity : 5.000.000 kg Quantity : 50.000.000 kg	
Substances of very high concern (S	VHC)	This product does not contain substances of very high concern according to Regulation (EC) No Article 57 above the respective regulatory 1907/2006 (REACH), concentration limit of \geq 0.1 % (w/w).
Regulation (EU) 2019/1148 on the marketing and use of explosives precursors		Contains components listed in

Poison Control Center

Country	Phone Number	Country	Phone Number
Austria	+4314064343	Liechtenstein	+41 442515151
Belgium	070 245245	Lithuania	+370532362052

Page 14 / 17

Honeywell Riedel-de Haën[™]

Acetone

650501-1L

Version 1.5

Revision Date 24.01.2021

Bulgaria	(+)35929154233	
Croatia	(+3851)23-48-342	
Cyprus	+357 2240 5611	
Czech Republic	+420224919293; +420224915402	
Denmark	82121212	
Estonia	16662; (+372)6269390	
Finland	9471977	
France	+33(0)145425959	
Greece	+30 210 779 3777	
Hungary	(+36-80)201-199	
Iceland	5432222	
Ireland	+353(1)8092166	
Italy	0382 24444	
	Berlin : 030/19240	
	Bonn : 0228/19240	
	Erfurt : 0361/730730	
Germany	Freiburg : 0761/19240	
	Göttingen : 0551/19240	
	Homburg : 06841/19240	
	Mainz : 06131/19240	
	Munich : 089/19240	
Latvia	+37167042473	

Luxembourg	070245245; (+352)80002-5500
Malta	+356 2395 2000
Netherlands	030-2748888
Norway	22591300
Poland	+48 42 25 38 400
Portugal	808250143
Romania	+40 21 318 3606
Slovakia (NTIC)	+421 2 54 774 166
Slovenia	+386 1 400 6051
Spain	+34915620420
Sweden	112 (begär Giftinformation);+46104566786
Switzerland	145
United Kingdom	(+44) 844 892 0111

Other inventory information

US. Toxic Substances Control Act On TSCA Inventory

Australia. Industrial Chemical (Notification and Assessment) Act On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL) All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List On the inventory, or in compliance with the inventory

Page 15 / 17
SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006



Acetone

650501-1L

Version 1.5

Revision Date 24.01.2021

Korea. Existing Chemicals Inventory (KECI) On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS) On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC) On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Text of H-statements referred to under heading 3

acetone; propan-2-one; propanone	:	H225	Highly flammable liquid and vapour.
		H319	Causes serious eye irritation.
		H336	May cause drowsiness or dizziness.
		EUH06	6 Repeated exposure may cause skin dryness or
		crackin	g.

Further information

All directives and regulations refer to amended versions. Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

Abbreviations:

EC European Community CAS Chemical Abstracts Service DNEL Derived no effect level PNEC Predicted no effect level vPvB Very persistent and very biaccumulative substance PBT Persistent, bioaccmulative und toxic substance

Page 16 / 17

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006



Acetone

650501-1L

Version 1.5

Revision Date 24.01.2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.



SAFETY DATA SHEET

Version 6.11 Revision Date 07/25/2023 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	[:] Acetone
Product Number	: 270725
Brand	: SIGALD
Index-No.	: 606-001-00-8
CAS-No.	: 67-64-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc.
		3050 SPRUCE ST
		ST. LOUIS MO 63103
		UNITED STATES
Telephone	:	+1 314 771-5765

Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703-
		527-3887 CHEMTREC (International) 24
		Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Eye irritation (Category 2A), H319 Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word SIGALD - 270725 Danger

Page 1 of 13



Hazard statement(s) H225 H319 H336	Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness.
Precautionary statement(s)	
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No
P233	Smoking. Keep container tightly closed
P240	Ground/bond container and receiving equipment
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing mist or vapors.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant
	foam to extinguish.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Repeated exposure may cause skin dryness or cracking.

SECTION 3: Composition/information on ingredients

3.1	Substances Formula Molecular weight CAS-No. EC-No. Index-No.	:	C₃H₀O 58.08 g/mol 67-64-1 200-662-2 606-001-00-8		
	Component			Classification	Concentration
	acetone				
				Flam. Liq. 2; Eye Irrit. 2A; STOT SE 3; H225, H319, H336 Concentration limits:	<= 100 %

SIGALD - 270725

Page 2 of 13



>= 20 %: STOT SE 3,	
H336;	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide (CO2) Foam Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

SIGALD - 270725

Page 3 of 13



5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 **Environmental precautions** Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

Reference to other sections 6.4

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SIGALD - 270725

Page 4 of 13



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters					
Component	CAS-No.	Value	Control parameters	Basis	
acetone	67-64-1	TWA	250 ppm	USA. ACGIH Threshold Limit Values (TLV)	
	Remarks	Not classifi	able as a human	carcinogen	
		STEL	500 ppm	USA. ACGIH Threshold Limit Values (TLV)	
		Not classifi	able as a human	carcinogen	
		TWA	250 ppm 590 mg/m3	USA. NIOSH Recommended Exposure Limits	
		TWA	1,000 ppm 2,400 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
		C	3,000 ppm	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	
		PEL	500 ppm 1,200 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	
		STEL	750 ppm 1,780 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	

Ingredients with workplace control parameters

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis	
acetone	67-64-1	Acetone	25 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)	
	Remarks	End of shift (As soon as	possible after exp	osure ceases)	

Derived No Effect Level (DNEL)

Application Area	Routes of	Health effect	Value		
	exposure				
Workers	Skin contact	Long-term systemic effects	186mg/kg BW/d		
Consumers	Ingestion	Long-term systemic effects	62mg/kg BW/d		
Consumers	Skin contact	Long-term systemic effects	62mg/kg BW/d		
Workers	Inhalation	Acute systemic effects	2420 mg/m3		
Workers	Inhalation	Long-term systemic effects	1210 mg/m3		
Consumers	Inhalation	Long-term systemic effects	200 mg/m3		

SIGALD - 270725

Page 5 of 13



Predicted No Effect Concentration (PNEC)			
Compartment	Value		
Soil	33.3 mg/kg		
Sea water	1.06 mg/l		
Fresh water	10.6 mg/l		
Sea sediment	3.04 mg/kg		
Fresh water sediment	30.4 mg/kg		
Onsite sewage treatment plant	100 mg/l		

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: butyl-rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact

Material: Latex gloves Minimum layer thickness: 0.6 mm Break through time: 10 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: Filter type AX

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

SIGALD - 270725

Page 6 of 13



Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: clear, liquid Color: colorless
b)	Odor	pungent, weakly aromatic
c)	Odor Threshold	0.1 ppm
d)	рН	5 - 6 at 395 g/l at 20 °C (68 °F)
e)	Melting point/freezing point	Melting point/range: -94 °C (-137 °F)
f)	Initial boiling point and boiling range	56 °C 133 °F at 1,013 hPa
g)	Flash point	-17.0 °C (1.4 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 13 %(V) Lower explosion limit: 2 %(V)
k)	Vapor pressure	245.3 hPa at 20.0 °C (68.0 °F)
I)	Vapor density	No data available
m)	Density	0.791 g/mL at 25 °C (77 °F)
	Relative density	No data available
n)	Water solubility	soluble, in all proportions
o)	Partition coefficient: n-octanol/water	No data available
p)	Autoignition temperature	465.0 °C (869.0 °F)
q)	Decomposition temperature	Distillable in an undecomposed state at normal pressure.
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	none
Oth	ner safety informatio	n
	Conductivity	0.01 µS/cm at 20 °C (68 °F)
	Surface tension	23.2 mN/m at 20.0 °C (68.0 °F)

SIGALD - 270725

9.2

Page 7 of 13



SECTION 10: Stability and reactivity

10.1 Reactivity

Vapors may form explosive mixture with air.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapours with: chromosulfuric acid chromyl chloride ethanolamine Fluorine Strong oxidizing agents strong reducing agents Nitric acid chromium(VI) oxide Risk of explosion with: nonmetallic oxyhalides halogen-halogen compounds Chloroform nitrating acid nitrosyl compounds hydrogen peroxide halogen oxides organic nitro compounds peroxi compounds Exothermic reaction with: Bromine Alkali metals alkali hydroxides Halogenated hydrocarbon Sulfur dichloride phosphorous oxichloride

10.4 Conditions to avoid

Warming.

10.5 Incompatible materials

rubber, various plastics

10.6 Hazardous decomposition products In the event of fire: see section 5

SIGALD - 270725

Page 8 of 13



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - 5,800 mg/kg Remarks: (ECHA) LC50 Inhalation - Rat - 4 h - 76 mg/l - vapor

Remarks: Unconsciousness Drowsiness Dizziness (External MSDS) LD50 Dermal - Rabbit - 20,000 mg/kg Remarks: (IUCLID)

Skin corrosion/irritation

Skin - Rabbit Result: Mild skin irritation - 24 h (Draize Test) Remarks: (RTECS)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Eye irritation - 24 h (Draize Test) Remarks: (RTECS)

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: Not a skin sensitizer. Remarks: (ECHA) Chronic exposure may cause dermatitis.

Germ cell mutagenicity

Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Mouse lymphoma test Metabolic activation: without metabolic activation Method: OECD Test Guideline 476 Result: negative

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

SIGALD - 270725

Page 9 of 13



- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause drowsiness or dizziness. - Narcotic effects

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard No data available

11.2 Additional Information

RTECS: AL3150000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption:

Headache Salivation Nausea Vomiting Dizziness narcosis Coma

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Kidney - Irregularities - Based on Human Evidence

Skin - Dermatitis - Based on Human Evidence

Kidney - Irregularities - Based on Human Evidence

Skin - Dermatitis - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish

flow-through test LC50 - Pimephales promelas (fathead minnow) - 6,210 mg/l - 96 h (OECD Test Guideline 203)

SIGALD - 270725

Page 10 of 13



12.2	Persistence and deg	radability
	Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	flow-through test NOEC - Daphnia magna (Water flea) - 2,212 mg/l - 28 d Remarks: (ECHA)
	Toxicity to bacteria	static test EC50 - activated sludge - 61.15 mg/l - 30 min (OECD Test Guideline 209)
	Toxicity to algae	static test NOEC - M.aeruginosa - 530 mg/l - 8 d (DIN 38412) Remarks: (maximum permissible toxic concentration) (IUCLID)
	Toxicity to daphnia and other aquatic invertebrates	static test LC50 - Daphnia pulex (Water flea) - 8,800 mg/l - 48 h Remarks: (ECHA)

2 Persistence and degradability Biodegradability aerobic - Exposure time 28 d Result: 91 % - Readily biodegradable. (OECD Test Guideline 301B)

Biochemical Oxygen	1,850 mg/g
Demand (BOD)	Remarks: (IUCLID)
Chemical Oxygen	2,070 mg/g
Demand (COD)	Remarks: (IUCLID)
Theoretical oxygen	2,200 mg/g
demand	Remarks: (Lit.)

12.3 Bioaccumulative potential Does not bioaccumulate.

12.4 Mobility in soil

No data available

- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Endocrine disrupting properties** No data available

12.7 Other adverse effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SIGALD - 270725

Page 11 of 13



SECTION 14: Transport information

DOT (US)

UN number: 1090 Class: 3 Proper shipping name: Acetone Reportable Quantity (RQ): 5000 lbs Poison Inhalation Hazard: No

IMDG

UN number: 1090 E, S-D Proper shipping name: ACETONE Class: 3

Packing group: II

Packing group: II EMS-No: F-

ΙΑΤΑ

UN number: 1090 Class: 3 Packing group: II Proper shipping name: Acetone

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Pennsylvania Right To Know ComponentsCAS-No.acetone67-64-1	Revision Date 1993-02-16

CAS-No

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See

SIGALD - 270725

Page 12 of 13

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



Revision Date

www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies

for internal use only. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact misbranding@sial.com. Revision Date: 07/25/2023 Print Date: 12/30/2023 Version: 6.11

SIGALD - 270725

Page 13 of 13





SAFETY DATA SHEET

Creation Date 28-Apr-2009

Revision Date 13-Oct-2023

Revision Number 9

1. Identification			
Product Name	Acetone		
Cat No. :	A9-4; A9-20; A9-200; A11-1; A11-4; A11-20; A11-200; A11S-4; A13-200 A13-200; A16F-1GAL; A16P-1GAL; A16P-4; A16S-4; A16S-20; A18-1; A18-4; A18-20; A18-20LC; A18-200; A18-200LC; A18-500; A18CU130 A18FB-19; A18FB-50; A18FB-115; A18FB-200; A18P-4; A18POP-19; A18POPB-50; A18RB-19; A18RB-50; A18RB-115; A18RB-200; A18RS-28; A18RS-50; A18RS-115; A18RS-200; A18S-4; A18SK-4; A18SS-19; A18SS-28; A18SS-50; A18SS-115; A18SS-200; A19-1; A19-4; A19RS-115; A19RS-200; A40-4; A928-4; A929-1; A929-4; A929-4LC; A929RS-19; A929RS-50; A929RS-200; A929SK-4; A929SS-28; A929SS-50; A929SS-115; A929SS-200; A946-4; A946-4L A946FB-200; A946RB-19; A946RB-50; A946RB-115; A946RB-200; A949-1; A949-4; A949-4LC; A949CU-50; A949N-119; A949N-219; A949POP-19; A949RS-28; A949RS-50; A949RS-115; A949SK-1; A949SK-4; A949SS-19; A949SS-28; A949SS-50; A949RS-115; A949SS-115; A949SS-200; BP2403-1; BP2403-4; BP2403-20; BP2403-RS200; BP2404-1; BP2404-4; BP2404-SK1; BP2404-SK4; HC300-1GAL; S70091; 22050131; 22050295; XXA9ET200LI; NC2396838		
CAS No Synonyms	67-64-1 2-Propanone; Dimethyl ketone; (Certified ACS, HPLC, OPTIMA, Histological, Spectranalyzed, NF/FCC/EP, Pesticide, Electronic, GC Resolv, SAFE-COTE)		
Recommended Use Uses advised against	Laboratory chemicals. Food, drug, pesticide or biocidal product use.		
Details of the supplier of the safety	data sheet		
Company Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100			

Emergency Telephone Number CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 2	
Serious Eye Damage/Eye Irritation	Category 2	
Specific target organ toxicity (single exposure)	Category 3	
Target Organs - Central nervous system (CNS).		
Specific target organ toxicity - (repeated exposure)	Category 2	

Label Elements

Signal Word Danger

Hazard Statements

Highly flammable liquid and vapor Causes serious eye irritation May cause drowsiness or dizziness May cause damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention Wash face, hands and any exposed skin thoroughly after handling Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Use only non-sparking tools Take precautionary measures against static discharge Wear protective gloves/protective clothing/eye protection/face protection Keep cool Response Get medical attention/advice if you feel unwell Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower **Eves** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention Fire In case of fire: Use CO2, dry chemical, or foam for extinction Storage Store in a well-ventilated place. Keep container tightly closed Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant <u>Hazards not otherwise classified (HNOC)</u> Repeated exposure may cause skin dryness or cracking

3. Composition/Information on Ingredients

Component		CAS No	Weight %
Acetone		67-64-1	>95
	4.	First-aid measures	
General Advice If symptoms		persist, call a physician.	
Eye Contact Rinse imme medical atte		iately with plenty of water, also under th tion.	e eyelids, for at least 15 minutes. Get
Skin ContactWash off immediately with plenty of call a physician.		nediately with plenty of water for at least an.	15 minutes. If skin irritation persists,
Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical att symptoms occur.		spiration. Get medical attention if	
Ingestion	Clean mouth	with water and drink afterwards plenty c	of water.
Most important symptoms and effects Notes to Physician	Difficulty in b nausea and v Treat sympto	reathing. Symptoms of overexposure m vomiting: May cause pulmonary edema matically	ay be headache, dizziness, tiredness,

5. Fire-fighting measures

Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.
Unsuitable Extinguishing Media	Water may be ineffective
Flash Point	-20 °C / -4 °F
Method -	CC (closed cup)
Autoignition Temperature	465 °C / 869 °F
Explosion Limits Upper Lower Oxidizing Properties	12.8 vol % 2.5 vol % Not oxidising

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Formaldehyde. Methanol. **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u> Health 2	Flammability 3	Instability 0	Physical hazards N/A	
	6. Accidental rel	ease measures		
Personal Precautions	Use personal protective eq sources of ignition. Take pr	uipment as required. Ensure a ecautionary measures agains	adequate ventilation. Remove all static discharges.	
Environmental Precautions	Should not be released into	o the environment.	·	
Methods for Containment and (Up	inment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.			
	7. Handling a	and storage		
Handling	Do not get in eyes, on skin, protection. Ensure adequat open flames, hot surfaces a ignition of vapors by static grounded. Take precaution	, or on clothing. Wear persona te ventilation. Avoid ingestion and sources of ignition. Use o electricity discharge, all metal ary measures against static d	al protective equipment/face and inhalation. Keep away from nly non-sparking tools. To avoid parts of the equipment must be lischarges.	
Storage.	Flammables area. Keep co Keep away from heat, spar Strong reducing agents. Str Amines.	ntainers tightly closed in a dry ks and flame. Incompatible N rong bases. Peroxides. Halog	 v, cool and well-ventilated place. Materials. Strong oxidizing agents. enated compounds. Alkali metals. 	

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Acetone	TWA: 250 ppm	(Vacated) TWA: 750 ppm	IDLH: 2500 ppm	TWA: 500 ppm
	STEL: 500 ppm	(Vacated) TWA: 1800 mg/m ³	TWA: 250 ppm	STEL: 750 ppm
		(Vacated) STEL: 2400	TWA: 590 mg/m ³	
		mg/m ³	_	
		(Vacated) STEL: 1000 ppm		
		TWA: 1000 ppm		
		TWA: 2400 mg/m ³		

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

	EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Recommended Filter type:	low boiling organic solvent. Type AX. Brown. conforming to EN371.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State	Liquid
Appearance	Colorless
Odor	sweet
Odor Threshold	19.8 ppm
рН	7
Melting Point/Range	-95 °C / -139 °F
Boiling Point/Range	56 °C / 132.8 °F
Flash Point	-20 °C / -4 °F
Method -	CC (closed cup)
Evaporation Rate	5.6 (Butyl Acetate = 1.0)
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	12.8 vol %
Lower	2.5 vol %
Vapor Pressure	247 mbar @ 20 °C
Vapor Density	2.0
Specific Gravity	0.790
Solubility	Soluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	465 °C / 869 °F
Decomposition Temperature	> 4°C
Viscosity	0.32 mPa.s @ 20 °C
Molecular Formula	C3 H6 O
Molecular Weight	58.08
VOC Content(%)	100
Refractive index	1.358 - 1.359

10. Stability and reactivity

Reactive Hazard	None known, based on information available			
Stability	Stable under normal conditions.			
Conditions to Avoid	Heat, flames and sparks. Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.			
Incompatible Materials	Strong oxidizing agents, Strong reducing agents, Strong bases, Peroxides, Halogenated compounds, Alkali metals, Amines			
Hazardous Decomposition Products	Carbon monoxide (CO), Carbon dioxide (CO2), Formaldehyde, Methanol			
Hazardous Polymerization	Hazardous polymerization does not occur.			
Hazardous Reactions	None under normal processing.			

11. Toxicological information

Acute Toxicity

Product Information

Component	Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation

Acetone		5800 mg/kg (Rat)	> 1/	800 ma/ka (rabbit)	76 mg	/I 4 h (rat)	
		oooo mg/kg (kut)	>	7400 mg/kg (rat)	7 o hig	n, 4 n, (rac)	
Toxicologically Syn	ergistic	Carbon tetrachloride; Chloroform; Trichloroethylene; Bromodichloromethane;					
Products		Dibromochloromethane; N-nitrosodimethylamine; 1,1,2-Trichloroethane; Styrene;					
		Acetonitrile, 2,5-Hexanedione; Ethanol; 1,2-Dichlorobenzene					
Delayed and immed	liate effects as w	ell as chronic effec	cts from short a	nd long-term expos	<u>sure</u>		
Irritation		Irritating to eyes					
Sensitization		No information ava	ilable				
Carcinogenicity		The table below indicates whether each agency has listed any ingredient as a carcir					
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico	
Acetone	67-64-1	Not listed	Not listed	Not listed	Not listed	Not listed	
Mutagenic Effects		No information available					
Reproductive Effect	ts	No information available.					
Developmental Effe	cts	No information ava	ilable.				
Teratogenicity		No information available.					
STOT - single expos STOT - repeated ex	sure posure	Central nervous system (CNS) None known					
Aspiration hazard		No information available					
Symptoms / effects delayed	,both acute and	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: May cause pulmonary edema					
Endocrine Disrupto	r Information	No information available					
Other Adverse Effe	cts	The toxicological properties have not been fully investigated.					

12. Ecological information

Ecotoxicity

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Acetone	NOEC = 430 mg/l (algae; 96	Oncorhynchus mykiss: LC50	EC50 = 14500 mg/L/15 min	EC50 = 8800 mg/L/48h
	h)	= 5540 mg/l 96h		EC50 = 12700 mg/L/48h
		Alburnus alburnus: LC50 =		EC50 = 12600 mg/L/48h
		11000 mg/l 96h		
		Leuciscus idus: LC50 =		
		11300 mg/L/48h		
		Salmo gairdneri: LC50 =		
		6100 mg/L/24h		
Persistence and Degrada	ability Persistence i	s unlikely based on inform	ation available.	

Persistence and Degradability

Bioaccumulation/Accumulation

No information available.

Mobility

Will likely be mobile in the environment due to its volatility.

Component	log Pow
Acetone	-0.24

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component		RCRA - U Series Wastes	RCRA - P Series Wastes					
Acetone - 67-64-1		U002	-					
14. Transport information								
DOT								
UN-No	UN1090							
Proper Shipping Name	ACETONE							
Hazard Class	3							
Packing Group	II							
TDG								
UN-No	UN1090							
Proper Shipping Name	ACETONE							
Hazard Class	3							
Packing Group	11							
IATA								
UN-No	UN1090							
Proper Shipping Name	ACETONE							
Hazard Class	3							
Packing Group	11							
IMDG/IMO								
UN-No	UN1090							
Proper Shipping Name	ACETONE							
Hazard Class	3							
Packing Group								
	15. R	egulatory information						

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Acetone	67-64-1	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

,

Not applicable

Not applicable

International Inventories

TSCA 12(b) - Notices of Export

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Acetone	67-64-1	Х	-	200-662-2	Х	Х	Х	Х	Х	KE-29367

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations	
SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable

Clean Air Act	Not applicable

OSHA - Occupational Safety and Not applicable Health Administration

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Acetone	5000 lb	-

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Acetone	Х	Х	Х	-	Х

U.S. Department of Transportation

Reportable Quantity (RQ):	Y
DOT Marine Pollutant	N
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

Serious risk, Grade 3

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Acetone	67-64-1	-	Use restricted. See item 75. (see link for restriction details)	-

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Acetone	67-64-1	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Acetone	67-64-1	Not applicable	Not applicable	Not applicable	Annex I - Y42

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date Revision Date	28-Apr-2009 13-Oct-2023
Print Date	13-Oct-2023
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS



SAFETY DATA SHEET

Creation Date 28-Apr-2009

Revision Date 24-Dec-2021

Revision Number 8

Product Name	Acetone
Cat No. :	AC177170000; AC177170010; AC177170025; AC177170050; AC177170100; AC177170250
CAS No Synonyms	67-64-1 2-Propanone
Recommended Use Uses advised against	Laboratory chemicals. Food, drug, pesticide or biocidal product use.
Details of the supplier of the	safety data sheet

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Category 2 Category 2 Category 3

Category 2

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	
Serious Eye Damage/Eye Irritation	
Specific target organ toxicity (single exposure)	
Target Organs - Central nervous system (CNS).	
Specific target organ toxicity - (repeated exposure)	
Target Organs - Kidney, Liver, spleen, Blood.	

Label Elements

Signal Word Danger

Hazard Statements

Highly flammable liquid and vapor Causes serious eye irritation

May cause drowsiness or dizziness

May cause damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Use only non-sparking tools Take precautionary measures against static discharge Wear protective gloves/protective clothing/eye protection/face protection Keep cool Response Get medical attention/advice if you feel unwell Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention Fire In case of fire: Use CO2, dry chemical, or foam for extinction Storage Store in a well-ventilated place. Keep container tightly closed Store locked up Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Repeated exposure may cause skin dryness or cracking

3. Composition/Information on Ingredients

Comp	onent	CAS No	Weight %			
Acetone		67-64-1	>95			
	4. First-aid measures					
eneral Advice If symptoms persist, call a physician.						
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get					

Most important symptoms and effects Notes to Physician	. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: May cause pulmonary edema Treat symptomatically
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
	medical attention.

5. Fire-fighting measures

Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.
Unsuitable Extinguishing Media	Water may be ineffective
Flash Point	-20 °C / -4 °F
Method -	CC (closed cup)
Autoignition Temperature	465 °C / 869 °F
Explosion Limits Upper Lower	12.8 vol % 2.5 vol %
Oxidizing Properties	Not oxidising

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Formaldehyde. Methanol.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Health 2	Flammability 3	Instability 0	Physical hazards N/A
	6. Accidental re	elease measures	
Personal Precautions	Use personal protective e sources of ignition. Take	equipment as required. Ensure a precautionary measures against	dequate ventilation. Remove all t static discharges.
Environmental Precautions	Should not be released in	nto the environment.	
Methods for Containment and Clean Up	Soak up with inert absort Remove all sources of ig	pent material. Keep in suitable, c nition. Use spark-proof tools and	losed containers for disposal. I explosion-proof equipment.

7. Handling and storage

Handling	Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.
Storage.	Flammables area. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Incompatible Materials. Strong oxidizing agents. Strong reducing agents. Strong bases. Peroxides. Halogenated compounds. Alkali metals. Amines.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Acetone	TWA: 250 ppm	(Vacated) TWA: 750 ppm	IDLH: 2500 ppm	TWA: 500 ppm
	STEL: 500 ppm	(Vacated) TWA: 1800 mg/m ³	TWA: 250 ppm	STEL: 750 ppm
		(Vacated) STEL: 2400	TWA: 590 mg/m ³	
		mg/m ³	-	
		(Vacated) STEL: 1000 ppm		
		TWA: 1000 ppm		
		TWA: 2400 mg/m ³		

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment.	
Personal Protective Equipment		
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.	
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.	
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.	
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.	

9. Physical and chemical properties		
Physical State	Liquid	
Appearance	Colorless	
Odor	sweet	
Odor Threshold	19.8 ppm	
рН	7	
Melting Point/Range	-95 °C / -139 °F	
Boiling Point/Range	56 °C / 132.8 °F	
Flash Point	-20 °C / -4 °F	
Method -	CC (closed cup)	
Evaporation Rate	5.6 (Butyl Acetate = 1.0)	
Flammability (solid,gas)	Not applicable	
Appearance Odor Odor Threshold pH Melting Point/Range Boiling Point/Range Flash Point Method - Evaporation Rate Flammability (solid,gas)	Colorless sweet 19.8 ppm 7 -95 °C / -139 °F 56 °C / 132.8 °F -20 °C / -4 °F CC (closed cup) 5.6 (Butyl Acetate = 1.0) Not applicable	

Flammability or	explosive limits
Upper	-
Lower	
Vapor Pressure	
Vapor Density	
Specific Gravity	
Solubility	
Partition coeffic	ient; n-octanol/water
Autoignition Ter	nperature
Decomposition	Temperature
Viscosity	•
Molecular Form	ula
Molecular Weigh	nt
Refractive index	

12.8 vol % 2.5 vol % 247 mbar @ 20 °C 2.0 0.790 Soluble in water No data available 465 °C / 869 °F > 4°C 0.32 mPa.s @ 20 °C C3 H6 O 58.08 1.358 - 1.359

Reactive Hazard	None known, based on information available	
Stability	Stable under normal conditions.	
Conditions to Avoid	Heat, flames and sparks. Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.	
Incompatible Materials	Strong oxidizing agents, Strong reducing agents, Strong bases, Peroxides, Halogenated compounds, Alkali metals, Amines	
Hazardous Decomposition Product	s Carbon monoxide (CO), Carbon dioxide (CO ₂), Formaldehyde, Methanol	
Hazardous Polymerization	Hazardous polymerization does not occur.	
Hazardous Reactions	None under normal processing.	

10. Stability and reactivity

11. Toxicological information

Acute Toxicity

Product Information mnonent Information

component information			
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acetone	5800 mg/kg (Rat)	> 15800 mg/kg (rabbit)	76 mg/l, 4 h, (rat)
		> 7400 mg/kg (rat)	
oxicologically Synergistic Carbon tetrachloride; Chloroform; Trichloroethylene; Bromodichloromethane;			
Products Dibromochloromethane; N-nitrosodimethylamine; 1,1,2-Trichloroethane; Styrene;			
Acetonitrile, 2,5-Hexanedione; Ethanol; 1,2-Dichlorobenzene			
Delayed and immediate effects	as well as chronic effects from	n short and long-term exposure	<u>م</u>

effects from short and long-term exposure

Irritation	Irritating to eyes
------------	--------------------

Sensitization No information available

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Acetone	67-64-1	Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects		No information ava	ailable			
Reproductive Effect	S	No information available.				
Developmental Effe	cts	No information available.				

Teratogenicity	No information available.	
STOT - single exposure STOT - repeated exposure	Central nervous system (CNS) Kidney Liver spleen Blood	
Aspiration hazard	No information available	
Symptoms / effects,both acute and delayed	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: May cause pulmonary edema	
Endocrine Disruptor Information	No information available	
Other Adverse Effects	The toxicological properties have not been fully investigated.	

12. Ecological information

Ecotoxicity

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Acetone	NOEC = 430 mg/l (algae; 96 h)	Oncorhynchus mykiss: LC50 = 5540 mg/l 96h Alburnus alburnus: LC50 = 11000 mg/l 96h Leuciscus idus: LC50 = 11300 mg/L/48h	EC50 = 14500 mg/L/15 min	EC50 = 8800 mg/L/48h EC50 = 12700 mg/L/48h EC50 = 12600 mg/L/48h
		Salmo gairdneri: LC50 = 6100 mg/L/24h		
Persistence and Degrad	ability Persistence i	s unlikely based on inform	ation available.	

Bioaccumulation/Accumulation

No information available.

Mobility

Will likely be mobile in the environment due to its volatility.

Component	log Pow
Acetone	-0.24

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Acetone - 67-64-1	U002	-

14. Transport information				
DOT UN-No Proper Shipping Name Hazard Class Packing Group	UN1090 ACETONE 3 II			
<u>TDG</u> UN-No Proper Shipping Name Hazard Class Packing Group	UN1090 ACETONE 3 II			
<u>IATA</u> UN-No Proper Shipping Name Hazard Class	UN1090 ACETONE 3			

Packing Group IMDG/IMO	П
UN-No	UN1090
Proper Shipping Name	ACETONE
Hazard Class	3
Packing Group	II
	15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Acetone	67-64-1	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Acetone	67-64-1	Х	-	200-662-2	Х	Х	Х	Х	Х	KE-29367

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs	
Acetone	5000 lb	-	

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Acetone	Х	Х	Х	-	Х

U.S. Department of Transportation

Reportable Quantity (RQ):	Y
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

Serious risk, Grade 3

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Acetone	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Acetone	67-64-1	Listed	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities	Seveso III Directive (2012/18/EC) - Qualifying Quantities	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
		for Major Accident	for Safety Report		
		Notification	Requirements		
Acetone	67-64-1	Not applicable	Not applicable	Not applicable	Annex I - Y42

16. Other information

Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com

Creation Date	28-Apr-2009
Revision Date	24-Dec-2021
Print Date	24-Dec-2021
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

Prepared By

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS



SAFETY DATA SHEET

Version 6.7 Revision Date 03/18/2023 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	[:] Acetonitrile
Product Number	: 360457
Brand	: SIGALD
Index-No.	: 608-001-00-3
CAS-No.	: 75-05-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	: Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone	: +1 314 771-5765
Fax	: +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24
		Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 4), H312 Eye irritation (Category 2A), H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Danger

Signal Word SIGALD - 360457

Page 1 of 12



Hazard statement(s) H225 H302 + H312 + H332 H319	Highly flammable liquid and vapor. Harmful if swallowed, in contact with skin or if inhaled. Causes serious eve irritation
Precautionary statement(s)	
P210	smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing mist or vapors.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ eye protection/ face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated
	clothing. Rinse skin with water/ shower.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable
	for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue
	rinsing.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant
	foam to extinguish.
P403 + P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/ container to an approved waste disposal
	plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	: Methyl cyanide ACN			
Formula Molecular weight	: C_2H_3N : 41.05 g/mol			
CAS-No.	: 75-05-8			
EC-No.	: 200-835-2			
Index-No.	: 608-001-00-3			
Component		Classification	Concentration	
Acetonitrile				
		Flam. Liq. 2; Acute Tox. 4; Eye Irrit. 2A; H225, H302,	<= 100 %	

SIGALD - 360457

Page 2 of 12



H337	H312	H 319
11552,	IJJIZ,	11312

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration. Oxygen if necessary. Immediately call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

SIGALD - 360457

Page 3 of 12



5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions Do not let product enter drains. Risk of explosion.

- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
- **6.4** Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Handle and store under inert gas.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SIGALD - 360457

Page 4 of 12


SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingreateness with workplace control parameters				
Component	CAS-No.	Value	Control	Basis
			parameters	
Acetonitrile	75-05-8	TWA	20 ppm	USA. ACGIH Threshold Limit
				Values (TLV)
	Remarks	Not classif	iable as a humar	n carcinogen
		Danger of	cutaneous absor	ption
		TWA	20 ppm	USA. NIOSH Recommended
			34 mg/m3	Exposure Limits
		TWA	40 ppm	USA. Occupational Exposure
			70 mg/m3	Limits (OSHA) - Table Z-1
			_	Limits for Air Contaminants
		PEL	40 ppm	California permissible exposure
			70 mg/m3	limits for chemical
				contaminants (Title 8, Article
				107)
		Skin		
		STEL	60 ppm	California permissible exposure
			105 mg/m3	limits for chemical
				contaminants (Title 8, Article
				107)
		Skin		

Ingredients with workplace control parameters

Derived No Effect Level (DNEL)

Application Area	Routes of	Health effect	Value
	exposure		
Workers	Inhalation	Acute local effects, Acute systemic effects	68 mg/m3
Workers	Skin contact	Long-term systemic effects	32.2mg/kg BW/d
Workers	Inhalation	Long-term local effects, Long-term systemic effects	68 mg/m3
Consumers	Inhalation	Acute local effects	220 mg/m3
Consumers	Inhalation	Acute systemic effects	22 mg/m3
Consumers	Inhalation	Long-term systemic effects	4.8 mg/m3

Predicted No Effect Concentration (PNEC)

Compartment	Value
Water	10 mg/l
Soil	2.41 mg/kg
Sea water	1 mg/l
Fresh water	10 mg/l
Fresh water sediment	7.53 mg/kg
Onsite sewage treatment plant	32 mg/l

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

SIGALD - 360457

Page 5 of 12



Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: butyl-rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Chloroprene Minimum layer thickness: 0.65 mm Break through time: 10 min Material tested:KCL 720 Camapren®

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: clear, liquid Color: colorless
b)	Odor	ether-like
c)	Odor Threshold	39.8 ppm
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: -48 °C (-54 °F)
f)	Initial boiling point and boiling range	81 - 82 °C 178 - 180 °F

SIGALD - 360457

Page 6 of 12



g)	Flash point	2.0 °C (35.6 °F) - closed cup
h)	Evaporation rate	5.8
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 16 %(V) Lower explosion limit: 4.4 %(V)
k)	Vapor pressure	98.64 hPa at 20 °C (68 °F)
I)	Vapor density	1.42 - (Air = 1.0)
m)	Density	0.786 g/mL at 25 °C (77 °F)
	Relative density	No data available
n)	Water solubility	1,000 g/l at 25 °C (77 °F)completely soluble
o)	Partition coefficient: n-octanol/water	log Pow: -0.54 at 25 °C (77 °F) - Bioaccumulation is not expected.
p)	Autoignition temperature	524.0 °C (975.2 °F)
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	none
Oth	ner safety informatio	n

9.2

Surface tension	29.0 mN/m at 20.0 °C (68.0 °F)
Relative vapor density	1.42 - (Air = 1.0)

SECTION 10: Stability and reactivity

10.1 Reactivity

Vapors may form explosive mixture with air.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with: Strong bases strong reducing agents Risk of explosion with: nitrates perchlorates perchloric acid conc. sulfuric acid with Heat.

SIGALD - 360457

Page 7 of 12



Risk of ignition or formation of inflammable gases or vapours with: Oxidizing agents Nitric acid nitrogen dioxide with Catalyst Generates dangerous gases or fumes in contact with: Acids

10.4 Conditions to avoid

Warming.

10.5 Incompatible materials

rubber, various plastics, Strong oxidizing agents

10.6 Hazardous decomposition products In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Mouse - male and female - 617 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Mouse - male and female - 4 h - 6.022 mg/l - vapor

(OECD Test Guideline 403) Acute toxicity estimate Dermal - 1,500 mg/kg (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes serious eye irritation. (OECD Test Guideline 405) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Respiratory or skin sensitization

Buehler Test - Guinea pig Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Ames test Test system: S. typhimurium Metabolic activation: with and without metabolic activation Result: negative Remarks: (ECHA) Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells

SIGALD - 360457

Page 8 of 12



Metabolic activation: with and without metabolic activation Method: US-EPA **Result:** negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Result: Positive results were obtained in some in vitro tests. Remarks: (National Toxicology Program) Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells Metabolic activation: Metabolic activation Result: negative Remarks: Sister chromatid exchange Test system: Saccharomyces cerevisiae Metabolic activation: without metabolic activation Result: positive Remarks: Cytogenetic analysis (ECHA) Test Type: In vitro mammalian cell gene mutation test Test system: Mouse lymphoma test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative

Test Type: Micronucleus test Species: Mouse

Application Route: Intraperitoneal Method: OECD Test Guideline 474 Result: negative

Carcinogenicity

No evidence of carcinogenicity in animal studies.

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

Animal testing did not show any effects on fertility.

Specific target organ toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ toxicity - repeated exposure The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

11.2 Additional Information

RTECS: AL7700000

SIGALD - 360457

Page 9 of 12



Treat as cyanide poisoning., Always have on hand a cyanide first-aid kit, together with proper instructions., The onset of symptoms is generally delayed pending conversion to cyanide., Nausea, Vomiting, Diarrhea, Headache, Dizziness, Rash, Cyanosis, excitement, depression, Drowsiness, impaired judgment, Lack of coordination, stupor, death To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

	Toxicity to fish	flow-through test LC50 - Pimephales promelas (fathead minnow) - 1,640 mg/l - 96 h Remarks: (ECHA)	
	Toxicity to algae	static test NOEC - Phaeodactylum tricornutum - 400 mg/l - 72 h (ISO 10253)	
		static test ErC50 - Phaeodactylum tricornutum - 9,696 mg/l - 72 h (ISO 10253)	
	Toxicity to bacteria		
	Toxicity to fish(Chronic toxicity)	flow-through test NOEC - Oryzias latipes - 102 mg/l - 21 d (OECD Test Guideline 204)	
12.2	Persistence and deg Biodegradability	radability Result: 70 % - Readily biodegradable. (OECD Test Guideline 310)	
12.3	Bioaccumulative potential No bioaccumulation is to be expected (log Pow <= 4).		
12.4	Mobility in soil Not expected to adsorb on soil.		
12.5	Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted		
12.6	6 Endocrine disrupting properties No data available		
12.7	Other adverse effect Avoid release to the er	s nvironment.	
	Stability in water	DT50 - > 9,999 d pH 7 at 25 °C Remarks: (calculated)Hydrolyzes slowly.	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SIGALD - 360457

Page 10 of 12



SECTION 14: Transport information		
DOT (US) UN number: 1648 Class: 3 Proper shipping name: Acetonitrile Reportable Quantity (RQ): 5000 lbs Poison Inhalation Hazard: No	Packing group: II	
IMDG UN number: 1648 Class: 3 Proper shipping name: ACETONITRILE	Packing group: II	EMS-No: F-E, S-D
IATA UN number: 1648 Class: 3 Proper shipping name: Acetonitrile	Packing group: II	

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Acetonitrile	CAS-No. 75-05-8	Revision Date 2007-07-01
SARA 311/312 Hazards Fire Hazard, Acute Health Hazard		
Massachusetts Right To Know Components		
	CAS-No.	Revision Date
Acetonitrile	75-05-8	2007-07-01
Pennsylvania Right To Know Components		
Acetonitrile	CAS-No.	Revision Date
	75-05-8	2007-07-01

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See

SIGALD - 360457

Page 11 of 12



www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.7

Revision Date: 03/18/2023 Print Date: 12/30/2023

SIGALD - 360457

Page 12 of 12





Page 1/9 Creation Date 16-Jun-2009 Revision Date 18-Dec-2020 Version 4

ACR32681

Acetonitrile

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明:	乙腈
Product Description:	Acetonitrile
Cat No. :	326810000; 326810010; 326810025; 326811000; 326810250; 326815000; 326815001
Synonyms	AN; Methyl cyanide; Ethanenitrile
CAS No	75-05-8
Molecular Formula	C2 H3 N
Supplier	UK entity/business name Fisher Scientific UK Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom General info; Tel: +44 (0)1509 231166 EU entity/business name Acros Organics BVBA Janssen Pharmaceuticalaan 3a, 2440 Geel, Belgium General Info; Tel: +32-14-57 52 11 (info@acros.com) Technical Support; Tel +32-14-56 56 00 (acros.techsupport@thermofisher.com)
Emergency Telephone Number	For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11 Emergency Number US :001-201-796-7100 / Europe : +32 14 57 52 99 CHEMTREC Tel. No. US :001-800-424-9300 / Europe :001-703-527-3887
E-mail address	begel.sdsdesk@thermofisher.com
Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

SECTION 2. HAZARD IDENTIFICATION

Physical State	Appearance	Odor
Liquid	Colorless	aromatic
Highly flammable liquid and vapor. Causes	Emergency Overview serious eye irritation. Harmful if swallowe inhaled.	ed. Harmful in contact with skin. Harmful if

Classification of the substance or mixture

Flammable liquids.	Category 2
Acute Oral Toxicity	Category 4
Acute Dermal Toxicity	Category 4
Acute Inhalation Toxicity - Vapors	Category 4
Serious Eye Damage/Eye Irritation	Category 2

Label Elements



Signal Word

Danger

Hazard Statements

H225 - Highly flammable liquid and vapor

H302 + H312 + H332 - Harmful if swallowed, in contact with skin or if inhaled

H319 - Causes serious eye irritation

Precautionary Statements

Prevention

P240 - Ground/bond container and receiving equipment

P264 - Wash face, hands and any exposed skin thoroughly after handling

- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking
- P233 Keep container tightly closed

P241 - Use explosion-proof electrical/ ventilating/ lighting equipment

P242 - Use non-sparking tools

P243 - Take precautionary measures against static discharge

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Response

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower P312 - Call a POISON CENTER or doctor if you feel unwell

P330 - Rinse mouth

P363 - Wash contaminated clothing before reuse

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

Storage

P403 + P235 - Store in a well-ventilated place. Keep cool

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Physical and Chemical Hazards

Vapors may cause flash fire or explosion. Highly flammable.

Health Hazards

Causes serious eye irritation. Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.

Environmental hazards

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Will likely be mobile in the environment due to its volatility. The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces.

Other Hazards

Toxicity to Soil Dwelling Organisms. Toxic to terrestrial vertebrates.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Acetonitrile	75-05-8	>95

SECTION 4. FIRST AID MEASURES

Acetonitrile

General Advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

Inhalation

Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.

Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and effects

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Metabolism may release cyanide, which may result in headache, dizziness, weakness, collapse, unconsciousness, and possible death: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

Self-Protection of the First Aider

Remove all sources of ignition. Use personal protective equipment as required. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Notes to Physician

Treat symptomatically. The effects may be delayed therefore medical observation is essential. Effects may be delayed 7 to 10 hours. May be metabolized to cyanide which in turn acts by inhibiting cytochrome oxidase impairing cellular respiration.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray. CO₂, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

Do not use a solid water stream as it may scatter and spread fire.

Specific Hazards Arising from the Chemical

Flammable. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Remove all sources of ignition. Take precautionary measures against static discharges. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Use personal protective equipment as required.

Environmental Precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

Methods for Containment and Clean Up

Remove all sources of ignition. Take precautionary measures against static discharges. Provide adequate ventilation. Use

Acetonitrile

spark-proof tools and explosion-proof equipment. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Prevent product from entering drains.

Refer to protective measures listed in Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Do not get in eyes, on skin, or on clothing. Do not breathe mist/vapors/spray. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

Storage

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat, sparks and flame. Flammables area.

Specific Use(s)

Use in laboratories

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Component	China	Taiwan	Hong Kong	The United Kingdom
Acetonitrile	TWA: 30 mg/m³ Skin	TWA: 40 ppm TWA: 67 mg/m³ TWA: 5 mg/m³	TWA: 40 ppm TWA: 67 mg/m ³ STEL: 60 ppm STEL: 101 mg/m ³	STEL: 60 ppm 15 min STEL: 102 mg/m ³ 15 min TWA: 40 ppm 8 hr TWA: 68 mg/m ³ 8 hr
			Celling: 5 mg/m ^o	

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	European Union
Acetonitrile	TWA: 20 ppm	(Vacated) TWA: 40 ppm	IDLH: 137 ppm IDLH: 25	TWA: 40 ppm (8hr)
	Skin	(Vacated) TWA: 70 mg/m ³	mg/m³	TWA: 70 mg/m ³ (8hr)
		(Vacated) TWA: 5 mg/m ³	TWA: 20 ppm	Skin
		(Vacated) STEL: 60 ppm	TWA: 34 mg/m ³	
		(Vacated) STEL: 105 mg/m ³		
		TWA: 40 ppm		
		TWA: 70 mg/m ³		

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS70 General methods for sampling airborne gases and vapours MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

Exposure Controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

Personal protective equipment

Eye Protection	Goggles (European standard - EN 166)			
Hand Protection	Protectiv	ve gloves		
Glove material Butyl rubber	Breakthrough time > 480 minutes	Glove thickness 0.35 mm	EU standard EN 374 Level 6	Glove comments As tested under EN374-3 Determination of Resistance to Permeation by Chemicals

air

Acetonitrile

Neoprene gloves	< 60 minutes	0.45 mm		
Inspect gloves before use.				

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: low boiling organic solvent Type AX Brown conforming to EN371
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141
Hygiene Measures	When using do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.
Environmental exposure controls	No information available.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Colorless	
Physical State	Liquid	
Odor	aromatic	
Odor Threshold	170 ppm	
pH	No information available	
Melting Point/Range	-46 °C / -50.8 °F	
Softening Point	No data available	
Boiling Point/Range	81 - 82 °C / 177.8 - 179.6 °F	@ 760 mmHg
Flash Point	12.8 °C / 55 °F	Method - No information available
Evaporation Rate	5.79	(Butyl Acetate = 1.0)
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	Lower 3 vol %	
	Upper 16 vol %	
Vapor Pressure	97 mbar @ 20 °C	
Vapor Density	1.42	(Air = 1.0)
Specific Gravity / Density	0.781	
Bulk Density	Not applicable	Liquid
Water Solubility	Miscible	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/wate	er)	
Component	log Pow	
Acetonitrile	-0.34	
Autoignition Temperature	525 °C / 977 °F	
Decomposition Temperature	No data available	
Viscosity	0.36 cP at 20 °C	
Explosive Properties	Not explosive	Vapors may form explosive mixtures with

Acetonitrile

Oxidizing Properties	Not oxidising
----------------------	---------------

C2 H3 N
41.05

SECTION 10. STABILITY AND REACTIVITY

Stability	Stable under normal conditions.
Hazardous Reactions Hazardous Polymerization	No information available. Hazardous polymerization does not occur.
Conditions to Avoid	Incompatible products. Keep away from open flames, hot surfaces and sources of ignition. Exposure to moisture.
Materials to avoid	Strong oxidizing agents. Strong acids. Reducing Agent. Bases.
Hazardous Decomposition Products	Hydrogen cyanide (hydrocyanic acid). Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO ₂).

SECTION 11. TOXICOLOGICAL INFORMATION

Product Information

(a) acute toxicity;

(u) usulo lexisity;			
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acetonitrile	450-787 mg/kg (Rat) 2460 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	LC50 = 3587 ppm (6.022 mg/l) (Mouse) 4h
			(Rat) 4h
(b) skin corrosion/irritation;	Based on available data, the c	lassification criteria are not me	et
(c) serious eye damage/irritation;	Category 2		
(d) respiratory or skin sensitization; Respiratory Skin	Based on available data, the of Based on available data, the of	lassification criteria are not me lassification criteria are not me	et et
(e) germ cell mutagenicity;	Based on available data, the c	classification criteria are not me	et
(f) carcinogenicity;	Based on available data, the c	classification criteria are not me	et
	There are no known carcinoge	enic chemicals in this product	
(g) reproductive toxicity;	Based on available data, the c	classification criteria are not me	et
(h) STOT-single exposure;	Based on available data, the c	classification criteria are not me	et
(i) STOT-repeated exposure;	Based on available data, the c	classification criteria are not me	et
Target Organs	None known.		

Acetonitrile

(j) aspiration hazard; Based on available data, the classification criteria are not met Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: delayed Metabolism may release cyanide, which may result in headache, dizziness, weakness, collapse, unconsciousness, and possible death: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity effects

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Acetonitrile	LC50: = 1850 mg/L, 96h			EC50 = 28000 mg/L 48
	static (Lepomis			
	macrochirus)			EC50 = 73 mg/L 24 h
	static (Pimophalos			EC50 = 7500 mg/L 15 m
	static (Fillephales			
	L C50: 1600 - 1690			
	mg/L. 96h flow-through			
	(Pimephales promelas)			
	LC50: = 1650 mg/L, 96h			
	static (Poecilia			
	reticulata)			
Persistence and Degradability				
Persistence	Persistence is unlikely	, based on information	available.	
Bioaccumulative Potential	Bioaccumulation is un	likelv		
Component	log Pow		Bioconcentra	ation factor (BCF)
Acetonitrile	-0	0.34	No da	ta available
Mobility in soil Endocrine Disruptor Information Persistent Organic Pollutant	The product contains v surfaces Will likely be This product does not This product does not	volatile organic compound mobile in the environn contain any known or s contain any known or s	unds (VOC) which will nent due to its volatility suspected endocrine of suspected substance	evaporate easily from all y Disperses rapidly in air disruptors
Ozone Depletion Potential	This product does not	contain any known or s	suspected substance	
	SECTION 13. DISP	OSAL CONSIDERA	TIONS	
Waste from Residues/Unused Products	Waste is classified as on waste and hazardo	hazardous. Dispose of us waste. Dispose of ir	in accordance with th accordance with loca	e European Directives al regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.			point. Empty containers s. Keep product and
Other Information	Waste codes should b was used. Do not flush local regulations.	e assigned by the user n to sewer. Can be land	based on the applica filled or incinerated, v	tion for which the product when in compliance with
	SECTION 14. TRA	NSPORT INFORMA	TION	

Road and Rail Transport

Acetonitrile

UN-No	UN1648
Proper Shipping Name	ACETONITRILE
Hazard Class	3
Packing Group	II
IMDG/IMO	
UN-No	UN1648
Proper Shipping Name	ACETONITRILE
Hazard Class	3
Packing Group	II
IATA	
UN-No	UN1648
Proper Shipping Name	ACETONITRILE
Hazard Class	3
Packing Group	II
Special Precautions for User	No special precautions required

SECTION 15. REGULATORY INFORMATION

International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	The Inventory of Hazardous Chemicals	List of dangerous goods GB 12268 -	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
	(2015 Edition)	2012										
Acetonitrile	Х	Х	Х	Х	200-835-2	Х	Х	Х	Х	Х	Х	KE-00067

National Regulations

Component	Toxic Chemical Substances Control Act
Acetonitrile	Class IV (1 wt%)
75-05-8 (>95)	

SECTION 16. OTHER INFORMATION

Creation Date	16-Jun-2009
Revision Date	18-Dec-2020
Revision Summary	Not applicable.

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts. Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

SAFETY DATA SHEET

Acetonitrile

Legend

CAS - Chemical Abstracts Service TSCA - United States Toxic Substances Control Act Section 8(b) Inventory EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances Substances List PICCS - Philippines Inventory of Chemicals and Chemical Substances ENCS - Japanese Existing and New Chemical Substances **IECSC** - Chinese Inventory of Existing Chemical Substances AICS - Australian Inventory of Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances NZIOC - New Zealand Inventory of Chemicals WEL - Workplace Exposure Limit TWA - Time Weighted Average ACGIH - American Conference of Governmental Industrial Hygienists IARC - International Agency for Research on Cancer **DNEL** - Derived No Effect Level Predicted No Effect Concentration (PNEC) **RPE** - Respiratory Protective Equipment LD50 - Lethal Dose 50% LC50 - Lethal Concentration 50% EC50 - Effective Concentration 50% NOEC - No Observed Effect Concentration POW - Partition coefficient Octanol:Water PBT - Persistent, Bioaccumulative, Toxic vPvB - very Persistent, very Bioaccumulative ADR - European Agreement Concerning the International Carriage of ICAO/IATA - International Civil Aviation Organization/International Air Dangerous Goods by Road Transport Association IMO/IMDG - International Maritime Organization/International Maritime MARPOL - International Convention for the Prevention of Pollution from Dangerous Goods Code Ships **OECD** - Organisation for Economic Co-operation and Development ATE - Acute Toxicity Estimate BCF - Bioconcentration factor VOC (volatile organic compound) Key literature references and sources for data

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



Creation Date 24-Nov-2010

Revision Date 24-Dec-2021

Revision Number 5

1. Identification

Product Name

Aluminium acetylacetonate

Cat No. :

AC196970000; AC196970050; AC196971000; AC196975000

CAS No Synonyms

13963-57-0 Aluminium 2,4-pentanedionate

Recommended Use Uses advised against

Laboratory chemicals. Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

<u>Company</u>

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100 Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Specific target organ toxicity (single exposure) Target Organs - Respiratory system. Category 2 Category 2 Category 2 Category 3

Label Elements

Signal Word Danger

Hazard Statements Fatal if swallowed Causes skin irritation Causes serious eye irritation May cause respiratory irritation



Precautionary Statements Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Aluminum, tris(2,4-pentanedionato-O,O')-,	13963-57-0	>95
(00-6-11)-		

4. First-aid measures			
General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.		
Eye Contact	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.		
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.		

Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately.
Most important symptoms and effects Notes to Physician	Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.
Unsuitable Extinguishing Media	No information available

Flash Point Method -	No information available No information available
Autoignition Temperature	500 °C / 932 °F
Explosion Limits Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Burning produces obnoxious and toxic fumes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

Health 4	Flammability 0	Instability 0	Physical hazards N/A	
	6. Accidental re	lease measures		
Personal Precautions	Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.			
Environmental Precautions	Should not be released into	o the environment.		

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Up

	7. Handling and storage
Handling	Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Avoid dust formation. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.
Storage.	Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Incompatible Materials. Strong oxidizing agents. Strong bases.

8. Ex	<pre>kposure controls / personal protection</pre>
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.
Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State	Powder Solid	
Appearance	Light cream	
Odor	Odorless	
Odor Threshold	No information available	
рН	8 3 g/l aq. sol	
Melting Point/Range	190 - 195 °C / 374 - 383 °F	
Boiling Point/Range	315 °C / 599 °F @ 760 mmHg	
Flash Point	No information available	
Evaporation Rate	Not applicable	
Flammability (solid,gas)	No information available	
Flammability or explosive limits		
Upper	No data available	
Lower	No data available	
Vapor Pressure	<1 hPa @ 20 °C	
Vapor Density	Not applicable	
Specific Gravity	No information available	
Solubility	Soluble in water	
Partition coefficient; n-octanol/water	No data available	
Autoignition Temperature	500 °C / 932 °F	
Decomposition Temperature	> 140°C	
Viscosity	Not applicable	
Molecular Formula	C15 H21 AI O6	
Molecular Weight	324.3	

10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Incompatible products.
Incompatible Materials	Strong oxidizing agents, Strong bases

Hazardous Decompo	osition Products	Carbon monoxide fumes	(CO), Carbon dio>	kide (CO2), Burning	produces obnoxi	ous and toxic		
Hazardous Polymeri	zation	No information available.						
Hazardous Reaction	S	None under norma	al processing.					
		11. Toxico	ological info	ormation				
Acute Toxicity								
Product Information Component Information	tion							
Component	t	LD50 Oral		LD50 Dermal	LC50	Inhalation		
Aluminum, tris(2,4-pentanediona (OC-6-11)-	to-O,O')-,	49 mg/kg (Rat)	LD50 =	1040 mg/kg (Rabbit)) N	otlisted		
Toxicologically Syne Products	ergistic	No information ava	ailable					
Delayed and immedi	ate effects as w	ell as chronic effe	cts from short ar	nd long-term expos	sure			
Irritation		Irritating to eyes, r	espiratory system	and skin				
Sensitization		No information ava	ailable					
Carcinogenicity		The table below in	The table below indicates whether each agency has listed any ingredient as a ca					
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico		
Aluminum, tris(2,4-pentanedionat o-O,O')-, (OC-6-11)-	13963-57-0	Not listed	Not listed	Not listed	Not listed	Not listed		
Mutagenic Effects		No information available						
Reproductive Effects	S	No information available.						
Developmental Effect	cts	No information available.						
Teratogenicity		No information available.						
STOT - single expos STOT - repeated exp	ure oosure	Respiratory system None known						
Aspiration hazard		No information available						
Symptoms / effects, delayed	both acute and	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting						
Endocrine Disruptor	Information	No information available						
Other Adverse Effec	ts	The toxicological properties have not been fully investigated.						
		12. Ecol	ogical infor	mation				
Ecotoxicity Do not empty into dra	ins.							
Persistence and Dec	gradability	Soluble in water Persistence is unlikely based on information available.						
Bioaccumulation/ Ac	ccumulation	No information available.						
Mobility		Will likely be mobile in the environment due to its water solubility.						

Component	log Pow
Aluminum, tris(2,4-pentanedionato-O,O')-, (OC-6-11)-	-1.67

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT	
UN-No	UN3467
Proper Shipping Name	ORGANOMETALLIC COMPOUND, SOLID, TOXIC, N.O.S.
Technical Name	Aluminum 2,4-pentanedionate
Hazard Class	6.1
Packing Group	ll
TDG	
UN-No	UN3467
Proper Shipping Name	ORGANOMETALLIC COMPOUND, SOLID, TOXIC, N.O.S.
Hazard Class	6.1
Packing Group	ll
ΙΑΤΑ	
UN-No	UN3467
Proper Shipping Name	ORGANOMETALLIC COMPOUND, SOLID, TOXIC, N.O.S.
Hazard Class	6.1
Packing Group	ll
IMDG/IMO	
UN-No	UN3467
Proper Shipping Name	ORGANOMETALLIC COMPOUND, SOLID, TOXIC, N.O.S.
Hazard Class	6.1
Packing Group	ll
	15 Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Aluminum,	13963-57-0	Х	ACTIVE	-
tris(2,4-pentanedionato-O,O')-,				
(OC-6-11)-				

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Aluminum, tris(2,4-pentanedionato-O,O')-,	13963-57-0	Х	-	237-741-6	Х	Х	Х	Х	Х	KE-01049
(OC-6-11)-										

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable
CERCLA	Not applicable
California Proposition 65	This product does not contain any Proposition 65 chemicals
U.S. State Right-to-Know Regulations	Not applicable
U.S. Department of Transportation Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.
Other International Regulations	
Mexico - Grade	No information available

Authorisation/Restrictions according to EU REACH

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Aluminum, tris(2,4-pentanedionato-O,O')- , (OC-6-11)-	13963-57-0	Not applicable	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention

Component	CAS NU	(2012/18/EC) - Qualifying Quantities for Major Accident Notification	(2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Convention (PIC)	(Hazardous Waste)
Aluminum, tris(2,4-pentanedionato-O,O')- , (OC-6-11)-	13963-57-0	Not applicable	Not applicable	Not applicable	Not applicable

Prepared By

16. Other information

Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com

Creation Date	24-Nov-2010
Revision Date	24-Dec-2021
Print Date	24-Dec-2021
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text





Version 6.6 Revision Date 12/21/2023 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

	Product name	:	Aluminum acetate, dibasic
	Product Number Brand Index-No. CAS-No.	::	294853 Aldrich 005-007-00-2 7360-44-3
1.2	Relevant identified us	es	of the substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Synthesis of substances
1.3	Details of the supplier	of	the safety data sheet

Company : Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone	:	+1 314 771-5765
Fax	:	+1 800 325-5052

1.4 Emergency telephone

Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703-
		527-3887 CHEMTREC (International) 24
		Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Reproductive toxicity (Category 1B), H360

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Danger

Signal Word

Aldrich - 294853

Page 1 of 9



Hazard Statements H360	May damage fertility or the unborn child.
Precautionary Statements	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	: Dihydroxyalumir	num acetate	
Formula Molecular weight CAS-No. EC-No. Index-No.	: C₂H₅AlO₄ : 120.04 g/mol : 7360-44-3 : 233-139-2 : 005-007-00-2		
Component		Classification	Concentration
boric acid			
		Repr. 1B; Aquatic Acute 3; H360, H402	>= 10 - < 20

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

Aldrich - 294853

Page 2 of 9



If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Borane/boron oxides Aluminum oxide Combustible. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

Aldrich - 294853

Page 3 of 9



SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis	
boric acid	10043-35- 3	TWA	2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
	Remarks	Not classifiable as a human carcinogen			
		STEL	6 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
		Not classifiable as a human carcinogen			

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Aldrich - 294853

Page 4 of 9



Skin protection

Handle with impervious gloves.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter type P3 The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- a) AppearanceForm: powderb) OdorNo data available
- c) Odor Threshold No data availabled) pH No data available
- e) Melting No data available point/freezing point
- f) Initial boiling point No data available and boiling range
- g) Flash point No data available

Aldrich - 294853

Page 5 of 9



h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Density	No data available
	Relative density	No data available
n)	Water solubility	No data available
o)	Partition coefficient: n-octanol/water	No data available
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
~	<i>. .</i>	

9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) . Contains the following stabilizer(s): boric acid (>=12.5 - <=13 %)

- 10.3 Possibility of hazardous reactions No data available
- **10.4 Conditions to avoid** no information available
- **10.5 Incompatible materials** No data available

Aldrich - 294853

Page 6 of 9



10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral - > 5,000 mg/kg (Calculation method) Inhalation: No data available Acute toxicity estimate Dermal - > 5,000 mg/kg (Calculation method)

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitization No data available

Germ cell mutagenicity

No data available

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

Toxicity reported for borates in humans: ingestion or absorption may cause nausea, vomiting, diarrhea, abdominal cramps, anderythematous lesions on the skin and mucous membranes. Other symptoms include: circulatory collapse, tachycardia, cyanosis, delirium, convulsions, and coma. Death has been reported to occur in infants from less than 5 grams and in adults from 5 to 20 grams.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. (Aluminum, (acetato-.kappa.O)dihydroxy-)

Aldrich - 294853

Page 7 of 9



SECTION 12: Ecological information

12.1 Toxicity

No data available

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Endocrine disrupting properties** No data available
- **12.7 Other adverse effects** No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

ΙΑΤΑ

Not dangerous goods

Aldrich - 294853

Page 8 of 9



Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Chronic Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 6.6 Revision Date: 12/21/2023 Print Date: 12/30/2023

Aldrich - 294853

Page 9 of 9





Version 6.7 Revision Date 05/25/2023 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

1.2	Relevant identified us	es	of the substance or mixture and uses advised against
	CAS-No.	:	21645-51-2
	Brand	:	SIGALD
	Product Number	:	239186
	Product name	:	Aluminum hydroxide

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	:	+1 314 771-5765 +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #

: 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2 GHS Label elements, including precautionary statements

: H₃AlO₃

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula SIGALD - 239186

Page 1 of 8



Molecular weight	:	78.00 g/mol
CAS-No.	:	21645-51-2
EC-No.	:	244-492-7

Component	Classification	Concentration
aluminium hydroxide		
		<= 100 %

SECTION 4: First aid measures

4.1 Description of first-aid measures

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Aluminum oxide Not combustible. Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information none

SIGALD - 239186

Page 2 of 8


SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** No special precautionary measures necessary.
- **6.3 Methods and materials for containment and cleaning up** Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- **6.4** Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** For precautions see section 2.2.
- 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Tightly closed. Dry.

Storage class Storage class (TRGS 510): 13: Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
aluminium hydroxide	21645-51- 2	TWA	1 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Not classifiable as a human carcinogen		

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

SIGALD - 239186

Page 3 of 8



Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Respiratory protection

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

No special precautionary measures necessary.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: solid Color: white
b)	Odor	odorless
c)	Odor Threshold	Not applicable
d)	рН	ca.8 - 9 at 100 g/l at 20 °C (68 °F) - (slurry)
e)	Melting point/freezing point	Melting point: 300 °C (572 °F) - Elimination of water of crystallization
f)	Initial boiling point and boiling range	Not applicable
SIGALD - 2	239186	_

Page 4 of 8



g)	Flash point	()Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	The product is not flammable.
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	< 0.1 hPa at 20 °C (68 °F)
I)	Vapor density	No data available
m)	Density	2.42 g/cm3 at 20 °C (68 °F)
	Relative density	No data available
n)	Water solubility	insoluble
0)	Partition coefficient: n-octanol/water	Not applicable for inorganic substances
p)	Autoignition temperature	No data available
q)	Decomposition temperature	ca.150 - 300 °C (ca.302 - 572 °F) -
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	none

9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

- **10.2 Chemical stability** The product is chemically stable under standard ambient conditions (room temperature) .
- **10.3 Possibility of hazardous reactions** Exothermic reaction with: Strong acids
- **10.4 Conditions to avoid** no information available
- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SIGALD - 239186

Page 5 of 8



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - > 2,000 mg/kg (OECD Test Guideline 423)

Inhalation: No data available Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test Test system: Mouse lymphoma test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative

Test Type: In vivo micronucleus test Species: Rat Cell type: Bone marrow Application Route: Oral Method: OECD Test Guideline 474 Result: negative

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

SIGALD - 239186

Page 6 of 8



Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

No data avallable

11.2 Additional Information

Repeated dose toxicity - Rat - male - Oral - 28 d - NOAEL (No observed adverse effect level) - 302 mg/kg Remarks: Subacute toxicity

RTECS: BD0940000

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

- **12.6 Endocrine disrupting properties** No data available
- 12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US) Not dangerous goods

SIGALD - 239186

Page 7 of 8



IMDG Not dangerous goods

IATA

Not dangerous goods

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

No SARA Hazards

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact misbranding@sial.com.

Version: 6.7

Revision Date: 05/25/2023

Print Date: 12/30/2023

SIGALD - 239186

Page 8 of 8





SAFETY DATA SHEET

Version 6.6 Revision Date 12/21/2023 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

	Product name	:	Aluminum isopropoxide
	Product Number Brand Index-No. CAS-No.	::	220418 Aldrich 603-042-00-3 555-31-7
1.2	1.2 Relevant identified uses of the substance or mixture and uses advised again		
	Identified uses	:	Laboratory chemicals, Synthesis of substances
1.3	Details of the supplier	of	the safety data sheet
	Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone	:	+1 314 771-5765
Fax	:	+1 800 325-5052

1.4 Emergency telephone

Emergency Phone #	800-424-9300 CHEMTREC (USA) +1-703-
	527-3887 CHEMTREC (International) 24
	Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable solids (Category 1), H228

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Danger

Signal Word

Aldrich - 220418

Page 1 of 9



Hazard Statements H228	Flammable solid.
Precautionary Statements	
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P280	Wear protective gloves/ eye protection/ face protection.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	:	Aluminum isopropylate AIP Aluminum triisopropoxide
Formula	:	$C_9H_{21}AIO_3$
Molecular weight	:	204.24 g/mol
CAS-No.	:	555-31-7
EC-No.	:	209-090-8
Index-No.	:	603-042-00-3

No components need to be disclosed according to the applicable regulations.

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

Aldrich - 220418

Page 2 of 9



4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given. For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Aluminum oxide Combustible. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections For disposal see section 13.

Aldrich - 220418

Page 3 of 9



SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep away from heat and sources of ignition.

Moisture sensitive.

Storage class

Storage class (TRGS 510): 4.1B: Flammable solid hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Aldrich - 220418

Page 4 of 9



Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: Filter type P1

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

b)OdorNo data availablec)Odor ThresholdNo data availabled)pHNo data availablee)Melting point/freezing pointMelting point/range: 128 - 133 °C (262 - 271 °F) - lit.f)Initial boiling point and boiling range125 - 130 °C 257 - 266 °F at 51 hPag)Flash point()Not applicableh)Evaporation rateNo data availablei)Flammability (solid, gas)The substance or mixture is a flammable solid with the category 1.	a)	Appearance	Form: solid Color: white
 c) Odor Threshold No data available pH No data available e) Melting point Melting point/freezing point f) Initial boiling point and boiling range f125 - 130 °C 257 - 266 °F at 51 hPa g) Flash point ()Not applicable h) Evaporation rate No data available i) Flammability (solid, gas) 	b)	Odor	No data available
d)pHNo data availablee)Melting point point/freezing pointMelting point/range: 128 - 133 °C (262 - 271 °F) - lit.f)Initial boiling point and boiling range125 - 130 °C 257 - 266 °F at 51 hPag)Flash point (Not applicable()Not applicableh)Evaporation rateNo data availablei)Flammability (solid, 	c)	Odor Threshold	No data available
 e) Melting point/freezing point f) Initial boiling point and boiling range g) Flash point ()Not applicable h) Evaporation rate No data available i) Flammability (solid, gas) h) Evaporation for the substance or mixture is a flammable solid with the category 1. 	d)	рН	No data available
 f) Initial boiling point and boiling range g) Flash point ()Not applicable h) Evaporation rate No data available i) Flammability (solid, gas) the substance or mixture is a flammable solid with the category 1. 	e)	Melting point/freezing point	Melting point/range: 128 - 133 °C (262 - 271 °F) - lit.
g)Flash point()Not applicableh)Evaporation rateNo data availablei)Flammability (solid, gas)The substance or mixture is a flammable solid with the category 1.	f)	Initial boiling point and boiling range	125 - 130 °C 257 - 266 °F at 51 hPa
 h) Evaporation rate No data available i) Flammability (solid, gas) i) The substance or mixture is a flammable solid with the category 1. 	g)	Flash point	()Not applicable
 Flammability (solid, The substance or mixture is a flammable solid with the category gas) 1. 	h)	Evaporation rate	No data available
	i)	Flammability (solid, gas)	The substance or mixture is a flammable solid with the category 1.

Aldrich - 220418

Page 5 of 9



j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Density	1.035 g/cm3 at 25 °C (77 °F) - lit.
	Relative density	No data available
n)	Water solubility	insoluble
o)	Partition coefficient: n-octanol/water	No data available
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	none

9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

- 10.3 Possibility of hazardous reactions No data available
- **10.4 Conditions to avoid** no information available
- **10.5 Incompatible materials** Strong oxidizing agents
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

Aldrich - 220418

Page 6 of 9



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral: No data available Inhalation: No data available Dermal: No data available No data available

Skin corrosion/irritation Remarks: No data available

Serious eye damage/eye irritation Remarks: No data available

Respiratory or skin sensitization No data available

Germ cell mutagenicity

No data available

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

RTECS: BD0975000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

No data available

Aldrich - 220418

Page 7 of 9



12.2 Persistence and degradability No data available

- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

- **12.6 Endocrine disrupting properties** No data available
- **12.7 Other adverse effects** No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

DOT (US)

UN number: 3181 Class: 4.1 Packing group: II Proper shipping name: Metal salts of organic compounds, flammable, n.o.s. (aluminum triisopropanolate) Reportable Quantity (RQ): Poison Inhalation Hazard: No

IMDG

UN number: 3181 Class: 4.1 Packing group: II EMS-No: F-A, S-I Proper shipping name: METAL SALTS OF ORGANIC COMPOUNDS, FLAMMABLE, N.O.S. (aluminum triisopropanolate)

ΙΑΤΑ

UN number: 3181 Class: 4.1 Packing group: II Proper shipping name: Metal salts of organic compounds, flammable, n.o.s. (aluminum triisopropanolate)

Aldrich - 220418

Page 8 of 9



SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 6.6 Revision Date: 12/21/2023 Print Date: 12/30/2023

Aldrich - 220418

Page 9 of 9





SAFETY DATA SHEET

Version 6.4 Revision Date 09/02/2020 Print Date 01/14/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	[:] Aluminum oxide
Product Number	: 544833
CAS-NO.	1044-20-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

```
Identified uses : Laboratory chemicals, Synthesis of substances
```

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	:	+1 314 771-5765 +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #

: 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2 GHS Label elements, including precautionary statements Not a hazardous substance or mixture.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1	Substances Synonyms	:	Alumina
	Formula	:	Al ₂ O ₃

Aldrich - 544833

Page 1 of 8



Molecular weight	:	101.96 g/mol
CAS-No.	:	1344-28-1
EC-No.	:	215-691-6

Component	Classification	Concentration
aluminum oxide		
		<= 100 %

SECTION 4: First aid measures

4.1 Description of first-aid measures

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture Aluminum oxide

Not combustible. Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Do not use halocarbon extinguishers.none

Aldrich - 544833

Page 2 of 8





SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** No special precautionary measures necessary.
- **6.3 Methods and materials for containment and cleaning up** Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- **6.4 Reference to other sections** For disposal see section 13.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** For precautions see section 2.2.
- **7.2 Conditions for safe storage, including any incompatibilities** Tightly closed. Dry.

strongly hygroscopic Storage class (TRGS 510): 11: Combustible Solids

7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Aldrich - 544833

Page 3 of 8



Component	CAS-No.	Value	Control parameters	Basis
aluminum oxide	1344-28-1	TWA	15 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	5 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		PEL	10 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		PEL	5 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		TWA	1 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Not classifia	able as a human	ı carcinogen

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

No special precautionary measures necessary.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- a) Appearance Form: powder
- b) Odor No data available
- c) Odor Threshold No data available
- d) pH No data available
- e) Melting Melting point/range: 2,040 °C (3,704 °F) lit. point/freezing point
- f) Initial boiling point 2,980 °C 5,396 °F
- g) Flash point ()Not applicable

and boiling range

Aldrich - 544833

Page 4 of 8



h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Relative density	No data available
n)	Water solubility	insoluble
o)	Partition coefficient: n-octanol/water	Not applicable for inorganic substances
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available

9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions No data available

- **10.4 Conditions to avoid** Exposure to moisture. no information available
- **10.5 Incompatible materials** Strong oxidizing agents

10.6 Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Aluminum oxide Other decomposition products - No data available In the event of fire: see section 5

Aldrich - 544833

Page 5 of 8





SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - > 10,000 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - male and female - 4 h - > 2.3 mg/l (OECD Test Guideline 403) Dermal: No data available No data available

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 24 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitization

Draize Test - Guinea pig Result: Does not cause skin sensitization. - Mouse Result: Does not cause respiratory sensitization.

Germ cell mutagenicity

Ames test Bacillus subtilis Result: negative (IUCLID)

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Additional Information RTECS: BD1200000

RIECS: BD1200000

Cough, chest pain, Difficulty in breathing, Gastrointestinal disturbance

Aldrich - 544833

Page 6 of 8



To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence Liver - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

No data available

- 12.2 Persistence and degradability
 The methods for determining the biological degradability are not applicable to inorganic substances.

 12.3 Piezecumulative potential
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- **12.5 Results of PBT and vPvB assessment** PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No ecological problems are to be expected when the product is handled and used with due care and attention.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and loc No mixing with other waste. Handle uncleaned containers like the product See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

ΙΑΤΑ

Not dangerous goods

Further information

Not classified as dangerous in the meaning of transport regulations.

Aldrich - 544833

Page 7 of 8



SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
aluminum oxide	1344-28-1	1994-04-01

SARA 311/312 Hazards

Chronic Health Hazard

Massachusetts Right To Know Components No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.4

Revision Date: 09/02/2020

Print Date: 01/14/2023

Aldrich - 544833

Page 8 of 8





SAFETY DATA SHEET

Version 8.2 Revision Date 10/01/2023 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 **Product identifiers** Product name Aluminum Oxide Milled Nanofibers alpha alumina : 914681 Product Number Brand Aldrich 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses : Laboratory chemicals, Synthesis of substances 1.3 Details of the supplier of the safety data sheet Company : Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES Telephone : +1 314 771-5765 Fax • +1 800 325-5052 **1.4 Emergency telephone** Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2 GHS Label elements, including precautionary statements

Not a hazardous substance or mixture.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.2 Mixtures

- Synonyms
- : Nanofibrous inorganic powder, Al2O3
- Aldrich 914681

Page 1 of 9



Component		Classification	Concentration
aluminum oxide			
CAS-No.	1344-28-1		>= 90 - <=
EC-No.	215-691-6		100 %
Registration			
number	01-2119529248-35- XXXX		

SECTION 4: First aid measures

4.1 Description of first-aid measures

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

In case of skin contact

Wash off with soap and plenty of water.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- **5.2** Special hazards arising from the substance or mixture Aluminum oxide Not combustible.
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- 5.4 Further information No data available

Aldrich - 914681

Page 2 of 9



SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Avoid dust formation. Avoid breathing vapors, mist or gas. For personal protection see section 8.
- **6.2 Environmental precautions** No special environmental precautions required.
- **6.3 Methods and materials for containment and cleaning up** Sweep up and shovel. Keep in suitable, closed containers for disposal.
- **6.4** Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Advice on protection against fire and explosion

Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures

General industrial hygiene practice. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

Storage class

Storage class (TRGS 510): 13: Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Aldrich - 914681

Page 3 of 9



Component	CAS-No.	Value	Control parameters	Basis
aluminum oxide	1344-28-1	TWA	15 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	5 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		PEL	10 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		PEL	5 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		TWA	1 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Not classifi	able as a human	carcinogen

8.2 Exposure controls

Appropriate engineering controls

General industrial hygiene practice.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

No special environmental precautions required.

Aldrich - 914681

Page 4 of 9



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: powder	
b)	Odor	No data available	
c)	Odor Threshold	No data available	
d)	рН	No data available	
e)	Melting point/freezing point	No data available	
f)	Initial boiling point and boiling range	No data available	
g)	Flash point	No data available	
h)	Evaporation rate	No data available	
i)	Flammability (solid, gas)	The product is not flammable.	
j)	Upper/lower flammability or explosive limits	No data available	
k)	Vapor pressure	No data available	
I)	Vapor density	No data available	
m)	Density	No data available	
	Relative density	No data available	
n)	Water solubility	No data available	
o)	Partition coefficient: n-octanol/water	No data available	
p)	Autoignition temperature	No data available	
q)	Decomposition temperature	No data available	
r)	Viscosity	No data available	
s)	Explosive properties	Not classified as explosive.	
t)	Oxidizing properties	none	
Other safety information			

9.2 Other safety informati No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

Aldrich - 914681

Page 5 of 9



10.2 Chemical stability Stable under recommended storage conditions.

- 10.3 Possibility of hazardous reactions No data available
- **10.4 Conditions to avoid** No data available
- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Oral: No data available Inhalation: No data available Dermal: No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitization No data available

Germ cell mutagenicity No data available

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

Aldrich - 914681

Page 6 of 9



11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Components

aluminum oxide

Acute toxicity LD50 Oral - Rat - male and female - > 10,000 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - male and female - 4 h - > 2.3 mg/l - aerosol (OECD Test Guideline 403) Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 24 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitization

Draize Test - Guinea pig Result: Does not cause skin sensitization. - Mouse Result: Does not cause respiratory sensitization.

Germ cell mutagenicity

Test Type: Ames test Test system: Bacillus subtilis Result: negative Remarks: (IUCLID)

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

Aldrich - 914681

Page 7 of 9



SECTION 12: Ecological information

12.1 Toxicity

Mixture No data available

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Endocrine disrupting properties** No data available
- **12.7 Other adverse effects** No data available

Components

. aluminum oxide

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

ΙΑΤΑ

Aldrich - 914681

Page 8 of 9



Not dangerous goods

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

aluminum oxide	CAS-No. 1344-28-1	Revision Date 1994-04-01
Massachusetts Right To Know Components aluminum oxide	CAS-No. 1344-28-1	Revision Date 1994-04-01
water	7732-18-5	
Pennsylvania Right To Know Components aluminum oxide	CAS-No. 1344-28-1	Revision Date 1994-04-01

SECTION 16: Other information

Further information

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact misbranding@sial.com. Version: 8.2 Revision Date: 10/01/2023 Print Date: 12/30/2023

Aldrich - 914681

Page 9 of 9





Material Safety Data Sheet

Skyspring Nanomaterials, Inc. www.ssnano.com

Revision Date: 12/01/2015

- 1 Identification of substance:
- Product details:
- Product name: Aluminum powder
- Product numbers: 0221XH
- Manufacturer/Supplier: SkySpring Nanomaterials, Inc.
 2935 Westhollow Dr., Houston, TX 77082, USA Phone: 281-870-1700 Fax: 281-870-8002 Email: sales@ssnano.com

2 Composition/Data on components:

```
(CAS#)
```

Aluminum (CAS# 7429-90-5), 100%

- Identification number(s):
- EINECS Number: 231-072-3
- EU Number: 013-001-00-6

3 Hazards identification

- Hazard description: F Highly flammable
- Information pertaining to particular dangers for man and environment

R 15 Contact with water liberates extremely flammable gases.

R 17 Spontaneously flammable in air.

4 First aid measures

```
• After inhalation
Supply fresh air. If required, provide artificial
respiration. Keep patient warm.
Seek immediate medical advice.
```

• After skin contact

```
Immediately wash with water and soap and rinse thoroughly.
  Seek immediate medical advice.
• After eye contact
  Rinse opened eye for several minutes under running water.
  Then consult a doctor.
• After swallowing Seek immediate medical advice.
5 Fire fighting measures
• Suitable extinguishing agents
  Special powder for metal fires. Do not use water.
• For safety reasons unsuitable extinguishing agents Water
• Protective equipment:
  Wear self-contained respirator.
  Wear fully protective impervious suit.
6 Accidental release measures
• Person-related safety precautions:
  Wear protective equipment. Keep unprotected persons away.
  Ensure adequate ventilation
  Keep away from ignition sources
• Measures for environmental protection:
  Do not allow material to be released to the environment
  without proper governmental permits.
• Measures for cleaning/collecting:
  Ensure adequate ventilation.
  Do not flush with water or aqueous cleansing agents
  Keep away from ignition sources.
• Additional information:
  See Section 7 for information on safe handling
  See Section 8 for information on personal protection
  equipment.
  See Section 13 for disposal information.
7 Handling and storage
• Handling
• Information for safe handling:
  Keep container tightly sealed.
  Store in cool, dry place in tightly closed containers.
  Ensure good ventilation at the workplace.
  Information about protection against explosions and fires:
```

Keep ignition sources away.

Substance/product is self ignitable.

- Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Store away from oxidizing agents. Store away from water/moisture. Do not store together with acids.
- Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.

8 Exposure controls and personal protection

• Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

<u>Components with limit values that require monitoring at the</u> workplace:

Aluminum powder

	mg/m3
ACGIH TLV	10
Belgium TWA	10
Denmark TWA	10
Finland TWA	10
France TWA	10
Germany MAK	6
Hungary TWA	2
Ireland TWA	10
Netherlands TWA	10
Sweden TWA	5
Switzerland TWA	6
United Kingdom TWA	10
USA PEL (respirable)	5

- Additional information: No data
- Personal protective equipment
- General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed.

```
Keep away from foodstuffs, beverages and feed.
  Remove all soiled and contaminated clothing immediately.
  Wash hands before breaks and at the end of work.
• Breathing equipment:
  Use suitable respirator when high concentrations are
  present.
• Protection of hands: Impervious gloves
• Eye protection:
  Safety glasses
  Full face protection
• Body protection: Protective work clothing.
9 Physical and chemical properties:
• General Information
• Form: Powder
• Color: Black
• Odor: Odorless
                              Value/Range Unit Method
• Change in condition
                                              660 ° C

    Melting point/Melting range:

                                              2467 °C
• Boiling point/Boiling range:
• Sublimation temperature / start: Not determined
• Flash point:
                                      Not applicable
• Flammability (solid, gaseous)
  Contact with water liberates extremely flammable gases.
                                              400 ° C
• Ignition temperature:
• Decomposition temperature:
                                     Not determined
• Auto igniting:
                                      Spontaneously flammable
  in air.
• Explosion limits:
• Lower:
                                      Not determined
                                      Not determined
• Upper:
• Vapor pressure:
                                      Not determined
               at 20 °C
                                      2.699 g/cm<sup>3</sup>
• Density:
```
```
• Solubility in / Miscibility with
```

• Water: Contact with water releases flammable gases Not determined

10 Stability and reactivity

- Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
- Materials to be avoided:
- Dangerous reactions Contact with water releases flammable gases Spontaneously flammable in air.
- Dangerous products of decomposition: Hydrogen

11 Toxicological information

- Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Subacute to chronic toxicity: Aluminum may be implicated in Alzheimers disease. Inhalation of aluminum containing dusts may cause

pulmonary disease.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

12 Ecological information:

- General notes: Do not allow material to be released to the environment without proper governmental permits.
- 13 Disposal considerations
 - Product:

 Recommendation Consult state, local or n proper disposal. 	national regulations to ensure		
 Uncleaned packagings: 	• Uncleaned packagings:		
• Recommendation: Disposal must be made acc	ording to official regulations.		
14 Transport information			
• DOT regulations:			
• Hazard class:	4.3		
• Identification number:	UN1396		
• Packing group:	II		
 Poison inhalation hazard: 			
. Durana ahimaina arawa (ha	No		
• Proper snipping name (tec	Aluminum powder, uncoated		
• Land transport ADR/RID (cross-border)		
• ADR/RID class:	4.3 Substances which, in contact		
with water,	emit flammable gases		
• Item:	13b		
• Danger code (Kemler):	423		
• UN-Number:	1396		
• Description of goods:	Aluminium powder, uncoated		
• Maritime transport IMDG:	4 2		
• IMDG CIASS:	4.5		
• ON Number:	1.2.02		
• EMS Number:	4.2-02		
• Proper snipping name:	Aruminium powder, uncoaled		
• Air transport ICAO-TI and	I IATA-DGR:		
• ICAO/IATA Class:	4.3		
• UN/ID Number:	1396		

```
• Proper shipping name:
                              Aluminum powder, uncoated
15 Regulations
 • Product related hazard informations:
 • Hazard symbols: F Highly flammable
 • Risk phrases:
       Contact with water liberates extremely flammable gases.
    15
        Spontaneously flammable in air.
    17
 • Safety phrases:
    7/8 Keep container tightly closed and dry.
    43 In case of fire, use metallic extinguishing powder.
   Never use water.
 • National regulations
   All components of this product are listed in the U.S.
   Environmental Protection Agency Toxic Substances Control
    Act Chemical Substance Inventory.
  Information about limitation of use:
    For use only by technically qualified individuals.
16 Other information:
    Employers should use this information only as a supplement
    to other information gathered by them, and should make
    independent judgement of suitability of this information to
    ensure proper use and protect the health and safety of
    employees. This information is furnished without warranty,
    and any use of the product not in conformance with this
    Material Safety Data Sheet, or in combination with any
    other product or process, is the responsibility of the
    user.
```



Material Safety Data Sheet

Skyspring Nanomaterials, Inc. www.ssnano.com

Revision Date: 12/01/2015

- 1 Identification of substance:
- Product details:
- Product name: Aluminum powder
- Product numbers: 0230HJ
- Manufacturer/Supplier: SkySpring Nanomaterials, Inc.
 2935 Westhollow Dr., Houston, TX 77082, USA Phone: 281-870-1700 Fax: 281-870-8002 Email: sales@ssnano.com

2 Composition/Data on components:

```
(CAS#)
```

Aluminum (CAS# 7429-90-5), 100%

- Identification number(s):
- EINECS Number: 231-072-3
- EU Number: 013-001-00-6

3 Hazards identification

- Hazard description: F Highly flammable
- Information pertaining to particular dangers for man and environment

R 15 Contact with water liberates extremely flammable gases.

R 17 Spontaneously flammable in air.

4 First aid measures

```
• After inhalation
Supply fresh air. If required, provide artificial
respiration. Keep patient warm.
Seek immediate medical advice.
```

• After skin contact

```
Immediately wash with water and soap and rinse thoroughly.
  Seek immediate medical advice.
• After eye contact
  Rinse opened eye for several minutes under running water.
  Then consult a doctor.
• After swallowing Seek immediate medical advice.
5 Fire fighting measures
• Suitable extinguishing agents
  Special powder for metal fires. Do not use water.
• For safety reasons unsuitable extinguishing agents Water
• Protective equipment:
  Wear self-contained respirator.
  Wear fully protective impervious suit.
6 Accidental release measures
• Person-related safety precautions:
  Wear protective equipment. Keep unprotected persons away.
  Ensure adequate ventilation
  Keep away from ignition sources
• Measures for environmental protection:
  Do not allow material to be released to the environment
  without proper governmental permits.
• Measures for cleaning/collecting:
  Ensure adequate ventilation.
  Do not flush with water or aqueous cleansing agents
  Keep away from ignition sources.
• Additional information:
  See Section 7 for information on safe handling
  See Section 8 for information on personal protection
  equipment.
  See Section 13 for disposal information.
7 Handling and storage
• Handling
• Information for safe handling:
  Keep container tightly sealed.
  Store in cool, dry place in tightly closed containers.
  Ensure good ventilation at the workplace.
  Information about protection against explosions and fires:
```

Keep ignition sources away.

Substance/product is self ignitable.

- Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Store away from oxidizing agents. Store away from water/moisture. Do not store together with acids.
- Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.

8 Exposure controls and personal protection

• Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

<u>Components with limit values that require monitoring at the</u> workplace:

Aluminum powder

	mg/m3
ACGIH TLV	10
Belgium TWA	10
Denmark TWA	10
Finland TWA	10
France TWA	10
Germany MAK	6
Hungary TWA	2
Ireland TWA	10
Netherlands TWA	10
Sweden TWA	5
Switzerland TWA	6
United Kingdom TWA	10
USA PEL (respirable)	5

- Additional information: No data
- Personal protective equipment
- General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed.

```
Keep away from foodstuffs, beverages and feed.
  Remove all soiled and contaminated clothing immediately.
  Wash hands before breaks and at the end of work.
• Breathing equipment:
  Use suitable respirator when high concentrations are
  present.
• Protection of hands: Impervious gloves
• Eye protection:
  Safety glasses
  Full face protection
• Body protection: Protective work clothing.
9 Physical and chemical properties:
• General Information
• Form: Powder
• Color: Black
• Odor: Odorless
                              Value/Range Unit Method
• Change in condition
                                              660 ° C

    Melting point/Melting range:

                                              2467 °C
• Boiling point/Boiling range:
• Sublimation temperature / start: Not determined
• Flash point:
                                      Not applicable
• Flammability (solid, gaseous)
  Contact with water liberates extremely flammable gases.
                                              400 ° C
• Ignition temperature:
• Decomposition temperature:
                                     Not determined
• Auto igniting:
                                      Spontaneously flammable
  in air.
• Explosion limits:
• Lower:
                                      Not determined
                                      Not determined
• Upper:
• Vapor pressure:
                                      Not determined
               at 20 °C
                                      2.699 g/cm<sup>3</sup>
• Density:
```

```
• Solubility in / Miscibility with
```

• Water: Contact with water releases flammable gases Not determined

10 Stability and reactivity

- Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
- Materials to be avoided:
- Dangerous reactions Contact with water releases flammable gases Spontaneously flammable in air.
- Dangerous products of decomposition: Hydrogen

11 Toxicological information

- Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Subacute to chronic toxicity: Aluminum may be implicated in Alzheimers disease Inhalation of aluminum containing dusts

disease. Inhalation of aluminum containing dusts may cause pulmonary disease.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

12 Ecological information:

- General notes: Do not allow material to be released to the environment without proper governmental permits.
- 13 Disposal considerations
 - Product:

 Recommendation Consult state, local or n proper disposal. 	ational regulations to ensure		
 Uncleaned packagings: 	• Uncleaned packagings:		
• Recommendation: Disposal must be made acc	ording to official regulations.		
14 Transport information			
• DOT regulations:			
• Hazard class:	4.3		
• Identification number:	UN1396		
• Packing group:	II		
 Poison inhalation hazard: 	NT -		
• Proper chipping name (too			
• Proper snipping name (ted	Aluminum powder, uncoated		
• Land transport ADR/RID (cross-border)		
• ADR/RID class:	4.3 Substances which, in contact		
with water,	emit flammable gases		
• Item:	13b		
• Danger code (Kemler):	423		
• UN-Number:	1396		
• Description of goods:	Aluminium powder, uncoated		
· Namitina transment TMDC:			
• Maritime transport imDG:	1 2		
• IMDG CLASS:	4.5		
• EMS Number:	1 2_02		
EMS Number	Aluminium powdor uncostod		
· rrober surbbrud name:	Araminiam powder, uncoated		
• Air transport ICAO-TI and	IATA-DGR:		
• ICAO/IATA Class:	4.3		
• UN/ID Number:	1396		

```
• Proper shipping name:
                              Aluminum powder, uncoated
15 Regulations
 • Product related hazard informations:
 • Hazard symbols: F Highly flammable
 • Risk phrases:
       Contact with water liberates extremely flammable gases.
    15
        Spontaneously flammable in air.
    17
 • Safety phrases:
    7/8 Keep container tightly closed and dry.
    43 In case of fire, use metallic extinguishing powder.
   Never use water.
 • National regulations
   All components of this product are listed in the U.S.
   Environmental Protection Agency Toxic Substances Control
    Act Chemical Substance Inventory.
  Information about limitation of use:
    For use only by technically qualified individuals.
16 Other information:
    Employers should use this information only as a supplement
    to other information gathered by them, and should make
    independent judgement of suitability of this information to
    ensure proper use and protect the health and safety of
    employees. This information is furnished without warranty,
    and any use of the product not in conformance with this
    Material Safety Data Sheet, or in combination with any
    other product or process, is the responsibility of the
    user.
```



Australian statement of hazardous nature : Classified as hazardous according to criteria of Safe Work Australia

Section 1 - Identification

Product Name	Aluminum powder
CAS No	7429-90-5
Product Code	41000
Address	ThermoFisher Scientific Australia Pty Ltd 5 Caribbean Drive, Scoresby VICTORIA 3179, Australia
Emergency Tel.	CHEMTREC® 03 9757 4559 or +613 9757 4559
Telephone / Fax Numbers	Tel: 1300 735 292 Fax: 1800 067 639
E-mail address	ANZinfo@thermofisher.com
Recommended Use	Laboratory chemicals.
Uses advised against	This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list. This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern.

Section 2 - Hazard(s) Identification

Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

Substances/mixtures which, in contact with water, emit flammable gases Pyrophoric solids

Category 2 Category 1

Health hazards No hazards identified

Environmental hazards No hazards identified

Label Elements



Signal Word

Danger

Hazard Statements

H250 - Catches fire spontaneously if exposed to air H261 - In contact with water releases flammable gases May form combustible dust concentrations in air

Precautionary Statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P222 - Do not allow contact with air

P223 - Do not allow contact with water

P231 + P232 - Handle and store contents under inert gas. Protect from moisture

P280 - Wear protective gloves/protective clothing/eye protection/face protection

- P302 + P335 + P334 IF ON SKIN: Brush off loose particles from skin. Immerse in cool water or wrap in wet bandages
- P402 + P404 Store in a dry place. Store in a closed container

P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

May form explosible dust-air mixture if dispersed

Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %	
Aluminium	7429-90-5	>95	

Section 4 - First Aid Measures

Inhalation	Remove to fresh air. Get medical attention if symptoms occur. If not breathing, give artificial respiration.
Ingestion	Do NOT induce vomiting. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
First Aid Facilities	Eyewash, safety shower and washroom.
Most important symptoms and effects	No information available.
Notes to Physician	Treat symptomatically.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Dry sand; dry clay; Limestone powder; approved class D extinguishers.

Extinguishing media which must not be used for safety reasons Water.

Hazardous Decomposition Products

Hydrogen, Fumes of aluminum or aluminum oxide.

Specific Hazards Arising from the Chemical

Water reactive. Contact with water liberates extremely flammable gases. Spontaneously flammable in air. Fine dust dispersed in air may ignite. Dust can form an explosive mixture with air. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6 - Accidental Release Measures

Emergency procedures

Use personal protective equipment as required. Remove all sources of ignition. Avoid dust formation. Avoid contact with skin, eyes or clothing.

Environmental Precautions

Avoid release to the environment.

Methods for Containment and Clean Up

Clean-up methods - small spillage

Remove all sources of ignition. Do not expose spill to water. Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Use spark-proof tools and explosion-proof equipment.

Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Handle under inert gas, protect from moisture. Wear personal protective equipment/face protection. Avoid dust formation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Do not allow contact with water.

Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area. Store under an inert atmosphere. Keep away from water or moist air.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

Section 8 - Exposure Controls and Personal Protection

Exposure limits

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia **ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in

the workplace. **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Aluminium	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 1 mg/m ³	STEL: 30 mg/m ³ 15 min	TWA: 1.25 mg/m ³ (8
	TWA: 5 mg/m ³	_	_	STEL: 12 mg/m ³ 15 min	Stunden). AGW -
				TWA: 10 mg/m ³ 8 hr	exposure factor 2
				TWA: 4 mg/m ³ 8 hr	TWA: 10 mg/m ³ (8
					Stunden). AGW -
					exposure factor 2
					TWA: 4 mg/m ³ (8
					Stunden). MAK
					TWA: 1.5 mg/m ³ (8
					Stunden). MAK

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Component	Australia	New Zealand	European Union	United Kingdom	Germany
Aluminium					Aluminum: 50 µg/g
					Creatinine urine (for
					long-term exposures: at
					the end of the shift after
					several shifts)

Exposure Controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)

Hand Protection Protective gloves

 Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Natural rubber Nitrile rubber Neoprene PVC	See manufacturers recommendations	-	AS/NZS 2161	(minimum requirement)

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure
Repiratory Protection	Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of repiratory protective devices
Recommended Filter type:	Particulates filter conforming to EN 143 (or AUS/NZ equivalent)
Recommended half mask:-	Particle filtering: EN149:2001 (or AUS/NZ equivalent)
	When RPE is used a face piece Fit Test should be conducted
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls No information available.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Grey	
Physical State	Powder Solid	
Odor	Odorless	
Odor Threshold	No data available	
pH	Not applicable	
Melting Point/Range	660 °C / 1220 °F	
Softening Point	No data available	
Boiling Point/Range	2327 °C / 4220.6 °F	@ 760 mmHg
Flash Point	No information available	Method - No information available
Evaporation Rate	Not applicable	Solid
Flammability (solid.gas)	No information available	
Explosion Limits	No data available	
Vapor Pressure	No data available	
Vapor Density	Not applicable	Solid
Specific Gravity / Density	2.7020	
Bulk Density	No data available	
Water Solubility	Insoluble	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/wate	er)	
Autoignition Temperature	400 °C / 752 °F	
Decomposition Temperature	No data available	
Viscositv	Not applicable	Solid
Explosive Properties	No information available	
Oxidizing Properties	No information available	
Other information		
Molecular Formula	AI	
Molecular Weight	26.98	

Section 10 - Stability and Reactivity

Reactivity	Yes	
Stability	Water reactive. Moisture sensitive. Air sensitive. Pyrophoric: Spontaneously flammable in air.	
Conditions to Avoid	Avoid dust formation, Incompatible products, Exposure to air, Exposure to moist air or water, Excess heat.	
Incompatible Materials	Water, Strong acids, Strong bases, Alcohols, Halogens, Halogenated compounds, Carbon dioxide (CO2).	
Hazardous Decomposition Products Hydrogen. Fumes of aluminum or aluminum oxide.		
Hazardous Polymerization	Hazardous polymerization does not occur.	

Section 11 - Toxicological Information

Information on Toxicological Effects

Product Information No acute toxicity information is available for this product

(a) acute toxicity;

a, acato texiony,	
Oral	No data available
Dermal	No data available
Inhalation	No data available

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Aluminium			LC50 > 0.888 mg/L (Rat) 4 h
(b) skin corrosion/irritation;	No data available		

(c) serious eye damage/irritation;	No data available
(d) respiratory or skin sensitization; Respiratory Skin	No data available No data available
(e) germ cell mutagenicity;	No data available
(f) carcinogenicity;	No data available There are no known carcinogenic chemicals in this product
(g) reproductive toxicity;	No data available
(h) STOT-single exposure;	No data available
(i) STOT-repeated exposure;	No data available
Target Organs	No information available.
(j) aspiration hazard;	Not applicable Solid

Symptoms / effects,both acute and No information available delayed

Section 12 - Ecological Information

Ecotoxicity effects	
Persistence and Degradability	
Persistence	Insoluble in water.
Degradability	Not relevant for inorganic substances.
Bioaccumulative Potential	May have some potential to bioaccumulate
Mobility	Spillage unlikely to penetrate soil. Is not likely mobile in the environment due its low water solubility
Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors
Persistent Organic Pollutant	This product does not contain any known or suspected substance
Ozone Depletion Potential	This product does not contain any known or suspected substance

Section 13 - Disposal Considerations

Waste from Residues/Unused Products	Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.
Other Information	Chemical wastes should be disposed through a licensed commercial waste collection service. Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations.

Section 14 - Transport Information

IMDG/IMO

UN-No Proper Shipping Name	UN1396 ALUMINIUM POWDER, UNCOATED
Hazard Class	4.3
Packing Group	Ш

ADG

UN-No	UN1396	
Proper Shipping Name	ALUMINIUM POWDER, UNCOATED	
Hazard Class	4.3	
Packing Group	II	
	Component	
	Aluminium	

Component	Hazchem Code
Aluminium	4Y
7429-90-5 (>95)	4W

<u>IATA</u>

UN-No Proper Shipping Name Hazard Class Packing Group	UN1396 ALUMINIUM POWDER, UNCOATED 4.3 II
Environmental hazards	No hazards identified
Special Precautions	No special precautions required
Additional information	None known

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations

Australia

See section 8 for national exposure control parameters.

Standard for the Uniform Scheduling of Medicines and Poisons

No poison schedule number allocated.

Australian Industrial Chemicals Introduction Scheme (AICIS)

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Aluminium - 7429-90-5	Present	-

Australian - Illicit Drug Precursors/Reagents Substance List

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

Chemicals of Security Concern

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

National pollutant inventory Not applicable

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

International Inventories

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	ISHL	IECSC	KECL
Aluminium	Х	Х	231-072-3	-	Х	Х	-	Х	Х		Х	KE-00881

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

International Regulations

Ozone Depletion Potential	This product does not contain any known or suspected substance
Persistent Organic Pollutant	This product does not contain any known or suspected substance
Rotterdam Convention (PIC)	Not applicable

Basel convention on the control of transboundary movements of hazardous wastes and their dispoal Not applicable.

	Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
I	Aluminium	7429-90-5	Listed	Not applicable	Not applicable	Not applicable

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV -	REACH (1907/2006) - Annex XVII -	REACH Regulation (EC
-----------	---------------------------------	----------------------------------	----------------------

	Substances Subject to Authorization	Restrictions on Certain Dangerous Substances	1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Aluminium	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

Section 16 - Other Information

Legend

AICS - Australian Inventory of Chemical Substances	NZIOC - New Zealand Inventory of Chemicals
TSCA - United States Toxic Substances Control Act Section 8(b)	EINECS/ELINCS - European Inventory of Existing Commercial Chemical
Inventory	Substances/EU List of Notified Chemical Substances
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic	ENCS - Japanese Existing and New Chemical Substances
Substances List	••• ••• ••• ••• •••••••••
IECSC - Chinese Inventory of Existing Chemical Substances	KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances	CAS - Chemical Abstracts Service
TWA - Time Weighted Average	ACGIH - American Conference of Governmental Industrial Hygienists
IARC - International Agency for Research on Cancer	Predicted No Effect Concentration (PNEC)
ICAO/IATA - International Civil Aviation Organization/International Air	IMO/IMDG - International Maritime Organization/International Maritime
Transport Association	Dangerous Goods Code
MARPOL - International Convention for the Prevention of Pollution from	ADG Australian Code for the Transport of Dangerous Goods by Road
Ships	and Rail
NZS 5433:2012 - Transport of Dangerous Goods on Land	OECD - Organisation for Economic Co-operation and Development
LD50 - Lethal Dose 50%	LC50 - Lethal Concentration 50%
EC50 - Effective Concentration 50%	ATE - Acute Toxicity Estimate
WEL - Workplace Exposure Limit	RPE - Respiratory Protective Equipment
DNEL - Derived No Effect Level	NOEC - No Observed Effect Concentration
POW - Partition coefficient Octanol:Water	BCF - Bioconcentration factor
vPvB - very Persistent, very Bioaccumulative	PBT - Persistent, Bioaccumulative, Toxic
VOC - (Volatile Organic Compound)	

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Revision Date	18-Nov-2022
Revision Summary	Not applicable.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



Australian statement of hazardous nature : Classified as hazardous according to criteria of Safe Work Australia

Section 1 - Identification

Product Name	Aluminum powder
CAS No	7429-90-5
Product Code	45546
Address	ThermoFisher Scientific Australia Pty Ltd 5 Caribbean Drive, Scoresby VICTORIA 3179, Australia
Emergency Tel.	CHEMTREC® 03 9757 4559 or +613 9757 4559
Telephone / Fax Numbers	Tel: 1300 735 292 Fax: 1800 067 639
E-mail address	ANZinfo@thermofisher.com
Recommended Use	Laboratory chemicals.
Uses advised against	This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list. This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern.

Section 2 - Hazard(s) Identification

Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

Substances/mixtures which, in contact with water, emit flammable gases Pyrophoric solids

Category 2 Category 1

Health hazards No hazards identified

Environmental hazards No hazards identified

Label Elements



Signal Word

Danger

Hazard Statements

H250 - Catches fire spontaneously if exposed to air H261 - In contact with water releases flammable gases May form combustible dust concentrations in air

Precautionary Statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P222 - Do not allow contact with air

P223 - Do not allow contact with water

P231 + P232 - Handle and store contents under inert gas. Protect from moisture

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P335 + P334 - IF ON SKIN: Brush off loose particles from skin. Immerse in cool water or wrap in wet bandages

P402 + P404 - Store in a dry place. Store in a closed container

P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

May form explosible dust-air mixture if dispersed

Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Aluminium	7429-90-5	>95

Section 4 - First Aid Measures

Inhalation	Remove to fresh air. Get medical attention if symptoms occur. If not breathing, give artificial respiration.
Ingestion	Do NOT induce vomiting. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
First Aid Facilities	Eyewash, safety shower and washroom.
Most important symptoms and effects	No information available.
Notes to Physician	Treat symptomatically.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Dry sand; dry clay; Limestone powder; approved class D extinguishers.

Extinguishing media which must not be used for safety reasons Water.

Hazardous Decomposition Products

Hydrogen, Fumes of aluminum or aluminum oxide.

Specific Hazards Arising from the Chemical

Water reactive. Contact with water liberates extremely flammable gases. Spontaneously flammable in air. Fine dust dispersed in air may ignite. Dust can form an explosive mixture with air. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6 - Accidental Release Measures

Emergency procedures

Use personal protective equipment as required. Remove all sources of ignition. Avoid dust formation. Avoid contact with skin, eyes or clothing.

Environmental Precautions

Avoid release to the environment.

Methods for Containment and Clean Up

Clean-up methods - small spillage

Remove all sources of ignition. Do not expose spill to water. Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Use spark-proof tools and explosion-proof equipment.

Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Handle under inert gas, protect from moisture. Wear personal protective equipment/face protection. Avoid dust formation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Do not allow contact with water.

Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area. Store under an inert atmosphere. Keep away from water or moist air.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

Section 8 - Exposure Controls and Personal Protection

Exposure limits

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia **ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in

the workplace. **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Aluminium	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 1 mg/m ³	STEL: 30 mg/m ³ 15 min	TWA: 1.25 mg/m ³ (8
	TWA: 5 mg/m ³	_	_	STEL: 12 mg/m ³ 15 min	Stunden). AGW -
				TWA: 10 mg/m ³ 8 hr	exposure factor 2
				TWA: 4 mg/m ³ 8 hr	TWA: 10 mg/m ³ (8
					Stunden). AGW -
					exposure factor 2
					TWA: 4 mg/m ³ (8
					Stunden). MAK
					TWA: 1.5 mg/m ³ (8
					Stunden). MAK

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Component	Australia	New Zealand	European Union	United Kingdom	Germany
Aluminium					Aluminum: 50 µg/g
					Creatinine urine (for
					long-term exposures: at
					the end of the shift after
					several shifts)

Exposure Controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)

Hand Protection Protective gloves

 Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Natural rubber Nitrile rubber Neoprene PVC	See manufacturers recommendations	-	AS/NZS 2161	(minimum requirement)

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure
Repiratory Protection	Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of repiratory protective devices
Recommended Filter type:	Particulates filter conforming to EN 143 (or AUS/NZ equivalent)
Recommended half mask:-	Particle filtering: EN149:2001 (or AUS/NZ equivalent)
	When RPE is used a face piece Fit Test should be conducted
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls No information available.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Grey	
Physical State	Powder Solid	
Odor	Odorless	
Odor Threshold	No data available	
рН	Not applicable	
Melting Point/Range	660 °C / 1220 °F	
Softening Point	No data available	
Boiling Point/Range	2327 °C / 4220.6 °F	@ 760 mmHg
Flash Point	No information available	Method - No information available
Evaporation Rate	Not applicable	Solid
Flammability (solid,gas)	No information available	
Explosion Limits	No data available	
Vapor Pressure	No data available	
Vapor Density	Not applicable	Solid
Specific Gravity / Density	2.7020	
Bulk Density	No data available	
Water Solubility	Insoluble	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/wa	ter)	
Autoignition Temperature	400 °C / 752 °F	
Decomposition Temperature	No data available	
Viscosity	Not applicable	Solid
Explosive Properties	No information available	
Oxidizing Properties	No information available	
Other information		
Molecular Formula	AI	
Molecular Weight	26.98	

Section 10 - Stability and Reactivity

Reactivity	Yes
Stability	Water reactive. Moisture sensitive. Air sensitive. Pyrophoric: Spontaneously flammable in air.
Conditions to Avoid	Avoid dust formation, Incompatible products, Exposure to air, Exposure to moist air or water, Excess heat.
Incompatible Materials	Water, Strong acids, Strong bases, Alcohols, Halogens, Halogenated compounds, Carbon dioxide (CO2).
Hazardous Decomposition Product	s Hydrogen. Fumes of aluminum or aluminum oxide.
Hazardous Polymerization	Hazardous polymerization does not occur.

Section 11 - Toxicological Information

Information on Toxicological Effects

Product Information No acute toxicity information is available for this product

(a) acute toxicity;

No data available
No data available
No data available

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Aluminium			LC50 > 0.888 mg/L (Rat) 4 h
(b) skin corrosion/irritation;	No data available		

(c) serious eye damage/irritation;	No data available
(d) respiratory or skin sensitization; Respiratory Skin	No data available No data available
(e) germ cell mutagenicity;	No data available
(f) carcinogenicity;	No data available There are no known carcinogenic chemicals in this product
(g) reproductive toxicity;	No data available
(h) STOT-single exposure;	No data available
(i) STOT-repeated exposure;	No data available
Target Organs	No information available.
(j) aspiration hazard;	Not applicable Solid

Symptoms / effects,both acute and No information available delayed

Section 12 - Ecological Information

Ecotoxicity effects Persistence and Degradability	
Persistence Degradability	Insoluble in water. Not relevant for inorganic substances.
Bioaccumulative Potential	May have some potential to bioaccumulate
Mobility	Spillage unlikely to penetrate soil. Is not likely mobile in the environment due its low water solubility
Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors
Persistent Organic Pollutant	This product does not contain any known or suspected substance
Ozone Depletion Potential	This product does not contain any known or suspected substance

Section 13 - Disposal Considerations

Waste from Residues/Unused Products	Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.
Other Information	Chemical wastes should be disposed through a licensed commercial waste collection service. Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations.

Section 14 - Transport Information

IMDG/IMO

UN-No Proper Shipping Name	UN1396 ALUMINIUM POWDER, UNCOATED
Hazard Class	4.3
Packing Group	Ш

ADG

UN-No	UN1396	
Proper Shipping Name	ALUMINIUM POWDER, UNCOATED	
Hazard Class	4.3	
Packing Group	II	
	Component	
	Aluminium	

Component	Hazchem Code
Aluminium	4Y
7429-90-5(>95)	4W

IATA

UN-No Proper Shipping Name Hazard Class Packing Group	UN1396 ALUMINIUM POWDER, UNCOATED 4.3 II
Environmental hazards	No hazards identified
Special Precautions	No special precautions required
Additional information	None known

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture_

Australia

National Regulations

See section 8 for national exposure control parameters.

Standard for the Uniform Scheduling of Medicines and Poisons

No poison schedule number allocated.

Australian Industrial Chemicals Introduction Scheme (AICIS)

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Aluminium - 7429-90-5	Present	-

Australian - Illicit Drug Precursors/Reagents Substance List

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

Chemicals of Security Concern

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

National pollutant inventory Not applicable

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

International Inventories

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	ISHL	IECSC	KECL
Aluminium	Х	Х	231-072-3	-	Х	Х	-	Х	Х		Х	KE-00881

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Not applicable

International Regulations

Rotterdam Convention (PIC)

Ozone Depletion Potential	This product does not contain any known or suspected substance
Persistent Organic Pollutant	This product does not contain any known or suspected substance

Basel convention on the control of transboundary movements of hazardous wastes and their dispoal Not applicable.

	Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
I	Aluminium	7429-90-5	Listed	Not applicable	Not applicable	Not applicable

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV -	REACH (1907/2006) - Annex XVII -	REACH Regulation (EC
-----------	---------------------------------	----------------------------------	----------------------

	Substances Subject to Authorization	Restrictions on Certain Dangerous Substances	1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Aluminium	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

Section 16 - Other Information

Legend

AICS - Australian Inventory of Chemical Substances	NZIOC - New Zealand Inventory of Chemicals
TSCA - United States Toxic Substances Control Act Section 8(b)	EINECS/ELINCS - European Inventory of Existing Commercial Chemical
Inventory	Substances/EU List of Notified Chemical Substances
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic	ENCS - Japanese Existing and New Chemical Substances
Substances List	1 5
IECSC - Chinese Inventory of Existing Chemical Substances	KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances	CAS - Chemical Abstracts Service
TWA - Time Weighted Average	ACGIH - American Conference of Governmental Industrial Hygienists
IARC - International Agency for Research on Cancer	Predicted No Effect Concentration (PNEC)
ICAO/IATA - International Civil Aviation Organization/International Air	IMO/IMDG - International Maritime Organization/International Maritime
Transport Association	Dangerous Goods Code
MARPOL - International Convention for the Prevention of Pollution from	ADG Australian Code for the Transport of Dangerous Goods by Road
Ships	and Rail
NZS 5433:2012 - Transport of Dangerous Goods on Land	OECD - Organisation for Economic Co-operation and Development
LD50 - Lethal Dose 50%	LC50 - Lethal Concentration 50%
EC50 - Effective Concentration 50%	ATE - Acute Toxicity Estimate
WEL - Workplace Exposure Limit	RPE - Respiratory Protective Equipment
DNEL - Derived No Effect Level	NOEC - No Observed Effect Concentration
POW - Partition coefficient Octanol:Water	BCF - Bioconcentration factor
vPvB - very Persistent, very Bioaccumulative	PBT - Persistent, Bioaccumulative, Toxic
VOC - (Volatile Organic Compound)	

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Revision Date	18-Nov-2022
Revision Summary	Not applicable.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



Version 6.8 Revision Date 10/19/2022 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

	Product name	:	(3-Aminopropyl)triethoxysilane
	Product Number Brand Index-No. CAS-No.	:	A3648 Sigma-Aldrich 612-108-00-0 919-30-2
1.2	Relevant identified use	es	of the substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	: Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone	: +1 314 771-5765
Fax	: +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703-
		527-3887 CHEMTREC (International) 24
		Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227 Acute toxicity, Oral (Category 4), H302 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Skin sensitization (Category 1), H317

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Danger

Signal Word Sigma-Aldrich - A3648

Page 1 of 11

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



Hazard statement(s) H227 H302 H314 H317	Combustible liquid. Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction.
Precautionary statement(s)	
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P261	Avoid breathing mist or vapors.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 +	IF IN EYES: Rinse cautiously with water for several minutes.
P310	Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

APTES

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms

: 3-Triethoxysilylpropylamine

Component	Classification	Concentration	
Triethoxy(3-aminopropyl)silane			
	Flam. Liq. 4; Acute Tox. 4;	<= 100 %	
	Skin Corr. 1B; Eye Dam.		

Sigma-Aldrich - A3648

Page 2 of 11



1; Skin Sens. 1; H227, H302, H314, H318, H317	
--	--

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) silicon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Sigma-Aldrich - A3648

Page 3 of 11



5.4 Further information

Under fire conditions, material may decompose to form flammable and/or explosive mixtures in air.Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.
- 6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® OH⁻, Merck Art. No. 101596). Dispose of properly. Clean up affected area.
- **6.4** Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed.

Store under inert gas. Moisture sensitive.

Storage class

Storage class (TRGS 510): 8A: Combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Sigma-Aldrich - A3648

Page 4 of 11



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: butyl-rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet; www.kcl.de).

Splash contact Material: Viton® Minimum layer thickness: 0.7 mm Break through time: 30 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Body Protection

protective clothing

Respiratory protection

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

Sigma-Aldrich - A3648

Page 5 of 11





SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid, clear Color: colorless		
b)	Odor	amine-like		
c)	Odor Threshold	No data available		
d)	рН	11 at 20 g/l at 20 °C (68 °F)		
e)	Melting point/freezing point	Melting point: < -70 °C (< -94 °F)		
f)	Initial boiling point and boiling range	217 °C 423 °F at 1,013 hPa - lit.		
g)	Flash point	93 °C (199 °F) - closed cup - DIN 51758		
h)	Evaporation rate	No data available		
i)	Flammability (solid, gas)	No data available		
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 4.5 %(V) Lower explosion limit: 0.8 %(V)		
k)	Vapor pressure	No data available		
I)	Vapor density	7.64 - (Air = 1.0)		
m)	Density	0.946 g/cm3 at 25 °C (77 °F) - lit.		
	Relative density	No data available		
n)	Water solubility	(decomposition)		
o)	Partition coefficient: n-octanol/water	log Pow: 0.31 - Bioaccumulation is not expected., (Lit.)		
p)	Autoignition temperature	270 °C (518 °F) at 1,009.3 - 1,010.7 hPa		
q)	Decomposition temperature	> 217 °C (> 423 °F) -		
r)	Viscosity	No data available		
s)	Explosive properties	No data available		
t)	Oxidizing properties	none		
Other safety information				

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

Sigma-Aldrich - A3648

density

Page 6 of 11

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada

Relative vapor 7.64 - (Air = 1.0)



10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) . May decompose on exposure to moist air or water.

- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** Strong heating.
- **10.5 Incompatible materials** Strong oxidizing agents
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 1,780 mg/kg Remarks: (RTECS) LC50 Inhalation - Rat - male - 6 h - > 5 ppm - vapor

(OECD Test Guideline 403) LD50 Dermal - Rabbit - 4,290 mg/kg Remarks: (RTECS) No data available

Skin corrosion/irritation

Skin - Rabbit Result: Corrosive after 3 minutes to 1 hour of exposure - 1 h (OECD Test Guideline 404) Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Irreversible effects on the eye (OECD Test Guideline 405) Remarks: (Regulation (EC) No 1272/2008, Annex VI) Remarks: Causes serious eye damage.

Respiratory or skin sensitization

Buehler Test - Guinea pig Result: positive (OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster lung cells Metabolic activation: with and without metabolic activation Result: negative Remarks: (ECHA) Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476

Sigma-Aldrich - A3648

Page 7 of 11

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



Result: negative Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster lung cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative

Test Type: Micronucleus test Species: Mouse Cell type: Red blood cells (erythrocytes) Application Route: Intraperitoneal Method: OECD Test Guideline 474 Result: negative

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 90 d - NOAEL (No observed adverse effect level) - 200 mg/kg - LOAEL (Lowest observed adverse effect level) - 600 mg/kg Remarks: Subchronic toxicity

Repeated dose toxicity - Rabbit - male and female - Dermal - 11 Days - NOAEL (No observed adverse effect level) - 84 mg/kg

RTECS: TX2100000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence

Sigma-Aldrich - A3648

Page 8 of 11


SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	semi-static test LC50 - Danio rerio (zebra fish) - > 934 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 331 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Desmodesmus subspicatus (green algae) - > 1,000 mg/l - 72 h (Directive 67/548/EEC, Annex V, C.3.)
Toxicity to bacteria	static test EC50 - Pseudomonas putida - 43 mg/l - 5.75 h Remarks: (ECHA)

12.2 Persistence and degradability

Biodegradability	aerobic - Exposure time 28 d
	Result: 67 % - Not biodegradable
	(Directive 67/548/EEC Annex V, C.4.A.)

12.3 Bioaccumulative potential

Bioaccumulation

Cyprinus carpio (Carp) - 8 Weeks - 5 mg/l(Triethoxy(3-aminopropyl)silane)

Bioconcentration factor (BCF): 3.4 (OECD Test Guideline 305C)

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties No data available

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

Sigma-Aldrich - A3648

Page 9 of 11



SECTION 14: Transport information

DOT (US)

UN number: 2735 Class: 8 Packing group: II Proper shipping name: Amines, liquid, corrosive, n.o.s. (Triethoxy(3-aminopropyl)silane) Reportable Quantity (RQ): Poison Inhalation Hazard: No

IMDG

UN number: 2735 Class: 8 Packing group: II EMS-No: F-A, S-B Proper shipping name: AMINES, LIQUID, CORROSIVE, N.O.S. (Triethoxy(3-aminopropyl)silane)

ΙΑΤΑ

UN number: 2735 Class: 8 Packing group: II Proper shipping name: Amines, liquid, corrosive, n.o.s. (Triethoxy(3-aminopropyl)silane)

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the

Sigma-Aldrich - A3648

Page 10 of 11



information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.8 Revision Date: 10/19/2022 Print Date: 12/30/2023

Sigma-Aldrich - A3648

Page 11 of 11





SAFC[®]

Version 8.7 Revision Date 05/24/2023 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifiers Product name Ammonia solution 25% EMPROVE® ESSENTIAL Ph Eur, BP Product Number : 1.05422 Catalogue No. : 105422 Brand : Millipore 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses : Pharmaceutical production and analysis 1.3 Details of the supplier of the safety data sheet Company : Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES +1 314 771-5765 Telephone : +1 800 325-5052 Fax : **Emergency telephone** 1.4 800-424-9300 CHEMTREC (USA) +1-703-Emergency Phone # 527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Millipore - 1.05422

Page 1 of 12



Signal Word	Danger
Hazard statement(s) H314 H335 H400 H411	Causes severe skin burns and eye damage. May cause respiratory irritation. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Precautionary statement(s) P261 P264 P271 P273 P222	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P330 + P331 P303 + P361 + P353	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P363 P301	Wash contaminated clothing before reuse.
P403 + P233 P405 P501	Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/ container to an approved waste disposal
	plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Component		Classification	Concentration
ammonia solution			
CAS-No. EC-No.	1336-21-6 215-647-6	Skin Corr. 1B; Eye Dam. 1; STOT SE 3; Aquatic	>= 20 - < 30 %
Index-No. Registration	007-001-01-2 01-2119488876-14-	Acute 1; Aquatic Chronic 2; H314, H318, H335,	
number	XXXX	H400, H411 Concentration limits:	
		>= 5 %: STOT SE 3, H335;	
		M-Factor - Aquatic Acute: 10	

For the full text of the H-Statements mentioned in this Section, see Section 16.

Millipore - 1.05422

Page 2 of 12



SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx) Not combustible. Ammonia solution itself is not flammable, but can form an ignitable ammonia/air-mixture by outgassing. Fire may cause evolution of: nitrogen oxides

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Cool closed containers exposed to fire with water spray. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Millipore - 1.05422

Page 3 of 12



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions Do not empty into drains.

6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills.Observe possible material restrictions (see sections 7 and 10).Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® OH⁻, Merck Art. No. 101596). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Observe label precautions.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

No metal or light-weight-metal containers. Tightly closed.

Storage class

Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Millipore - 1.05422

Page 4 of 12



Component	CAS-No.	Value	Control	Basis
			parameters	
ammonia solution	1336-21-6	TWA	25 ppm	USA. ACGIH Threshold Limit
				Values (TLV)
		STEL	35 ppm	USA. ACGIH Threshold Limit
				Values (TLV)
		TWA	25 ppm	USA. NIOSH Recommended
			18 mg/m3	Exposure Limits
		ST	35 ppm	USA. NIOSH Recommended
			27 mg/m3	Exposure Limits

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: butyl-rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.40 mm Break through time: 240 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

Body Protection

protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Control of environmental exposure

Do not empty into drains.

Millipore - 1.05422

Page 5 of 12



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Color: colorless
b)	Odor	stinging
c)	Odor Threshold	0.02 - 70.7 ppm - Ammonia
d)	рН	at 20 °C (68 °F)strongly alkaline
e)	Melting point/freezing point	Melting point: -57.5 °C (-71.5 °F)
f)	Initial boiling point and boiling range	37.7 °C 99.9 °F at 1,013 hPa
g)	Flash point	No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 33.6 %(V) Lower explosion limit: 15.4 %(V)
k)	Vapor pressure	483 hPa at 20 °C (68 °F)
I)	Vapor density	No data available
m)	Density	0.903 g/cm3 at 20 °C (68 °F)
	Relative density	No data available
n)	Water solubility	soluble
o)	Partition coefficient: n-octanol/water	log Pow: -1.38 - (anhydrous substance), (Lit.), Bioaccumulation is not expected.
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	Not classified as explosive.
t)	Oxidizing properties	none

9.2 Other safety information

Minimum ignition 380 - 680 mJ energy

Millipore - 1.05422

Page 6 of 12



SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Ammonia solution itself is not flammable, but can form an ignitable ammonia/air-mixture by outgassing.

10.3 Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the following substances: Oxidizing agents Mercury Oxygen silver compounds nitrogen trichloride hydrogen peroxide silver antimony hydride Halogens Acids Calcium Chlorine Chlorites auric salts perchlorates sodium hypochlorite mercury compounds halogen oxides Heavy metals Heavy metal salts Acid chlorides Acid anhydrides Risk of ignition or formation of inflammable gases or vapours with: Boranes Boron Oxides of phosphorus Nitric acid silicon compounds chromium(VI) oxide chromyl chloride Exothermic reaction with: Acetaldehyde Acrolein Barium boron compounds Bromine halogen-halogen compounds hydrogen bromide silane Hydrogen chloride gas halogen compounds dimethylsulfate

Millipore - 1.05422

Page 7 of 12



nitrogen oxides Fluorine Hydrogen fluoride chlorates carbon dioxide Ethylene oxide polymerisable

10.4 Conditions to avoid

Heating.

- **10.5 Incompatible materials** Aluminum, Lead, Nickel, silver, Zinc, Copper, metal alloys, various metals
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

LDLo Oral - Human - 43 mg/kg Inhalation: No data available Dermal: No data available

No data available

Skin corrosion/irritation

Skin - Rabbit Result: Severe irritations Remarks: (29% solution) (RTECS) Remarks: Dermatitis Necrosis

Serious eye damage/eye irritation

Eyes - Rabbit Result: Severe irritations Remarks: (29% solution) (RTECS) Remarks: Mixture causes serious eye damage. Risk of blindness!

Respiratory or skin sensitization

No data available

Germ cell mutagenicity No data available

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Millipore - 1.05422

Page 8 of 12



- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Mixture may cause respiratory irritation. - Respiratory system

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

Cough Shortness of breath bronchitis gastric pain Bloody vomiting Nausea collapse shock Unconsciousness

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

Components

ammonia solution

Acute toxicity

Oral: No data available Inhalation: Irritating to respiratory system. Inhalation: Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. Dermal: No data available

Skin corrosion/irritation

Remarks: Causes skin burns. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Serious eye damage/eye irritation

Remarks: Causes serious eye damage. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Respiratory or skin sensitization No data available

No data avallable

Germ cell mutagenicity

No data available

Millipore - 1.05422

Page 9 of 12



Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

SECTION 12: Ecological information

12.1 Toxicity

Mixture

No data available

12.2 Persistence and degradability

- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

12.5 Results of PBT and vPvB assessment

 $\mathsf{PBT}/\mathsf{vPvB}$ assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties No data available

12.7 Other adverse effects

Biological effects: Harmful effect due to pH shift. Forms toxic and corrosive mixtures with water even if diluted. Discharge into the environment must be avoided.

Components

ammonia solution

Toxicity to fish	flow-through test LC50 - Pimephales promelas (fathead minnow) - 0.068 mg/l - 96 h Remarks: (ECHA) The value is given in analogy to the following substances: ammonium sulphate

Toxicity to daphnia	static test LC50 - Daphnia magna (Water flea) - 101 mg/l - 48
and other aquatic	h
invertebrates	Remarks: (ECHA) anhydrous

Millipore - 1.05422

Page 10 of 12



Toxicity to fish(Chronic toxicity)	flow-through test NOEC - Ictalurus punctatus - 0.048 mg/l - 31 d (OECD Test Guideline 215) Remarks: anhydrous
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	flow-through test LC50 - Daphnia magna (Water flea) - 4.07 mg/l - 96 h (US-EPA) Remarks: The value is given in analogy to the following substances: The value is given in analogy to the following substances: ammonium chloride
	flow-through test NOEC - Daphnia magna (Water flea) - 0.79 mg/l - 96 h (US-EPA) Remarks: The value is given in analogy to the following substances: The value is given in analogy to the following substances: ammonium chloride

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

DOT (US)

UN number: 2672 Class: 8 Packing group: III Proper shipping name: Ammonia solution Reportable Quantity (RQ): 4000 lbs Marine pollutant: yes Poison Inhalation Hazard: No

IMDG

UN number: 2672 Class: 8 Packing group: III EMS-No: F-A, S-B Proper shipping name: AMMONIA SOLUTION Marine pollutant : yes Marine pollutant : yes

ΙΑΤΑ

Millipore - 1.05422

Page 11 of 12



SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

ammonia solution	CAS-No. 1336-21-6	Revision Date 2007-03-01
Massachusetts Right To Know Components		Povicion Data
water	7732-18-5	Revision Date
ammonia solution	1336-21-6	2007-03-01
ammonia solution	CAS-No. 1336-21-6	Revision Date 2007-03-01

SECTION 16: Other information The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact misbranding@sial.com. Print Date: 12/30/2023 Version: 8.7 Revision Date: 05/24/2023

Millipore - 1.05422

Page 12 of 12





SAFETY DATA SHEET

Version 8.3 Revision Date 10/27/2023 Print Date 01/06/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	[:] Ammonium chloride
Product Number	: 213330
Brand	: SIGALD
Index-No.	: 017-014-00-8
CAS-No.	: 12125-02-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	: Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	: +1 314 771-5765 +1 800 325-5052
Ian	. +1000 J2J-J0J2

1.4 Emergency telephone

Emergency Phone #	: 800-424-9300 CHEMTREC (USA) +1-703-
	527-3887 CHEMTREC (International) 24
	Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Eye irritation (Category 2A), H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word SIGALD - 213330 Warning

Page 1 of 11



Hazard statement(s) H302 H319	Harmful if swallowed. Causes serious eye irritation.
Precautionary statement(s)	
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear eye protection/ face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 P501	If eye irritation persists: Get medical advice/ attention. Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

Substances Synonyms	: Salmiac		
Formula Molecular weight CAS-No. EC-No. Index-No.	: H₄CIN : 53.49 g/mol : 12125-02-9 : 235-186-4 : 017-014-00-8		
Component		Classification	Concentration
ammonium chlori	de		
		Acute Tox. 4; Eye Irrit. 2A; H302, H319	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

SIGALD - 213330

Page 2 of 11



In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx) Hydrogen chloride gas Not combustible. Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SIGALD - 213330

Page 3 of 11



SECTION 7: Handling and storage

7.1 Precautions for safe handling For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Storage class Storage class (TRGS 510): 13: Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
ammonium chloride	12125-02- 9	TWA	10 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		STEL	20 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		TWA	10 mg/m3	USA. NIOSH Recommended Exposure Limits
		ST	20 mg/m3	USA. NIOSH Recommended Exposure Limits
		PEL	10 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		STEL	20 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

SIGALD - 213330

Page 4 of 11



Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet; www.kcl.de).

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance

Form: solid Color: white

odorless

SIGALD - 213330

b) Odor

Page 5 of 11



c)	Odor Threshold	Not applicable
d)	рН	5 - 5.5 at 25 °C (77 °F)
e)	Melting point/freezing point	Melting point: 338 °C (640 °F) - (sublimed)
f)	Initial boiling point and boiling range	520 °C 968 °F
g)	Flash point	()Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	The product is not flammable.
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	1.3 hPa at 160.4 °C (320.7 °F) 1.3 hPa at 30 °C(86 °F)
I)	Vapor density	No data available
m)	Density	1.53 g/cm3 at 25 °C (77 °F)
	Relative density	No data available
n)	Water solubility	372 g/l at 20 °C (68 °F)
o)	Partition coefficient: n-octanol/water	Not applicable for inorganic substances
p)	Autoignition temperature	> 400 °C ($>$ 752 °F) - Relative self-ignition temperature for solids does not ignite
q)	Decomposition temperature	Not applicable
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	none
Oth No	ler safety informatio data available	n

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

No data available

10.2 Chemical stability The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions Violent reactions possible with:

SIGALD - 213330

Page 6 of 11



alkali hydroxides acids Risk of ignition or formation of inflammable gases or vapours with: halogen-halogen compounds alkalines alkalines alkaline substances Risk of explosion with: nitrates chlorates Heavy metal salts nitrites Hydrogen cyanide (hydrocyanic acid) Chlorine silver salt Strong oxidizing agents

10.4 Conditions to avoid

no information available

10.5 Incompatible materials Aluminum, Lead, Iron, Copper, copper compounds

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 1,410 mg/kg (OECD Test Guideline 401) Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract. Inhalation: No data available Symptoms: Possible damages:, mucosal irritations LD50 Dermal - Rat - male and female - > 2,000 mg/kg Remarks: (ECHA) No data available

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 24 h (Draize Test)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Eye irritation Remarks: (ECHA)

Respiratory or skin sensitization

Maximization Test - Guinea pig

SIGALD - 213330

Page 7 of 11



Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

In vivo tests did not show mutagenic effects Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster lung cells Metabolic activation: without metabolic activation Method: OECD Test Guideline 473 Result: positive

Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 90 d - NOAEL (No observed adverse effect level) - 1,695.7 mg/kg Remarks: Subchronic toxicity

RTECS: BP4550000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

The following applies to ammonium salts in general: after swallowing: local irritation symptoms, nausea, vomiting, diarrhoea. Systemic effect: after the uptake of very large SIGALD - 213330

Page 8 of 11



qantities: drop in blood pressure, collapse, CNS disorders, spasms, narcotic conditions, respiratory paralysis, haemolysis.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	semi-static test LC50 - Cyprinus carpio (Carp) - 209.00 mg/l - 96 h Remarks: (ECHA)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 101 mg/l - 48 h Remarks: (ECHA)
Toxicity to algae	static test ErC50 - Chlorella vulgaris (Fresh water algae) - 1,300 mg/l - 5 d Remarks: (ECHA)
Toxicity to bacteria	static test EC50 - activated sludge - 1,310 mg/l - 0.5 h (OECD Test Guideline 209)
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	semi-static test NOEC - Daphnia magna (Water flea) - 14.6 mg/l - 21 d Remarks: (ECHA)

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

- **12.6 Endocrine disrupting properties** No data available
- **12.7 Other adverse effects** No data available

SIGALD - 213330

Page 9 of 11



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

UN number: 3077 Class: 9 Packing group: III Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (ammonium chloride) Reportable Quantity (RQ): 5000 lbs Poison Inhalation Hazard: No

IMDG

Not dangerous goods

IATA Not dangerous goods

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
ammonium chloride	12125-02-9	1994-04-01

SARA 311/312 Hazards
Acute Health HazardCAS-No.Revision Date
1994-04-01ammonium chloride12125-02-91994-04-01

SIGALD - 213330

Page 10 of 11



CAS-No. 12125-02-9

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact misbranding@sial.com. Version: 8.3 Revision Date: 10/27/2023 Print Date: 01/06/2024

SIGALD - 213330

Page 11 of 11



Sigma-Aldrich.

SAFETY DATA SHEET

Version 6.6 Revision Date 03/04/2024 Print Date 03/23/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

	Product name	:	Ammonium iodide
	Product Number Brand CAS-No.	::	221937 SIGALD 12027-06-4
1.2	Relevant identified us	es	of the substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Synthesis of substances
	Uses advised against	:	The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.
1.3	Details of the supplier	r of	the safety data sheet
	Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST

1.3

			ST. LOUIS MO 63103 UNITED STATES
	Telephone Fax	:	+1 314 771-5765 +1 800 325-5052
1.4	Emergency telephone		
	Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Specific target organ toxicity - repeated exposure, Oral (Category 1), Thyroid, H372

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

SIGALD - 221937

Page 1 of 9



Pictogram	
Signal Word	Danger
Hazard Statements H372	Causes damage to organs (Thyroid) through prolonged or repeated exposure if swallowed.
Precautionary Statements	
P260	Do not breathe dust.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P314	Get medical advice/ attention if you feel unwell.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula	:	H ₄ IN		
Molecular weight	:	144.94 g/mol		
CAS-No.	:	12027-06-4		
EC-No.	:	234-717-7		
Component			Classification	Concentration
ammonium iodide				
			STOT RE 1; H372	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

SIGALD - 221937

Page 2 of 9



If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx) Hydrogen iodide Not combustible. Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13. SIGALD - 221937

Page 3 of 9



SECTION 7: Handling and storage

7.1 Precautions for safe handling For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter type P2 The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

SIGALD - 221937

Page 4 of 9



Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: crystalline Color: white
b)	Odor	odorless
c)	Odor Threshold	No data available
d)	рН	4.5 - 6.5 at 50 g/l at 25 °C (77 °F)
e)	Melting point/freezing point	Melting point/range: 551 °C (1024 °F) - OECD Test Guideline 102 - (sublimed)
f)	Initial boiling point and boiling range	No data available
g)	Flash point	()Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	1 hPa at 210.9 °C (411.6 °F)
I)	Vapor density	No data available
m)	Density	2.514 g/cm3 at 25 °C (77 °F) - OECD Test Guideline 109
	Relative density	No data available
n)	Water solubility	ca.1,542 g/l at 0 °C (32 °F) - completely miscible
o)	Partition coefficient: n-octanol/water	Not applicable for inorganic substances
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available

9.2 Other safety information No data available

SIGALD - 221937

Page 5 of 9



SECTION 10: Stability and reactivity

- **10.1 Reactivity** No data available
- **10.2 Chemical stability** The product is chemically stable under standard ambient conditions (room temperature) .
- 10.3 Possibility of hazardous reactions No data available
- **10.4 Conditions to avoid** Air no information available
- **10.5 Incompatible materials** Strong bases, Strong acids
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 2,779 mg/kg Inhalation: No data available Dermal: No data available No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitization No data available

Germ cell mutagenicity No data available

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

SIGALD - 221937

Page 6 of 9



No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure

Ingestion - Causes damage to organs through prolonged or repeated exposure. - Thyroid

Remarks: The value is given in analogy to the following substances: potassium iodide

Aspiration hazard

No data available

11.2 Additional Information

Prolonged exposure to iodides may produce iodism in sensitive individuals. Symptoms of exposure include: skin rash, running nose, headache and irritation of the mucous membrane. For severe cases the skin may show pimples, boils, hives, blisters and black and blue spots. Iodides are readily diffused across the placenta. Neonatal deaths from respiratory distress secondary to goiter have been reported. Iodides have been known to cause drug-induced fevers, which are usually of short duration., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish

static test LC50 - Oncorhynchus mykiss (rainbow trout) - 3,780 mg/l - 96 h

Remarks: No data available

12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

- **12.3 Bioaccumulative potential** No data available
- 12.4 Mobility in soil No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

- **12.6 Endocrine disrupting properties** No data available
- 12.7 Other adverse effects

No data available

SIGALD - 221937

Page 7 of 9



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

ΙΑΤΑ

Not dangerous goods

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

No SARA Hazards

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its

SIGALD - 221937

Page 8 of 9



Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 6.6 Revision Date: 03/04/2024 Print Date: 03/23/2024

SIGALD - 221937

Page 9 of 9





Effective Date: 04/01/15 *Replaces Revision:* 01/01/13

NON-EMERGENCY TELEPHONE 610-866-4225

24-HOUR CHEMTREC EMERGENCY TELEPHONE 800-424-9300

SDS – SAFETY DATA SHEET

1. Identification

Product Identifier: AQUA REGIA, DILUTE; MIXED ACID CONTAINING NITRIC ACID, HYDROCHLORIC ACID, AND WATER
Synonyms: None
Chemical Formula: Not applicable to mixtures
Recommended Use of the Chemical and Restrictions On Use: Industrial Reagent
Manufacturer / Supplier: Puritan Products; 2290 Avenue A, Bethlehem, PA 18017 Phone: 610-866-4225
Emergency Phone Number: 24-Hour Chemtrec Emergency Telephone 800-424-9300

2. Hazard(s) Identification

Classification of the Substance or Mixture:

Acute toxicity - Gases (Category 4) Oxidizing liquids (Category 3) Serious eye damage (Category 1) Skin corrosion / irritation (Category 1) Serious eye damage / Eye irritation (Category 1) Specific target organ systemic toxicity (single exposure) (Category 3)

Risk Phrases:

Symbol: O, C
R8: Contact with combustible material may cause fire.
R34: Causes burns.
R35: Causes severe burns.
R37: Irritating to respiratory system.

Label Elements:

Trade Name: AQUA REGIA, DILUTE

Signal Word: Danger


Hazard Statements:

H272: May intensify fire; oxidizer.H314: Causes severe skin burns and eye damage.H335+336: May cause respiratory irritation. May cause drowsiness or dizziness.

Precautionary Statements:

P220: Keep / Store away from clothing / combustible materials.
P261: Avoid breathing dust / fume / gas / mist / vapors / spray.
P280: Wear protective gloves / protective clothing / eye protection / face protection.
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.
P310: Immediately call a POISON CENTER or doctor / physician.

3. Composition / Information on Ingredients

CAS Number: Not applicable to mixtures **EC Number:** Not applicable to mixtures **Molecular Weight:** Not applicable to mixtures

Ingredient	CAS Number	EC Number	Percent	Hazardous	Chemical Characterization
Nitric Acid	7697-37-2	231-714-2	1 - 25%	Yes	Substance
Hydrochloric Acid	7647-01-0	231-595-7	1 - 25%	Yes	Substance
Water	7732-18-5	231-791-2	50 - 98%	No	Mixture

4. First-aid Measures

Immediate first aid treatment reduces the health effects of this substance. In all cases, immediately call a POISON CENTER or doctor / physician.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give Oxygen. Call a physician.

Ingestion: DO NOT INDUCE VOMITING! Give large quantities of water or milk if available. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Get medical attention immediately.

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

5. Fire-fighting Measures

Fire: Not combustible, but concentrating the mixture may form a strong oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Can react with metals to release flammable Hydrogen gas.

Explosion: Upon concentrating, may react explosively with combustible organic or readily oxidizable materials such as: alcohols, turpentine, charcoal, organic refuse, metal powder, Hydrogen Sulfide, etc. Reacts with most metals to release Hydrogen gas which can form explosive mixtures with air.

Fire Extinguishing Media: Water spray may be used to keep fire exposed containers cool. Do not get water inside container.

Special Information: If mixture is concentrated, may increase the flammability of combustible, organic and readily oxidizable materials. In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full face piece operated in the pressure demand or other positive pressure mode.

Accidental Release Measures 6.

Personal Precautions, Protective Equipment and Emergency Procedures: Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Isolate hazard area. Keep unnecessary and unprotected personnel from entering.

Environmental Precautions and Methods and Materials for Containment and Cleaning Up: Contain and recover liquid when possible. Do not let product enter drains. Neutralize with alkaline material (soda ash, lime,) then absorb with an inert material (e.g., vermiculite, dry sand, earth,) and place in a chemical waste container. Do not use combustible materials, such as saw dust. Do not flush to sewer! US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802.

7. Handling and Storage

Precautions for Safe Handling and Conditions for Safe Storage, Including Any Incompatibilities: Store in a cool, dry, ventilated storage area with acid resistant floors and good drainage. Protect from physical damage. Keep out of direct sunlight and away from heat, water, and incompatible materials. Do not wash out container and use it for other purposes. When diluting, the acid should always be added slowly to water and in small amounts. Never use hot water and never add water to the acid. Water added to acid can cause uncontrolled boiling and splashing. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquid.) Observe all warnings and precautions listed for the product.

Exposure Controls / Personal Protection 8.

Airborne Exposure Limits:

For Nitric Acid:

OSHA Permissible Exposure Limit (PEL): 2 ppm (TWA), 4 ppm (STEL) ACGIH Threshold Limit Value (TLV): 2 ppm (TWA); 4 ppm (STEL) For Hydrochloric Acid: OSHA Permissible Exposure Limit (PEL): 5 ppm (Ceiling) ACGIH Threshold Limit Value (TLV): 2 ppm (Ceiling), A4 Not classifiable as a human carcinogen

Ventilation System: A system of local and / or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, Industrial Ventilation, A Manual of Recommended Practices, most recent edition, for details.

Personal Respirators (NIOSH Approved): If the exposure limit is exceeded and engineering controls are not feasible, wear a supplied air, full face piece respirator, air-lined hood, or full face piece self-contained breathing apparatus. Breathing air quality must meet the requirements of the OSHA respiratory protection standard (29CFR1910.134). Nitric Acid is an oxidizer and should not come in contact with cartridges and canisters that contain oxidizable materials, such as activated charcoal. Canister-type respirators using sorbents are ineffective.

Skin Protection: Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Eye Protection: Use chemical safety goggles and / or a full face shield where splashing is possible. Maintain eye wash fountain and quick-drench facilities in work area.

Physical and Chemical Properties 9.

Appearance: Clear, colorless solution Odor: Pungent odor Odor Threshold: Not determined **pH:** < 1 % Volatiles by volume @ 21C (70F): 100 (as water and acid) Melting Point: No information found Boiling Point / Boiling Range: No information found Flash Point: Not applicable Evaporation Rate (BuAC=1): No information found Page 3 of 6

Flammability: Not applicable Upper / Lower Flammability or Explosive Limits: Not applicable Vapor Pressure (mm Hg): No information found Vapor Density (Air=1): No information found Relative Density: No information found Solubility: Infinitely soluble Partition Coefficient: n-octanol / water: No data available Auto-ignition Temperature: No data available Decomposition Temperature: No data available Viscosity: No information found

10. Stability and Reactivity

Reactivity and / or Chemical Stability: Stable under ordinary conditions of use and storage. Containers may burst when heated.

Possibility of Hazardous Reactions and Conditions to Avoid: Light, heat and incompatibles.

Incompatible Materials: If mixture is concentrated may become a dangerous oxidizing agent, solutions containing Nitric Acid are incompatible with most substances, especially strong bases, metallic powders, carbides, Hydrogen Sulfide, turpentine, and combustible organics.

Hazardous Decomposition Products: If mixture is concentrated may become a dangerous oxidizing agent, solutions containing Nitric Acid are incompatible with most substances, especially strong bases, metallic powders, carbides, Hydrogen Sulfide, turpentine, and combustible organics.

11. Toxicological Information

Emergency Overview: POISON! DANGER! CORROSIVE. LIQUID AND MIST CAUSE SEVERE BURNS TO ALL BODY TISSUE. OXIDIZER. CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE. MAY BE FATAL IF SWALLOWED. HARMFUL IF INHALED. INHALATION MAY CAUSE LUNG AND TOOTH DAMAGE.

Potential Health Effects:

Nitric Acid is extremely hazardous; it is corrosive, reactive, an oxidizer, and a poison. Hydrochloric Acid is a corrosive.

Inhalation: Corrosive! Inhalation of vapors can cause breathing difficulties and lead to pneumonia and pulmonary edema, which may be fatal. Other symptoms may include coughing, choking, and irritation of the nose, throat, and respiratory tract.

Ingestion: Corrosive! Swallowing Nitric Acid can cause immediate pain and burns of the mouth, throat, esophagus and gastrointestinal tract.

Skin Contact: Corrosive! Can cause redness, pain, and severe skin burns. Concentrated solutions cause deep ulcers and stain skin a yellow or yellow-brown color.

Eye Contact: Corrosive! Vapors are irritating and may cause severe damage to the eyes. Contact may cause severe burns and permanent eye damage.

Chronic Exposure: Long-term exposure to concentrated vapors may cause erosion of teeth and lung damage. Long-term exposures seldom occur due to the corrosive properties of the acid.

Aggravation of Pre-existing Conditions: Persons with pre-existing skin disorders, eye disease, or cardiopulmonary diseases may be more susceptible to the effects of this substance.

Specific Target Organ Toxicity - Single Exposure (Globally Harmonized System:) The substance or mixture is classified as specific target organ toxicant, single exposure, Category 3 with respiratory tract irritation.

Specific Target Organ Toxicity - Repeated Exposure (Globally Harmonized System:) No data available.

Numerical Measures of Toxicity: Cancer Lists: NTP Carcinogen

Ingredient	Known	Anticipated	IARC Category
Nitric Acid (7697-37-2)	No	No	None
Hydrogen Chloride (7647-01-0)	No	No	3
Water (7732-18-5)	No	No	None

Acute Toxicity:

For Nitric Acid:

Oral (human) LDLo: 430 mg/kg; Inhalation,(rat) LC50: 67 ppm (NO2)/4H; Investigated as a mutagen, reproductive effecter.

For Hydrochloric Acid:

Inhalation (rat) LC50: 3124 ppm/1H; Oral rabbit LD50: 900 mg/kg; Investigated as a Tumorigen, mutagen, reproductive effecter.

12. Ecological Information

Ecotoxicity: This material may be toxic to aquatic life. LC50 Shrimp: 100-300 ppm / 48 h / salt water; LC100 trout: 10 mg/l / 24 h; TLm mosquito fish: 282 ppm / 96 h

Persistence and Degradability: When released into the soil, this material is not expected to biodegrade and may leach into groundwater.

Bioaccumulative Potential: No further relevant information available.

Mobility in Soil: No data available.

Other adverse effects: US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802.

13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Although not a listed RCRA hazardous waste, this material may exhibit one or more characteristics of a hazardous waste and require appropriate analysis to determine specific disposal requirements. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

14. Transport Information

UN Number: UN3264

UN Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid and Hydrochloric Acid) **Packing Group:** II



Land Transport ADR/RID and GGVS/GGVE (Cross Border / Domestic) Transport Hazard Class(es): 8

Maritime Transport IMDG/GGVSea Transport Hazard Class(es): 8 Marine Pollutant: No Air Transport ICAO-TI and IATA-DGR Transport Hazard Class(es): 8 Special Precautions for User: No additional information

15. Regulatory Information

Chemical Inventory Status – Part 1

Ingredient	TSCA	EC	Japan	Australia
Nitric Acid (7697-37-2)	Yes	Yes	Yes	Yes
Hydrogen Chloride (7647-01-0)	Yes	Yes	Yes	Yes
Water (7732-18-5)	Yes	Yes	Yes	Yes

Chemical Inventory Status – Part 2

Ingredient	Korea	Canada		Phil.
		DSL	NDSL	
Nitric Acid (7697-37-2)	Yes	Yes	No	Yes
Hydrogen Chloride (7647-01-0)	Yes	Yes	No	Yes
Water (7732-18-5)	Yes	Yes	No	Yes

Federal, State & International Regulations - Part 1

	SAR	A 302	SARA 313		
Ingredient	RQ	TPQ	List Chemical	Catg.	
Nitric Acid (7697-37-2)	1000	1000	Yes	No	
Hydrogen Chloride (7647-01-0)	5000	500	Yes	No	
Water (7732-18-5)	No	No	No	No	

Federal, State & International Regulations - Part 2

	RCRA	TSCA			
Ingredient	CERCLA	261	.33	8(d)	
Nitric Acid (7697-37-2)	1000	N	0	No	
Hydrogen Chloride (7647-01-0)	5000	N	0	No	
Water (7732-18-5)	No	N	0	No	

Chemical Weapon	s Convention: No	TSCA 12(b):	No	CDTA: No	
SARA 311/312:	Acute: Yes	Chronic: Yes	Fire: No	Pressure: No	
Reactivity: No		Mixture / Liquid			

16. Other Information

Effective Date: 04/01/15 – Changed GHS02 symbol GHS03 *Replaces Revision:* 01/01/13 – GHS Compliant, 04/26/12 – Initial Release

THE INFORMATION CONTAINED IN THIS DATA SHEET IS BASED ON THE DATA AVAILABLE TO PURITAN PRODUCTS AT THIS TIME. WHILE BELIEVED TO BE ACCURATE, PURITAN PRODUCTS DOES NOT CLAIM IT TO BE ALL INCLUSIVE. IT IS PROVIDED INDEPENDENT OF ANY SALE OF THE PRODUCT, FOR THE PURPOSE OF HAZARD COMMUNICATION, AND AS A GUIDE FOR THE APPROPRIATE PRECAUTIONARY HANDLING OF THE PRODUCT BY PROPERLY TRAINED INDIVIDUALS. IT IS NOT INTENDED TO PROVIDE PRODUCT PERFORMANCE OR APPLICABILITY INFORMATION, AND NO EXPRESS OR IMPLIED WARRANTY OF ANY KIND IS MADE WITH RESPECT TO THE PRODUCT, THE UNDERLYING PRODUCT DATA, OR THE INFORMATION CONTAINED HEREIN.

YOU ARE URGED TO OBTAIN MATERIAL SAFETY DATA SHEETS FOR ALL PRODUCTS YOU BUY, PROCESS, USE OR DISTRIBUTE, AND ARE ENCOURAGED TO ADVISE THOSE WHO MAY COME IN CONTACT WITH SUCH PRODUCTS OF THE INFORMATION CONTAINED THEREIN.

TO DETERMINE THE APPLICABILITY OR EFFECT OF ANY LAW OR REGULATION WITH RESPECT TO THE PRODUCT, YOU SHOULD CONSULT WITH YOUR LEGAL ADVISOR OR THE APPROPRIATE GOVERNMENT AGENCY. WE WILL NOT PROVIDE ADVICE ON SUCH MATTERS, OR BE RESPONSIBLE FOR ANY INJURY OR DAMAGE RESULTING FROM THE USE OF THE PRODUCT DESCRIBED HEREIN.



SAFETY DATA SHEET

Version 6.9 Revision Date 03/02/2024 Print Date 03/23/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	:	Barium nitrate
Product Number	:	202754
Brand	:	Aldrich
Index-No.	:	056-002-00-7
CAS-No.	:	10022-31-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	:	Laboratory chemicals, Synthesis of substances
Uses advised against	:	The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	:	+1 314 771-5765 +1 800 325-5052
Emergency telephone		
Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Hours/day; 7 Days/week

Oxidizing solids (Category 2), H272 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 4), H332

Aldrich - 202754

1.4

Page 1 of 11



Eye irritation (Category 2A), H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal Word	Danger
Hazard Statements H272 H301 H319 H332	May intensify fire; oxidizer. Toxic if swallowed. Causes serious eye irritation. Harmful if inhaled.
Precautionary Statements	
P210 P220 P221 P261 P264 P270 P271 P280 P301 + P310 + P330 P304 + P340 + P312	Keep away from heat. Keep/Store away from clothing/ combustible materials. Take any precaution to avoid mixing with combustibles. Avoid breathing dust. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/ eye protection/ face protection. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 P370 + P378	If eye irritation persists: Get medical advice/ attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P405 P501	Store locked up. Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1	Substances				
	Formula	:	BaN_2O_6		
	Molecular weight	:	261.34 g/mol		
	CAS-No.	:	10022-31-8		
	EC-No.	:	233-020-5		
	Index-No.	:	056-002-00-7		
	Component			Classification	Concentration

Aldrich - 202754

Page 2 of 11



%

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration. Oxygen if necessary. Immediately call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Aldrich - 202754

Page 3 of 11



5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx) Barium oxide Not combustible. Has a fire-promoting effect due to release of oxygen. Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

For personal protection see section o

- **6.2 Environmental precautions** Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- **6.4 Reference to other sections** For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep locked up or in an area accessible only to qualified or authorized persons. Do not store near combustible materials.

Aldrich - 202754

Page 4 of 11



Storage class Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
Barium nitrate	10022-31-	TWA	0.5 mg/m3	USA. NIOSH Recommended
	8		_	Exposure Limits
		TWA	0.5 mg/m3	USA. Occupational Exposure
				Limits (OSHA) - Table Z-1
				Limits for Air Contaminants
		TWA	0.5 mg/m3	USA. ACGIH Threshold Limit
				Values (TLV)
	Remarks	Not classifia	able as a human	carcinogen
		PEL	0.5 mg/m3	California permissible exposure
			_	limits for chemical
				contaminants (Title 8, Article
				107)

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Aldrich - 202754

Page 5 of 11



This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: solid Color: white
b)	Odor	odorless
c)	Odor Threshold	No data available
d)	рН	5.0 - 8.0 at 50 g/l at 25 °C (77 °F)
e)	Melting point/freezing point	Melting point/range: 592 °C (1098 °F) - dec.
f)	Initial boiling point and boiling range	No data available
g)	Flash point	()Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	The product is not flammable.
j)	Upper/lower flammability or explosive limits	No data available

Aldrich - 202754

Page 6 of 11



k)	Vapor pressure	No data available			
I)	Vapor density	No data available			
m)	Density	ca.3.2 g/cm3 at 20 °C (68 °F)			
	Relative density	No data available			
n)	Water solubility	94 g/l at 20 °C (68 °F) - OECD Test Guideline 105			
o)	Partition coefficient: n-octanol/water	No data available			
p)	Autoignition temperature	> 400 °C ($>$ 752 °F) - Tested according to Annex V of Directive 67/548/EEC.			
q)	Decomposition temperature	> 550 °C (> 1022 °F) -			
r)	Viscosity	No data available			
s)	Explosive properties	No data available			
t)	Oxidizing properties	The substance or mixture is classified as oxidizing with the category 2.			
Oth	Other safety information				

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of explosion with: Risk of ignition or formation of inflammable gases or vapours with: combustible substances Metals sulfur Polyvinyl chloride calcium silicide charcoal Aluminum magnesium Reducing agents

10.4 Conditions to avoid

Avoid moisture. Heat. no information available

10.5 Incompatible materials No data available

Aldrich - 202754

Page 7 of 11



10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - 50 - 300 mg/kg (OECD Test Guideline 423) Acute toxicity estimate Inhalation - 1.6 mg/l - dust/mist

(Expert judgment) Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: irritating (OECD Test Guideline 405)

Respiratory or skin sensitization

Sensitisation test: - Mouse Result: Does not cause skin sensitization. (OECD Test Guideline 429)

Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aldrich - 202754

Page 8 of 11



Aspiration hazard

No data available

11.2 Additional Information

RTECS: CQ9625000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

No data available

- **12.2 Persistence and degradability** The methods for determining the biological degradability are not applicable to inorganic substances.
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Endocrine disrupting properties** No data available
- **12.7 Other adverse effects** No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

UN number: 1446 Class: 5.1 (6.1)

Packing group: II

Aldrich - 202754

Page 9 of 11



	Proper shipping name: Barium nitrate Reportable Quantity (RQ): Poison Inhalation Hazard: No				
	IMDG UN number: 1446 Class: 5.1 (6.1) Proper shipping name: BARIUM NITRATE	Packing grou	p: II	EMS-N	lo: F-A, S-Q
	IATA UN number: 1446 Class: 5.1 (6.1) Proper shipping name: Barium nitrate	Packing grou	p:II		
SECT	ION 15: Regulatory information				
	SARA 302 Components This material does not contain any compo	nents with a s	ection 302 E	HS TPO	Q.
	SARA 313 Components The following components are subject to r Section 313:	eporting level	s establishec	l by SA	RA Title III,
	Barium nitrate		CAS-No. 10022-31-8	3	Revision Date 1993-04-24
	SARA 311/312 Hazards Reactivity Hazard, Acute Health Hazard, C	hronic Health	Hazard		
	Massachusetts Right To Know Compo	nents			
	Barium nitrate		CAS-No. 10022-31-8	3	Revision Date 1993-04-24
	Pennsylvania Right To Know Compone Barium nitrate	ents	CAS-No. 10022-31-8	3	Revision Date 1993-04-24

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Aldrich - 202754

Page 10 of 11



The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 6.9 Revision Date: 03/02/2024 Print Date: 03/23/2024

Aldrich - 202754

Page 11 of 11





SAFETY DATA SHEET

Version 7.3 Revision Date 08/27/2023 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name: BenzaldehydeProduct Number: B1334Brand: Sigma-AldrichIndex-No.: 605-012-00-5CAS-No.: 100-52-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Sigma-Aldrich Inc.
3050 SPRUCE ST
ST. LOUIS MO 63103
UNITED STATES
+1 314 771-5765

Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703-
		527-3887 CHEMTREC (International) 24
		Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227 Acute toxicity, Inhalation (Category 4), H332 Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319 Reproductive toxicity (Category 1B), H360 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 Short-term (acute) aquatic hazard (Category 2), H401 Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

Sigma-Aldrich - B1334

Page 1 of 11



2.2 GHS Label elements, including precautionary statements

GHS Label elements, mor	uting precautionary statements
Pictogram	
Signal Word	Danger
Hazard statement(s) H227 H315 H319 H332 H335 H360 H411	Combustible liquid. Causes skin irritation. Causes serious eye irritation. Harmful if inhaled. May cause respiratory irritation. May damage fertility or the unborn child. Toxic to aquatic life with long lasting effects.
Precautionary statement(s) P201	Obtain special instructions before use.
P202 P210	understood. Keep away from heat/ sparks/ open flames/ hot surfaces. No
P261 P264 P271	smoking. Avoid breathing mist or vapors. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area.
P273 P280	Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face
P302 + P352 P304 + P340 + P312	IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue
P308 + P313 P332 + P313 P337 + P313 P362 P370 + P378	IF exposed or concerned: Get medical advice/ attention. If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant
P391 P403 + P233 P403 + P235 P405 P501	foam to extinguish. Collect spillage. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/ container to an approved waste disposal
	plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms

: Artificial essential oil of almond

Sigma-Aldrich - B1334

Page 2 of 11



Formula	:	C ₇ H ₆ O
Molecular weight	:	106.12 g/mol
CAS-No.	:	100-52-7
EC-No.	:	202-860-4
Index-No.	:	605-012-00-5

Component	Classification	Concentration
benzaldehyde		
	Flam. Liq. 4; Acute Tox. 4;	<= 100 %
	Repr. 1B; STOT SE 3;	
	Aquatic Acute 2; Aquatic	
	Chronic 2; H227, H332,	
	H401, H411	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

Sigma-Aldrich - B1334

Page 3 of 11



SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Under fire conditions, material may decompose to form flammable and/or explosive mixtures in air.Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Sigma-Aldrich - B1334

Page 4 of 11



Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Store under nitrogen.

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Air, light, and moisture sensitive.

Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
benzaldehyde	100-52-7	TWA	2 ppm	USA. Workplace Environmental
				Exposure Levels (WEEL)
	Remarks	Dermal Ser	nsitization Notati	on
		STEL	4 ppm	USA. Workplace Environmental
				Exposure Levels (WEEL)
		Dermal Sensitization Notation		on

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact

Sigma-Aldrich - B1334

Page 5 of 11



Material: butyl-rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Latex gloves Minimum layer thickness: 0.6 mm Break through time: 10 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Color: colorless
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	5.9 at 20 °C (68 °F)
e)	Melting point/freezing point	Melting point/range: -26 °C (-15 °F) - lit.
f)	Initial boiling point and boiling range	178 - 179 °C 352 - 354 °F - lit.
g)	Flash point	63 °C (145 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid,	No data available

gas) Sigma-Aldrich - B1334

Page 6 of 11



j)	Upper/lower flammability or explosive limits	Upper explosion limit: 8.5 %(V) Lower explosion limit: 1.4 %(V)		
k)	Vapor pressure	1.69 hPa at 25 °C (77 °F)		
I)	Vapor density	3.66 - (Air = 1.0)		
m)	Density	1.044 g/cm3 at 20 °C (68 °F) - lit.		
	Relative density	No data available		
n)	Water solubility	6.95 g/l at 25 °C (77 °F)		
o)	Partition coefficient: n-octanol/water	log Pow: 1.4 at 25 °C (77 °F) - Bioaccumulation is not expected.		
p)	Autoignition temperature	No data available		
q)	Decomposition temperature	No data available		
r)	Viscosity	No data available		
s)	Explosive properties	No data available		
t)	Oxidizing properties	none		
Other safety information				
	Surface tension	70.5 mN/m at 1g/l at 20 °C (68 °F) - OECD Test Guideline 115		

Relative vapor density

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

3.66 - (Air = 1.0)

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with: bases Alkali metals Aluminum Iron performic acid phenols Oxygen Oxidizing agents

10.4 Conditions to avoid

Air Exposure to moisture. Light. Heat.

Sigma-Aldrich - B1334

Page 7 of 11



Strong heating.

- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral: No data available LC50 Inhalation - Rat - male and female - 4 h - 1 - 5 mg/l - dust/mist

(OECD Test Guideline 436) LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg Remarks: (ECHA) The value is given in analogy to the following substances: Benzoic acid

Skin corrosion/irritation

Remarks: Causes skin irritation. (ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes serious eye irritation. (OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Micronucleus test Test system: Human lymphocytes Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 487 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 490 Result: negative

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Sigma-Aldrich - B1334

Page 8 of 11



Reproductive toxicity

May damage the unborn child.

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Lungs

Specific target organ toxicity - repeated exposure No data available

No data avallable

Aspiration hazard

No data available

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 103 Weeks - NOAEL (No observed adverse effect level) - 400 mg/kg Remarks: (ECHA)

RTECS: CU4375000

Central nervous system depression, Prolonged or repeated exposure to skin causes defatting and dermatitis., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption:

Damage to:

Kidney

Systemic effects:

Headache Drowsiness Convulsions Dizziness Shortness of breath Unconsciousness narcosis

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Liver - Irregularities - Based on Human Evidence

Liver - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish

flow-through test LC50 - Lepomis macrochirus - 1.07 mg/l - 96 h (OECD Test Guideline 203)

Sigma-Aldrich - B1334

Page 9 of 11



Toxicity to daphnia and other aquatic invertebrates	semi-static test EC50 - Daphnia magna (Water flea) - 19.7 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata - 33.1 mg/l $$ - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	static test IC50 - activated sludge - 759.3 mg/l - 3 h (OECD Test Guideline 209)
Toxicity to fish(Chronic toxicity)	flow-through test NOEC - Pimephales promelas (fathead minnow) - 0.12 mg/l - 7 d Remarks: (ECHA)

12.2 Persistence and degradability

Biodegradability

aerobic - Exposure time 28 d Result: 95 % - Readily biodegradable. (OECD Test Guideline 301B)

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted 12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Forms toxic mixtures in water, dilution measures notwithstanding. Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

UN number: 1990 Class: 9 Proper shipping name: Benzaldehyde Reportable Quantity (RQ): Poison Inhalation Hazard: No Packing group: III

Sigma-Aldrich - B1334

Page 10 of 11



IMDG

UN number: 1990 Class: 9 Proper shipping name: BENZALDEHYDE Packing group: III

ΙΑΤΑ

UN number: 1990 Class: 9 Proper shipping name: Benzaldehyde Packing group: III

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components		
benzaldehyde	CAS-No. 100-52-7	Revision Date 1993-04-24
Pennsylvania Right To Know Components		
benzaldehyde	CAS-No. 100-52-7	Revision Date 1993-04-24

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the cocument regarding the product remains. Unchanged and matches the product ordered. For further information please contact misbranding@sial.com. Version: 7.3 Revision Date: 08/27/2023 Print Date: 12/30/2023

Sigma-Aldrich - B1334

Page 11 of 11





SAFETY DATA SHEET

Version 6.14 Revision Date 12/07/2023 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name:BenzeneProduct Number:401765Brand:Sigma-AldrichIndex-No.:601-020-00-8CAS-No.:71-43-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	: Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone	: +1 314 771-5765
Fax	: +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #	: 800-424-9300 CHEMTREC (USA) +1-703-
	527-3887 CHEMTREC (International) 24
	Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319 Germ cell mutagenicity (Category 1B), H340 Carcinogenicity (Category 1A), H350 Specific target organ toxicity - repeated exposure (Category 1), Blood, H372 Aspiration hazard (Category 1), H304 Short-term (acute) aquatic hazard (Category 2), H401 Long-term (chronic) aquatic hazard (Category 3), H412

Sigma-Aldrich - 401765

Page 1 of 14



For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

	Pictogram	
	Signal Word	Danger
	Hazard Statements	
	H225	Highly flammable liquid and vapor.
	H304	May be fatal if swallowed and enters airways.
	H315	Causes skin irritation.
	H319	Causes serious eve irritation.
	H340	May cause genetic defects
	H350	May cause cancer
	H372	Causes damage to organs (Blood) through prolonged or
	1137 2	reneated exposure
	H401	Toxic to aquatic life
	H412	Harmful to aquatic life with long lasting effects
	11412	That the aquatic life with long lasting effects.
	Precautionary Statements	
	P201	Obtain special instructions before use.
	P202	Do not handle until all safety precautions have been read and understood.
	P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No
	P233	Keen container tightly closed.
	P240	Ground/bond container and receiving equipment.
	P241	Use explosion-proof electrical/ventilating/lighting/equipment
	P242	Use only non-sparking tools.
	P243	Take precautionary measures against static discharge
	P260	Do not breathe mist or vanors
	P264	Wash skin thoroughly after handling
	P270	Do not eat, drink or smoke when using this product.
	P273	Avoid release to the environment.
	P280	Wear protective gloves/ protective clothing/ eve protection/ face
	. 200	protection.
	P301 + P310	IE SWALLOWED: Immediately call a POISON CENTER/ doctor
	P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated
	1303 1 1301 1 1333	clothing Rinse skin with water/ shower
	P305 + P351 + P338	IF IN FYFS: Rinse cautiously with water for several minutes.
		Remove contact lenses, if present and easy to do. Continue
	P308 + P313	IF exposed or concerned: Get medical advice/ attention
	D331	Do NOT induce vomiting
	D337 T D313	If skin irritation occurs: Get medical advice/ attention
	$P_{337} \pm P_{313}$	If eve irritation persists: Get medical advice/ attention
	P362	Take off contaminated clothing and wash before reuse
	P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant
	13/0113/0	foam to extinguish
	P403 + P235	Store in a well-ventilated place. Keep cool
	P405	Store locked up
	P501	Dispose of contents/ container to an approved waste disposal
Ciarre		bispose of contents, container to an approved waste disposal
Sigma-	-AIAFICH - 401/65	Page 2 of 14

Page 2 of 14



plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula	:	C6H6
Molecular weight	:	78.11 g/mol
CAS-No.	:	71-43-2
EC-No.	:	200-753-7
Index-No.	:	601-020-00-8

Component	Classification	Concentration
benzene		
	Flam. Liq. 2; Skin Irrit. 2; Eye Irrit. 2A; Muta. 1B; Carc. 1A; STOT RE 1; Asp. Tox. 1; Aquatic Chronic 3; H225, H315, H319, H340, H350, H372, H304, H412	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Pulmonary failure possible after aspiration of vomit. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

Sigma-Aldrich - 401765

Page 3 of 14



SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide (CO2) Foam Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Flash back possible over considerable distance., Container explosion may occur under fire conditions.

Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections For disposal see section 13.

Sigma-Aldrich - 401765

Page 4 of 14



SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
benzene	71-43-2	TWA	0.5 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Leukemia		
		Substances	for which there	is a Biological Exposure Index
		or Indices (see BEI® section	on)
		Confirmed	human carcinog	en
		Danger of o	cutaneous absor	ption
		STEL	2.5 ppm	USA. ACGIH Threshold Limit Values (TLV)
		Leukemia		
		Substances	for which there	is a Biological Exposure Index
		or Indices (see BEI® section	n)
		Confirmed	human carcinog	en
		Danger of o	cutaneous absor	ption

Sigma-Aldrich - 401765

Page 5 of 14



TWA	10 ppm	USA. Occupational Exposure Limits (OSHA) - Table Z-2
Z37.40-196	59	
CEIL	25 ppm	USA. Occupational Exposure Limits (OSHA) - Table Z-2
Z37.40-196	59	
Peak	50 ppm	USA. Occupational Exposure Limits (OSHA) - Table Z-2
Z37.40-196	59	
See 1910.1 the operation The final be occupation subsegmen under the a sealed cont gas drilling percentage subsegmen	028. See Table ons or sectors ex- enzene standard al exposures to l ots of industry w action level (i.e., ainers and pipel and production, exclusion for lic ots, the benzene	Z-2 for the limits applicable in xcluded in 1910.1028 in 1910.1028 applies to all penzene except some here exposures are consistently distribution and sale of fuels, ines, coke production, oil and natural gas processing, and the puid mixtures); for the excepted limits in Table Z-2 apply.
TWA	0.1 ppm	USA. NIOSH Recommended Exposure Limits
Potential O See Append	ccupational Carc dix A	inogen
ST	1 ppm	USA. NIOSH Recommended Exposure Limits
Potential O See Append	ccupational Carc dix A	inogen

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Viton® Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other

Sigma-Aldrich - 401765

Page 6 of 14



substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 10 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: Filter A-(P3)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Color: clear, colorless
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 5.5 °C (41.9 °F) - lit.
f)	Initial boiling point and boiling range	80 °C 176 °F - lit.
g)	Flash point	-11 °C (12 °F) - DIN 51755 Part 1
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 8.0 %(V) Lower explosion limit: 1.2 %(V)
k)	Vapor pressure	100 hPa at 20 °C (68 °F)
I)	Vapor density	No data available

Sigma-Aldrich - 401765

Page 7 of 14



m)	Density	0.874 g/cm3 at 25 °C (77 °F) - lit.	
	Relative density	No data available	
n)	Water solubility	ca.1.88 g/l at 23.5 °C (74.3 °F) - soluble	
o)	Partition coefficient: n-octanol/water	log Pow: 2.13 at 25 °C (77 °F) - Bioaccumulation is not expected., (ECHA)	
p)	Autoignition temperature	498 °C (928 °F) at 1,013.5 hPa	
q)	Decomposition temperature	No data available	
r)	Viscosity	0.604 mm2/s at 25 °C (77 °F) -	
s)	Explosive properties	No data available	
t)	Oxidizing properties	none	
Other safety information No data available			

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Vapors may form explosive mixture with air.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Exothermic reaction with: halogens Halogenated hydrocarbon in the presence of: Light metals Risk of explosion with: halogen-halogen compounds Nitric acid Boranes Ozone peroxi compounds perchlorates permanganic acid perchloryl fluoride Strong oxidizing agents Chlorine fluorides uranium hexafluoride Oxygen liquid Risk of ignition or formation of inflammable gases or vapours with: chromium(VI) oxide

Sigma-Aldrich - 401765

Page 8 of 14



Fluorine nitryl compounds Oxygen oxyhalogenic compounds Violent reactions possible with: mineral acids sulfur

- **10.4 Conditions to avoid** Warming.
- **10.5 Incompatible materials** rubber, various plastics
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male - > 2,000 mg/kg (OECD Test Guideline 401) Symptoms: Nausea LD50 Oral - Rat - male and female - 3,002 mg/kg (OECD Test Guideline 401) Symptoms: Risk of aspiration upon vomiting., Aspiration may cause pulmonary edema and pneumonitis. Inhalation: No data available Symptoms: mucosal irritations LD50 Dermal - Rabbit - 13,630 mg/kg Remarks: (IUCLID) No data available

Skin corrosion/irritation

Skin - Rabbit Result: irritating (OECD Test Guideline 404) Remarks: (ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Irritating to eyes. (OECD Test Guideline 405) Remarks: (IUCLID) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Respiratory or skin sensitization

Maximization Test - Guinea pig

Sigma-Aldrich - 401765

Page 9 of 14


Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

May cause genetic defects. Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: Chromosome aberration test in vitro Test system: Chinese hamster lung cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative

Test Type: Mutagenicity (mammal cell test): micronucleus. Species: Mouse Cell type: Bone marrow Application Route: inhalation (vapor) Method: OECD Test Guideline 474 Result: positive

Carcinogenicity

May cause cancer. Positive evidence from human epidemiological studies.

IARC: 1 - Group 1: Carcinogenic to humans (benzene)

NTP: Known - Known to be human carcinogen (benzene)

OSHA: OSHA specifically regulated carcinogen (benzene)

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure. - Blood

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Aspiration hazard

Aspiration may cause pulmonary edema and pneumonitis.

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 13 Weeks - NOAEL (No observed adverse effect level) - 600 mg/kg

RTECS: CY1400000

Sigma-Aldrich - 401765

Page 10 of 14



Nausea, Dizziness, Headache, narcosis, Inhalation of high concentrations of benzene may have an initial stimulatory effect on the central nervous system characterized by exhilaration, nervous excitation and/or giddiness, depression, drowsiness, or fatigue. The victim may experience tightness in the chest, breathlessness, and loss of consciousness. Tremors, convulsions, and death due to respiratory paralysis or circulatory collapse can occur in a few minutes to several hours following severe exposures. Aspiration of small amounts of liquid immediately causes pulmonary edema and hemorrhage of pulmonary tissue. Direct skin contact may cause erythema. Repeated or prolonged skin contact may result in drying, scaling dermatitis, or development of secondary skin infections. The chief target organ is the hematopoietic system. Bleeding from the nose, gums, or mucous membranes and the development of purpuric spots, pancytopenia, leukopenia, thrombocytopenia, aplastic anemia, and leukemia may occur as the condition progresses. The bone marrow may appear normal, aplastic or hyperplastic, and may not correlate with peripheral blood-forming tissues. The onset of effects of prolonged benzene exposure may be delayed for many months or years after the actual exposure has ceased., Blood disorders

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption of large quantities:

narcosis respiratory arrest Convulsions

Possible damages:

Damage to:

Liver Kidney Central nervous system

Handle in accordance with good industrial hygiene and safety practice.

Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	semi-static test LC50 - Oryzias latipes (Orange-red killifish) - > 100 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	semi-static test EC50 - Daphnia magna (Water flea) - > 1,000 mg/l - 48 h (OECD Test Guideline 202)
	semi-static test NOEC - Daphnia magna (Water flea) - > 1,000 mg/l - 48 h
Sigma-Aldrich - 401765	

Page 11 of 14



		(OECD Test Guideline 202)
	Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata (green algae) - > 1,000 mg/l - 72 h (OECD Test Guideline 201)
		static test NOEC - Pseudokirchneriella subcapitata (green algae) - >= 1,000 mg/l - 72 h (OECD Test Guideline 201)
	Toxicity to bacteria	static test EC50 - activated sludge - > 1,000 mg/l - 3 h (OECD Test Guideline 209)
	Toxicity to fish(Chronic toxicity)	flow-through test NOEC - Pimephales promelas (fathead minnow) - 0.8 mg/l - 32 d Remarks: (ECHA)
	Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	semi-static test LC50 - Daphnia magna (Water flea) - > 100 mg/l - 21 d (OECD Test Guideline 211)
12.2	Persistence and deg Biodegradability	radability aerobic - Exposure time 28 d Result: 96 % - Readily biodegradable. (OECD Test Guideline 301F)
12.3	Bioaccumulative pot Bioaccumulation	z ential Leuciscus idus (Golden orfe) - 3 d - 0.05 mg/l(benzene)
		Bioconcentration factor (BCF): 10
12.4	Mobility in soil No data available	
12.5	Results of PBT and v PBT/vPvB assessment conducted Endocrine disrupting	PvB assessment not available as chemical safety assessment not required/not a properties
	No data available	
12.7	Other adverse effect	S

Endangers drinking-water supplies if allowed to enter soil or water. Discharge into the environment must be avoided.

Sigma-Aldrich - 401765

Page 12 of 14



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information		
DOT (US) UN number: 1114 Class: 3 Proper shipping name: Benzene Reportable Quantity (RQ): 10 lbs Reportable Quantity (RQ): 10 lbs Poison Inhalation Hazard: No	Packing group: II	
IMDG UN number: 1114 Class: 3 Proper shipping name: BENZENE	Packing group: II	EMS-No: F-E, S-D
IATA UN number: 1114 Class: 3 Proper shipping name: Benzene	Packing group: II	

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
benzene	71-43-2	2007-07-01

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Reportable Quantity D018 lbs

Massachusetts Right To Know Components

benzene	71-43-2	2007-07-01
Pennsylvania Right To Know Components benzene	CAS-No.	Revision Date
Sigma-Aldrich - 401765		Page 13 of 14

CAS-No.

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



Revision Date

California Prop. 65 Components		
, which is/are known to the State of California to	CAS-No.	Revision Date
cause cancer and birth defects or other reproductive	71-43-2	2009-02-01
harm. For more information go to		
www.P65Warnings.ca.gov.benzene		

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies

for internal use only. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. Indweyer all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact misbranding@sial.com. Version: 6.14 Revision Date: 12/07/2023 Print Date: 12/30/2023

Sigma-Aldrich - 401765

Page 14 of 14





SAFETY DATA SHEET

Version 6.9 Revision Date 09/22/2023 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifiers**

Product name Benzyl alcohol aduat Numah 205107

Product Number		305197
Brand	:	Sigma-Aldrich
Index-No.	:	603-057-00-5
CAS-No.	:	100-51-6

Relevant identified uses of the substance or mixture and uses advised against 1.2

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone	:	+1 314 771-5765

: +1 800 325-5052 Fax

1.4 **Emergency telephone**

Emergency Phone # 800-424-9300 CHEMTREC (USA) +1-703-: 527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Eye irritation (Category 2A), H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word Sigma-Aldrich - 305197



Page 1 of 10



Hazard statement(s) H302 + H332 H319	Harmful if swallowed or if inhaled. Causes serious eye irritation.
Precautionary statement(s) P261	Avoid breathing mist or vapors.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear eye protection/ face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 P501	If eye irritation persists: Get medical advice/ attention. Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

May form explosive peroxides.

SECTION 3: Composition/information on ingredients

Synonyms	: Benzenemethanc	bl	
Formula Molecular weight CAS-No. EC-No. Index-No.	: C7H8O : 108.14 g/mol : 100-51-6 : 202-859-9 : 603-057-00-5		
Component		Classification	Concentration
Benzyl alcohol			
		Acute Tox. 4; Eye Irrit. 2A; H302, H332, H319	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

Sigma-Aldrich - 305197

Page 2 of 10



If inhaled

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration. Oxygen if necessary. Immediately call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

Sigma-Aldrich - 305197

Page 3 of 10



6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb \mathbb{R}). Dispose of properly. Clean up affected area.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed.

Handle and store under inert gas. hygroscopic

Storage class

Storage class (TRGS 510): 10: Combustible liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Benzyl alcohol	100-51-6	TWA	10 ppm	USA. Workplace Environmental Exposure Levels (WEEL)

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses Sigma-Aldrich - 305197

Page 4 of 10



Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 43 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- a) Appearance Form: liquid
- b) Odor No data available
- c) Odor Threshold No data available
- d) pH No data available
- e) Melting Melting point/range: -16 -13 °C (3 9 °F)

Sigma-Aldrich - 305197

Page 5 of 10



point/freezing point

f)	Initial boiling point and boiling range	203 - 205 °C 397 - 401 °F
g)	Flash point	101 °C (214 °F) - DIN 51758
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 13 %(V) Lower explosion limit: 1.3 %(V)
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Density	1.045 g/mL at 25 °C (77 °F)
	Relative density	No data available
n)	Water solubility	No data available
o)	Partition coefficient: n-octanol/water	log Pow: 1.05 at 20 °C (68 °F) - Bioaccumulation is not expected.
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	none

9.2 Other safety information

Dissociation constant 15.4 at 25 °C (77 °F)

SECTION 10: Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) . hygroscopic

Stable under recommended storage conditions.

Test for peroxide formation before distillation or evaporation. Test for peroxide formation or discard after 1 year.

10.3 Possibility of hazardous reactions

No data available

Sigma-Aldrich - 305197

Page 6 of 10



10.4 Conditions to avoid

A mixture of benzyl alcohol and 58% sulfuric acid decomposed violently when heated to 180°C. Benzyl alcohol containing 1.4% hydrogen bromide and 1.1% of an iron(II) salt polymerized exothermally when heated above 100°C. Strong heating.

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity LD50 Oral - Rat - male - 1,620 mg/kg Remarks: (ECHA) LC50 Inhalation - 4 h - > 4.178 mg/l - dust/mist

(OECD Test Guideline 403) Dermal: No data available No data available

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: irritating (OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Micronucleus test Species: Mouse Cell type: Red blood cells (erythrocytes) Application Route: Intraperitoneal Method: OECD Test Guideline 474 Result: negative

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Sigma-Aldrich - 305197

Page 7 of 10



OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

RTECS: DN3150000 Central nervous system depression To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	static test LC50 - Pimephales promelas (fathead minnow) - 460 mg/l - 96 h (US-EPA)
Toxicity to daphnia and other aquatic invertebrates	Immobilization EC50 - Daphnia magna (Water flea) - 230 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 700 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	semi-static test NOEC - Daphnia magna (Water flea) - 51 mg/l - 21 d (OECD Test Guideline 211)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 14 d Result: 92 - 96 % - Readily biodegradable. (OECD Test Guideline 301C) Biochemical Oxygen 1.550 mg/g

Demand (BOD)	Remarks: (Lit.)
Theoretical oxygen demand	2,515 mg/g Remarks: (IUCLID)

Sigma-Aldrich - 305197

Page 8 of 10



Ratio BOD/ThBOD

Remarks: (Lit.)

62 %

- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Endocrine disrupting properties** No data available
- 12.7 Other adverse effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US) Not dangerous goods

IMDG

Not dangerous goods

ΙΑΤΑ

UN number: 3334 Class: 9 Packing group: III Proper shipping name: Aviation regulated liquid, n.o.s. (Benzyl alcohol)

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

Sigma-Aldrich - 305197

Page 9 of 10



This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

.

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components		
Benzyl alcohol	CAS-No. 100-51-6	Revision Date 1993-04-24
Pennsylvania Right To Know Components		
Benzyl alcohol	CAS-No. 100-51-6	Revision Date 1993-04-24

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a quide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our pranding. However, all of the product ordered. For further information please contact misbranding@sial.com. Version: 6.9 Revision Date: 09/22/2023 Print Date: 12/30/2023

Sigma-Aldrich - 305197

Page 10 of 10





SAFETY DATA SHEET

Version 6.8 Revision Date 10/27/2023 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name:Benzyl alcoholProduct Number:402834Brand:SIGALDIndex-No.:603-057-00-5CAS-No.:100-51-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	:	+1 314 771-5765 +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #		:	800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24
			Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Eye irritation (Category 2A), H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



SIGALD - 402834

Page 1 of 10



Signal Word	Warning
Hazard statement(s) H302 + H332 H319	Harmful if swallowed or if inhaled. Causes serious eye irritation.
Precautionary statement(s) P261 P264 P270 P271 P280	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 P501	If eye irritation persists: Get medical advice/ attention. Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

May form explosive peroxides.

SECTION 3: Composition/information on ingredients

3.1	Substances Synonyms	:	Benzenemethanol		
	Formula Molecular weight CAS-No. EC-No. Index-No.		C ₇ H ₈ O 108.14 g/mol 100-51-6 202-859-9 603-057-00-5		
	Component			Classification	Concentration
	Benzyl alcohol				
				Acute Tox. 4; Eye Irrit. 2A; H302, H332, H319	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance. $\ensuremath{\mathsf{SIGALD}}$ - 402834

Page 2 of 10



If inhaled

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration. Oxygen if necessary. Immediately call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

SIGALD - 402834

Page 3 of 10



6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb \mathbb{R}). Dispose of properly. Clean up affected area.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed.

Handle and store under inert gas. hygroscopic

Storage class

Storage class (TRGS 510): 10: Combustible liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Benzyl alcohol	100-51-6	TWA	10 ppm	USA. Workplace Environmental Exposure Levels (WEEL)

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

SIGALD - 402834

Page 4 of 10



Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	a)	Appearance	Form: liquid
	b)	Odor	No data available
	c)	Odor Threshold	No data available
	d)	рН	No data available
	e)	Melting point/freezing point	Melting point/range: -1613 °C (3 - 9 °F)
	f)	Initial boiling point and boiling range	203 - 205 °C 397 - 401 °F
	g)	Flash point	101 °C (214 °F) - DIN 51758
	h)	Evaporation rate	No data available
	i)	Flammability (solid, gas)	No data available
	j)	Upper/lower flammability or explosive limits	Upper explosion limit: 13 %(V) Lower explosion limit: 1.3 %(V)
	k)	Vapor pressure	No data available
	I)	Vapor density	No data available
	m)	Density	1.045 g/mL at 25 °C (77 °F)
		Relative density	No data available
SIGAL	n)) - 40	Water solubility	No data available
JIJALL	/	2001	

Page 5 of 10



- o) Partition coefficient: log Pow: 1.05 at 20 °C (68 °F) Bioaccumulation is not n-octanol/water expected.
- p) Autoignition No data available temperature
- q) Decomposition No data available temperature
- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties none

9.2 Other safety information

Dissociation constant 15.4 at 25 °C (77 °F)

SECTION 10: Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) . hygroscopic

Stable under recommended storage conditions.

Test for peroxide formation before distillation or evaporation. Test for peroxide formation or discard after 1 year.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

A mixture of benzyl alcohol and 58% sulfuric acid decomposed violently when heated to 180°C. Benzyl alcohol containing 1.4% hydrogen bromide and 1.1% of an iron(II) salt polymerized exothermally when heated above 100°C. Strong heating.

10.5 Incompatible materials various plastics

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity LD50 Oral - Rat - male - 1,620 mg/kg Remarks: (ECHA)

SIGALD - 402834

Page 6 of 10



(OECD Test Guideline 403) Dermal: No data available No data available

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: irritating (OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Micronucleus test Species: Mouse Cell type: Red blood cells (erythrocytes) Application Route: Intraperitoneal Method: OECD Test Guideline 474 Result: negative

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

RTECS: DN3150000 stupor, narcosis Central nervous system depression

SIGALD - 402834

Page 7 of 10



To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	static test LC50 - Pimephales promelas (fathead minnow) - 460 mg/l - 96 h (US-EPA)
Toxicity to daphnia and other aquatic invertebrates	Immobilization EC50 - Daphnia magna (Water flea) - 230 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 700 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	semi-static test NOEC - Daphnia magna (Water flea) - 51 mg/l - 21 d (OECD Test Guideline 211)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 14 d Result: 92 - 96 % - Readily biodegradable. (OECD Test Guideline 301C)

Biochemical Oxygen	1,550 mg/g
Demand (BOD)	Remarks: (Lit.)
Theoretical oxygen	2,515 mg/g
demand	Remarks: (IUCLID)
Ratio BOD/ThBOD	62 % Remarks: (Lit.)

- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Endocrine disrupting properties** No data available

12.7 Other adverse effects

SIGALD - 402834

Page 8 of 10



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

DOT (US) Not dangerous goods

IMDG Not dangerous goods

ΙΑΤΑ

UN number: 3334 Class: 9 Packing group: III Proper shipping name: Aviation regulated liquid, n.o.s. (Benzyl alcohol)

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components CAS-No. **Revision Date** Benzyl alcohol 100-51-6 1993-04-24 CAS-No. **Revision Date** 1993-04-24

100-51-6

Benzyl alcohol

Pennsylvania Right To Know Components

SIGALD - 402834

Page 9 of 10



Benzyl alcohol	CAS-No. 100-51-6	Revision Date 1993-04-24
Benzyl alcohol	CAS-No. 100-51-6	Revision Date 1993-04-24
New Jersey Right To Know Components Benzyl alcohol	CAS-No. 100-51-6	Revision Date 1993-04-24

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The branding on the header and/or footer of this document may temporarily not visually information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact misbranding@sial.com. Version: 6.8 Revision Date: 10/27/2023 Print Date: 12/30/2023

SIGALD - 402834

Page 10 of 10





SAFETY DATA SHEET

Version 6.6 Revision Date 10/19/2022 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name: Benzyl benzoateProduct Number: B6630Brand: Sigma-AldrichIndex-No.: 607-085-00-9CAS-No.: 120-51-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	: Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 6310 UNITED STATES	03
Telephone Fax	: +1 314 771-5765 : +1 800 325-5052	

1.4 Emergency telephone

Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24
		Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word



Warning

Hazard statement(s) H302

Harmful if swallowed.

Sigma-Aldrich - B6630

Page 1 of 9



H411	Toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P391	Collect spillage.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	:	Benzoic acid benzyl ester
Formula	:	C14H12O2
Molecular weight	:	212.24 g/mol
CAS-No.	:	120-51-4
EC-No.	:	204-402-9

Index-No.	:	607-085-00-9		
Component			Classification	Concentration
Benzyl benzoate				
			Acute Tox. 4; Aquatic Acute 1; Aquatic Chronic 2; H302, H400, H411 M-Factor - Aquatic Acute: 1	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

Sigma-Aldrich - B6630

Page 2 of 9



If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb \mathbb{R}). Dispose of properly. Clean up affected area.

6.4 Reference to other sections For disposal see section 13.

Sigma-Aldrich - B6630

Page 3 of 9



SECTION 7: Handling and storage

7.1 Precautions for safe handling For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Tightly closed.

Storage class Storage class (TRGS 510): 10: Combustible liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: butyl-rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 30 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

Sigma-Aldrich - B6630

Page 4 of 9



Body Protection

protective clothing

Respiratory protection

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: clear, liquid Color: colorless, light yellow
b)	Odor	weakly aromatic
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 17 - 20 °C (63 - 68 °F) - lit.
f)	Initial boiling point and boiling range	323 - 324 °C 613 - 615 °F - lit.
g)	Flash point	148 °C (298 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	1.33 hPa at 125 °C (257 °F)
I)	Vapor density	7.31
m)	Density	1.118 g/cm3 at 20 °C (68 °F) - lit.
	Relative density	No data available
n)	Water solubility	0.0153 g/l at 20 °C (68 °F) - slightly soluble
0)	Partition coefficient: n-octanol/water	log Pow: ca.3.97 at 25 °C (77 °F) - Bioaccumulation is not expected.
p)	Autoignition temperature	480 °C (896 °F)
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	none

Sigma-Aldrich - B6630

Page 5 of 9



9.2 Other safety information

Relative vapor 7.31 density

SECTION 10: Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

- **10.3 Possibility of hazardous reactions** Violent reactions possible with: Strong oxidizing agents
- **10.4** Conditions to avoid

Strong heating.

- **10.5 Incompatible materials** various plastics, Light metals, metal alloys, Strong oxidizing agents
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rabbit - 1,680 mg/kg Remarks: Behavioral:Convulsions or effect on seizure threshold. Lungs, Thorax, or Respiration:Dyspnea. (RTECS) Symptoms: Nausea, Vomiting, Diarrhea Symptoms: Irritation symptoms in the respiratory tract. Inhalation: No data available LD50 Dermal - Rabbit - 4,000 mg/kg Remarks: (RTECS)

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Sigma-Aldrich - B6630

Page 6 of 9



Result: negative (OECD Test Guideline 429)

Germ cell mutagenicity

Test Type: unscheduled DNA synthesis assay Species: Rat Cell type: Liver cells Application Route: Oral

Result: negative Remarks: (ECHA)

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - 4 Weeks - NOAEL (No observed adverse effect level) - 781 mg/kg

RTECS: DG4200000 Cardiovascular effects., Muscle cramps/spasms., Ataxia. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Systemic effects:

cardiovascular disorders agitation, spasms ataxia (impaired locomotor coordination)

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Sigma-Aldrich - B6630

Page 7 of 9



SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	semi-static test LC50 - Danio rerio (zebra fish) - 2.32 mg/l $$ - 96 h (Directive 67/548/EEC, Annex V, C.1.)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 3.09 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 0.475 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	static test EC50 - activated sludge - > 10,000 mg/l - 3 h (OECD Test Guideline 209)
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	semi-static test NOEC - Daphnia magna (Water flea) - 0.26 mg/l - 21 d (OECD Test Guideline 211)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 94 % - Readily biodegradable. (Regulation (EC) No. 440/2008, Annex, C.4-D)

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

- **12.6 Endocrine disrupting properties** No data available
- 12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

Sigma-Aldrich - B6630

Page 8 of 9



IMDG

Class: 9

UN number: 3082 No: F-A, S-F Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate) Marine pollutant : yes Marine pollutant : no ΙΑΤΑ UN number: 3082 Class: 9 Packing group: III Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate) Further information Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a quide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.6

Revision Date: 10/19/2022

Print Date: 12/30/2023

Sigma-Aldrich - B6630

Page 9 of 9





SAFETY DATA SHEET

Version 6.6 Revision Date 08/27/2023 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Benzyl ether

Product Number	: 108014
Brand	: Aldrich
CAS-No.	: 103-50-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	: Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES	
Telephone Fax	: +1 314 771-5765 : +1 800 325-5052	

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin sensitization (Sub-category 1B), H317 Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Warning

Signal Word

Aldrich - 108014

Page 1 of 10



Hazard statement(s) H317 H410	May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P261	Avoid breathing mist or vapors.
P272	Contaminated work clothing must not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1	Substances Synonyms	:	Dibenzyl ether		
	Formula Molecular weight CAS-No. EC-No.	:	C14H14O 198.26 g/mol 103-50-4 203-118-2		
	Component			Classification	Concentration
	dibenzyl ether				
				Skin Sens. 1B; Aquatic Acute 1; Aquatic Chronic 1; H317, H400, H410 M-Factor - Aquatic Acute: 1 - Aquatic Chronic: 1	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

Aldrich - 108014

Page 2 of 10


In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions Do not let product enter drains.

Aldrich - 108014

Page 3 of 10



6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Tightly closed.

Storage class

Storage class (TRGS 510): 10: Combustible liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

Full contact Material: butyl-rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 30 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

Aldrich - 108014

Page 4 of 10



Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties _

a)	Appearance	Form: clear, liquid Color: colorless
b)	Odor	fruity
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 1.5 - 3.5 °C (34.7 - 38.3 °F) - lit.
f)	Initial boiling point and boiling range	298 °C 568 °F - lit.
g)	Flash point	137 °C (279 °F) - Pensky-Martens closed cup - ISO 2719
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Density	1.043 g/cm3 at 25 °C (77 °F) - lit.
	Relative density	No data available
n)	Water solubility	0.042 g/l at 20 °C (68 °F) - OECD Test Guideline 105
o)	Partition coefficient: n-octanol/water	log Pow: 3.31 - Bioaccumulation is not expected.
p)	Autoignition temperature	No data available

Aldrich - 108014

Page 5 of 10



- q) Decomposition No data available temperature
- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties none

9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions Violent reactions possible with: strong oxidising agents

10.4 Conditions to avoid

Strong heating.

- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 3,860 mg/kg (OECD Test Guideline 401) Inhalation: No data available LD50 Dermal - Rabbit - male and female - > 5,370 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 24 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation Remarks: (ECHA) Aldrich - 108014

Page 6 of 10



Respiratory or skin sensitization

Maximization Test - Guinea pig Result: positive (OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster lung cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 **Result:** negative Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Mutagenicity (mammal cell test): micronucleus. Test system: Human lymphocytes Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 487 Result: negative

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - NOAEL (No observed adverse effect level) - 620 mg/kg

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Aldrich - 108014

Page 7 of 10



Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	semi-static test LC50 - Oryzias latipes (Orange-red killifish) - 6.8 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	semi-static test EC50 - Daphnia magna (Water flea) - 0.77 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	Growth inhibition ErC50 - Pseudokirchneriella subcapitata (green algae) - 4.1 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	static test EC50 - activated sludge - 138 mg/l - 0.5 h (OECD Test Guideline 209)
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	semi-static test NOEC - Daphnia magna (Water flea) - 0.098 mg/l - 21 d (OECD Test Guideline 202) Remarks: (ECHA)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 14 d Result: 7 % - Not readily biodegradable. (OECD Test Guideline 301C)

12.3 Bioaccumulative potential

Bioaccumulation Cyprinus carpio (Carp) - 14 d - 0.2 mg/l(dibenzyl ether)

> Bioconcentration factor (BCF): 171 - 429 (OECD Test Guideline 305C)

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties No data available

12.7 Other adverse effects

No data available

Aldrich - 108014

Page 8 of 10



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

UN number: 3082 Class: 9 Packing group: III EMS-No: F-A, S-F Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dibenzyl ether) Marine pollutant : yes Marine pollutant : no IATA UN number: 3082 Class: 9 Packing group: III Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (dibenzyl ether) Further information Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Aldrich - 108014

Page 9 of 10



SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies

for internal use only. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact misbranding@sial.com. Print Date: 12/30/2023 Version: 6.6 Revision Date: 08/27/2023

Aldrich - 108014

Page 10 of 10





SAFETY DATA SHEET

Version 6.8 Revision Date 03/02/2024 Print Date 03/23/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

	Product name	:	Bismuth(III) nitrate pentahydrate
	Product Number Brand CAS-No.	:	383074 SIGALD 10035-06-0
1.2 Relevant identified uses of the substance or mixture and uses advised again			of the substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Synthesis of substances
	Uses advised against	:	The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.
1 2	Datalla of the averalla		the enfety data shout

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	:	+1 314 771-5765 +1 800 325-5052
Emergency telephone		

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing solids (Category 2), H272 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

SIGALD - 383074

1.4

Page 1 of 9



2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal Word	Danger
Hazard Statements H272 H318	May intensify fire; oxidizer. Causes serious eye damage.
Precautionary Statements P210 P220 P221 P280 P305 + P351 + P338 + P310	Keep away from heat. Keep/Store away from clothing/ combustible materials. Take any precaution to avoid mixing with combustibles. Wear protective gloves/ eye protection/ face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

1 Substances Formula Molecular weight CAS-No. FC-No.	: BiN₃O ₉ · 5H₂O : 485.07 g/mol : 10035-06-0 : 233-791-8		
Component		Classification	Concentration
Bismuth nitrate,	nydrate (1:5)		
	-	Ox. Sol. 2; Eye Dam. 1; H272, H318	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

SIGALD - 383074

Page 2 of 9



In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx) Bismuth oxides Not combustible. Has a fire-promoting effect due to release of oxygen. Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions Do not let product enter drains.

SIGALD - 383074

Page 3 of 9



6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Do not store near combustible materials.

hygroscopic

Storage class Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other

SIGALD - 383074

Page 4 of 9



substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact

Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter type P2 The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: solid
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 30 °C (86 °F) - lit.
f)	Initial boiling point and boiling range	75 - 80 °C 167 - 176 °F - lit.
g)	Flash point	()No data available

SIGALD - 383074

Page 5 of 9



	h)	Evaporation rate	No data available
	i)	Flammability (solid, gas)	The product is not flammable.
	j)	Upper/lower flammability or explosive limits	No data available
	k)	Vapor pressure	No data available
	I)	Vapor density	No data available
	m)	Density	2.83 g/cm3
		Relative density	No data available
	n)	Water solubility	No data available
	o)	Partition coefficient: n-octanol/water	No data available
	p)	Autoignition temperature	No data available
	q)	Decomposition temperature	No data available
	r)	Viscosity	No data available
	s)	Explosive properties	No data available
	t)	Oxidizing properties	The substance or mixture is classified as oxidizing with the category 2.
9.2	Otł	ner safety informatio	'n

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with: Strong acids sulfur Metals

10.4 Conditions to avoid

Avoid moisture. no information available

10.5 Incompatible materials

No data available SIGALD - 383074

Page 6 of 9



10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 4,042 mg/kg Inhalation: No data available Dermal: No data available No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitization No data available

Germ cell mutagenicity

No data available

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated., Symptoms of chronic bismuth toxicity in humans consists of decreased appetite, weakness, rheumatic pain, diarrhea, fever, metal line on the gums, foul breathe, gingivitis, and dermatitis. Jaundice and conjunctival hemorrhage are rare, but have been reported. Bismuth nephropathy with proteinuria may occur. The kidney is the site of highest concentration with the liver being considerably lower. Bismuth does pass into the amniotic fluid and into the fetus.

SIGALD - 383074

Page 7 of 9



SECTION 12: Ecological information

- **12.1 Toxicity** No data available
- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- **12.5 Results of PBT and vPvB assessment** PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Endocrine disrupting properties** No data available
- **12.7 Other adverse effects** No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

UN number: 1477 Class: 5.1 Packing group: II Proper shipping name: Nitrates, inorganic, n.o.s. Reportable Quantity (RQ): Poison Inhalation Hazard: No

IMDG

UN number: 1477 Class: 5.1 Packing group: II Proper shipping name: NITRATES, INORGANIC, N.O.S.

EMS-No: F-A, S-Q

SIGALD - 383074

Page 8 of 9



SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Reactivity Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 6.8 Revision Date: 03/02/2024 Print Date: 03/23/2024

SIGALD - 383074

Page 9 of 9





SAFETY DATA SHEET

Creation Date 21-Jan-2009

Revision Date 24-Dec-2021

Revision Number 6

1. Identification

Product Name

1-Butanol (Certified ACS)

Cat No. :	A399; A399-1; A399-4; A399-20; A399-500; A399J-4; A399S-4
CAS No	71-36-3
Synonyms	n-Butanol; n-Butyl alcohol, Butan-1-ol
Recommended Use	Laboratory chemicals.
Uses advised against	Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 3
Acute oral toxicity	Category 4
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Respiratory system, Central nervous system	em (CNS).
Acute oral toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Specific target organ toxicity (single exposure) Target Organs - Respiratory system, Central nervous syste	Category 4 Category 2 Category 1 Category 3 em (CNS).

Label Elements

Signal Word Danger

Hazard Statements Flammable liquid and vapor Harmful if swallowed Causes skin irritation Causes serious eye damage May cause respiratory irritation May cause drowsiness or dizziness



Precautionary Statements Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/protective clothing/eye protection/face protection Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Use only non-sparking tools Take precautionary measures against static discharge Keep cool Response Get medical attention/advice if you feel unwell Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Skin If skin irritation occurs: Get medical advice/attention IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse Eves IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician Ingestion IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth Fire In case of fire: Use CO2, dry chemical, or foam for extinction Storage Store in a well-ventilated place. Keep container tightly closed Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS No	Weight %
n-Butyl alcohol	71-36-3	99

4. First-aid measures		
General Advice	If symptoms persist, call a physician.	
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.	
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.	
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.	
Ingestion	Clean mouth with water and drink afterwards plenty of water.	
Most important symptoms and effects Notes to Physician	Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting Treat symptomatically	

5. Fire-fighting measures

Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.
Unsuitable Extinguishing Media	No information available
Flash Point	35 °C / 95 °F
Method -	CC (closed cup)
Autoignition Temperature	340 °C / 644 °F
Explosion Limits	
Upper	11.2 vol %
Lower	1.4 vol %
Sensitivity to Mechanical Impac	t No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Health	Flammability	Instability	Physical hazards
2	3	0	N/A
	6. Accidental rel	lease measures	
Personal Precautions	Use personal protective equipment as required. Ensure adequate ventilation.		
Environmental Precautions	Should not be released into the environment.		

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

7. Handling and storage

Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

Storage.

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area. Incompatible Materials. Strong oxidizing agents. Reducing Agent. Acid chlorides. copper. Copper alloys. Acid anhydrides.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
n-Butyl alcohol	TWA: 20 ppm	Skin	IDLH: 1400 ppm	TWA: 20 ppm
		(Vacated) Ceiling: 50 ppm	Ceiling: 50 ppm	
		(Vacated) Ceiling: 150	Ceiling: 150 mg/m ³	
		mg/m³		
		TWA: 100 ppm		
		TWA: 300 mg/m ³		

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9	Physical	and	chemical	properties
7.	1 Hysicai	and	CHCHICA	

Physical State	Liquid	
Appearance	Colorless	
Odor	Alcohol-like	
Odor Threshold	No information available	
рН	No information available	
Melting Point/Range	-89 °C / -128.2 °F	
Boiling Point/Range	117.6 °C / 243.7 °F	
Flash Point	35 °C / 95 °F	
Method -	CC (closed cup)	
Evaporation Rate	0.46	
Flammability (solid,gas)	Not applicable	
Flammability or explosive limits		
Upper	11.2 vol %	

1-Butanol (Certified ACS)

Lower Vapor Pressure Vapor Density Specific Gravity Solubility Partition coefficient; n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula Molecular Weight Refractive index 1.4 vol % 6.7 mbar @ 20 °C 2.6 0.810 Slightly soluble in water No data available 340 °C / 644 °F No information available 2.95 mPa.s (20 °C) C4 H10 O 74.12 1.390 - 1.400 Revision Date 24-Dec-2021

10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Keep away from open flames, hot surfaces and sources of ignition. Incompatible products.
Incompatible Materials	Strong oxidizing agents, Reducing Agent, Acid chlorides, copper, Copper alloys, Acid anhydrides
Hazardous Decomposition Products	Carbon monoxide (CO), Carbon dioxide (CO ₂)
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Informa	tion						
Component LD50 Oral LD50 Derma			mal	LC50	Inhalation		
n-Butyl alcoh	n-Butyl alcohol LD50 = 700 mg/kg (Rat)			_D50 = 3402 mg/l	رg (Rabbit)	LC50 > 800	0 ppm (Rat)4 h
Toxicologically Syne Products	icologically Synergistic No information available						
Delayed and immed	iate effects as v	vell as chronic effe	cts from s	hort and long-t	<u>erm exposur</u>	re	
Irritation		Severe eye irritant;	; Irritating to	o respiratory sys	stem and skin	I	
Sensitization		No information ava	ailable				
Carcinogenicity		The table below inc	dicates whe	ether each agen	cy has listed	any ingredient	as a carcinogen.
Component	CAS No	IARC	NTP	AC	GIH	OSHA	Mexico
n-Butyl alcohol	71-36-3	Not listed	Not list	ed Not	listed	Not listed	Not listed
Mutagenic Effects No information available		ailable					
Reproductive Effect	s	No information ava	ilable.				
Developmental Effe	cts	No information available.					
Teratogenicity		No information available.					
STOT - single expos STOT - repeated exp	sure bosure	Respiratory system Central nervous system (CNS) None known					

Aspiration hazard	No information available
Symptoms / effects,both acute and delayed	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting
Endocrine Disruptor Information	No information available
Other Adverse Effects	The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not flush into surface water or sanitary sewer system.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Component n-Butyl alcohol	Freshwater Algae EC50: 225 mg/L, 96h (Pseudokirchneriella subcapitata) OECD Guideline 201 EC50: > 500 mg/L, 72h (Desmodesmus subspicatus) EC50: > 500 mg/L, 96h (Desmodesmus subspicatus)	Freshwater Fish LC50: 1376 mg/L, 96h (Pimephales promelas) OECD Guideline 203 : 100000 - 500000 μg/L, 96h static (Lepomis macrochirus) LC50: = 1740 mg/L, 96h flow-through (Pimephales promelas) LC50: = 1910000 μg/L, 96h static (Pimephales promelas) LC50: 1730 - 1910 mg/L,	Microtox EC50 = 2041.4 mg/L 5 min EC50 = 2186 mg/L 30 min EC50 = 3980 mg/L 24 h EC50 = 4400 mg/L 17 h	Water Flea EC50: 1328 mg/L, 48h (Daphnia magna) OECD Guideline 202 EC50: 1897 - 2072 mg/L, 48h Static (Daphnia magna) EC50: = 1983 mg/L, 48h (Daphnia magna)
		96h static (Pimephales promelas)		

Persistence and Degradability

Soluble in water Persistence is unlikely based on information available.

Bioaccumulation/Accumulation

No information available.

Mobility

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
n-Butyl alcohol	0.785

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
n-Butyl alcohol - 71-36-3	U031	-

14. Transport information				
DOT				
UN-No	UN1120			
Proper Shipping Name	BUTANOLS			
Hazard Class	3			
Packing Group	111			
TDG				
UN-No	UN1120			
Proper Shipping Name	BUTANOLS			
Hazard Class	3			
Packing Group	111			
ΙΑΤΑ				
UN-No	UN1120			

Proper Shipping Name Hazard Class Packing Group	BUTANOLS 3 III
IMDG/IMO	
UN-No	UN1120
Proper Shipping Name	BUTANOLS
Hazard Class	3
Packing Group	III

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
n-Butyl alcohol	71-36-3	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
n-Butyl alcohol	71-36-3	Х	-	200-751-6	Х	Х	Х	Х	Х	KE-03867

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold Values %
n-Butyl alcohol	71-36-3	99	1.0

SARA 311/312 Hazard Categories	See section 2 for more information
--------------------------------	------------------------------------

CWA ((Clean Water Act)	Not applicable
	olouin mator / loty	

Clean Air Act	Not applicable
	i tot applicable

OSHA - Occupational Safety and	Not applicable
--------------------------------	----------------

Health Administration

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
n-Butyl alcohol	5000 lb	-

California	Pro	position	65
oumorniu		poontion	~~

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
n-Butyl alcohol	Х	Х	Х	-	Х

U.S. Department of Transportation

Reportable Quantity (RQ):	Y
DOT Marine Pollutant	N
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland This product does not contain any DHS chemicals. Security

Other International Regulations

Mexico - Grade Serious risk, Grade 3

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
n-Butyl alcohol	-	Use restricted. See item 75.	-
		(see link for restriction details)	

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
n-Butyl alcohol	71-36-3	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
n-Butyl alcohol	71-36-3	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information			
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com		
Creation Date Revision Date Print Date Revision Summary	21-Jan-2009 24-Dec-2021 24-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).		

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS



SAFETY DATA SHEET

Version 6.3 Revision Date 10/25/2021 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	:	Butyl phenyl ether
Product Number	:	142344
Brand	:	Aldrich
CAS-No.	:	1126-79-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	:	+1 314 771-5765 +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227 Eye irritation (Category 2A), H319 Short-term (acute) aquatic hazard (Category 2), H401

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word



Warning

Hazard statement(s) H227

Combustible liquid.

Aldrich - 142344

Page 1 of 9



H319	Causes serious eye irritation.
H401	Toxic to aquatic life.
Precautionary statement(s)	
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P264	Wash skin thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/ eye protection/ face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1	Substances Formula	:	C ₁₀ H ₁₄ O		
	Molecular weight CAS-No. EC-No.	::	150.22 g/mol 1126-79-0 214-426-1		
	Component			Classification	Concentration
	n-butyl phenyl ether				
				Flam. Liq. 4; Eye Irrit. 2A; Aquatic Acute 2; H227, H319, H401	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

Aldrich - 142344

Page 2 of 9



In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.
- 6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
- **6.4** Reference to other sections For disposal see section 13.

Aldrich - 142344

Page 3 of 9



SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed.

Storage class

Storage class (TRGS 510): 10: Combustible liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

required

Body Protection

protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

Aldrich - 142344

Page 4 of 9





SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Color: colorless				
b)	Odor	No data available				
c)	Odor Threshold	No data available				
d)	рН	No data available				
e)	Melting point/freezing point	Melting point/range: -19 °C (-2 °F)				
f)	Initial boiling point and boiling range	210.3 °C 410.5 °F at 1,013 hPa				
g)	Flash point	82 °C (180 °F) - closed cup				
h)	Evaporation rate	No data available				
i)	Flammability (solid, gas)	No data available				
j)	Upper/lower flammability or explosive limits	No data available				
k)	Vapor pressure	0.84 hPa at 25 °C (77 °F) - OECD Test Guideline 104				
I)	Vapor density	No data available				
m)	Density	0.935 g/cm3				
	Relative density	0.93 at 20.2 °C (68.4 °F) - OECD Test Guideline 109				
n)	Water solubility	0.036 g/l at 20 °C (68 °F) - OECD Test Guideline 105 - slightly soluble				
o)	Partition coefficient: n-octanol/water	log Pow: 4.26 at 30 °C (86 °F) - OECD Test Guideline 117 - Potential bioaccumulation				
p)	Autoignition temperature	No data available				
q)	Decomposition temperature	No data available				
r)	Viscosity	No data available				
s)	Explosive properties	No data available				
t)	Oxidizing properties	none				
Oth	Other safety information					

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

Aldrich - 142344

Page 5 of 9



10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

- 10.3 Possibility of hazardous reactions No data available
- **10.4 Conditions to avoid** Strong heating.
- **10.5 Incompatible materials** Strong oxidizing agents
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Mouse - 3,200 mg/kg Remarks: Behavioral:Tremor. Behavioral:Convulsions or effect on seizure threshold. Behavioral:Excitement. (RTECS) Inhalation: No data available Dermal: No data available

Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE) Result: No skin irritation - 1 h (OECD Test Guideline 439)

Serious eye damage/eye irritation

Eyes - In vitro study Result: Irritating to eyes. (OECD Test Guideline 492)

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Chromosome aberration test in vitro Test system: lymphocyte Metabolic activation: without metabolic activation Method: OECD Test Guideline 473 Result: negative

Test Type: Chromosome aberration test Species: Rat Cell type: Bone marrow Application Route: Oral Method: OECD Test Guideline 475

Aldrich - 142344

Page 6 of 9



Result: negative

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - LOAEL (Lowest observed adverse effect level) - 30 mg/kg

RTECS: KN5300000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	flow-through test LC50 - Pimephales promelas (fathead minnow) - > 5.88 mg/l - 96 h (US-EPA)
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata - 2.84 mg/l $$ - 72 h (OECD Test Guideline 201)

Toxicity to bacteria

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 1.4 % - Not readily biodegradable. (OECD Test Guideline 301D)

12.3 Bioaccumulative potential No data available

No data available

12.4 Mobility in soil

No data available

Aldrich - 142344

Page 7 of 9



12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties No data available

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

DOT (US)

NA-Number: 1993 Class: NONE Packing group: III Proper shipping name: Combustible liquid, n.o.s. (Butyloxybenzene) Reportable Quantity (RQ): Poison Inhalation Hazard: No

IMDG

Not dangerous goods

ΙΑΤΑ

Not dangerous goods

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

No components are subject to the Massachusetts Right to Know Act.

Aldrich - 142344

Page 8 of 9



CAS-No. 1126-79-0

New Jersey Right To Know ComponentsButyloxybenzeneCAS-No.Revision Date1126-79-0

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.3

Revision Date: 10/25/2021

Print Date: 12/30/2023

Aldrich - 142344

Page 9 of 9





SAFETY DATA SHEET

Version 6.9 Revision Date 03/02/2024 Print Date 03/23/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

	Product name	:	Calcium carbonate
	Product Number Brand CAS-No.	:	239216 SIGALD 471-34-1
1.2	Relevant identified us	es	of the substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Synthesis of substances
	Uses advised against	:	The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	:	+1 314 771-5765 +1 800 325-5052
Emergency telephone		
Emergency Phone #		800-424-9300 CHEMTREC (USA) +1

1.4

Emergency Phone #	: 800-424-9300 CHEMTREC (USA) +1-703-
	527-3887 CHEMTREC (International) 24
	Hours/day; 7 Days/week

MilliporeSigma.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Short-term (acute) aquatic hazard (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

SIGALD - 239216

Page 1 of 10


Pictogram	none
Signal Word	none
Hazard Statements H402	Harmful to aquatic life.
Precautionary Statements P273 P501	Avoid release to the environment. Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

:	CCaO ₃
:	100.09 g/mol
:	471-34-1
:	207-439-9
	:

Component	Classification	Concentration
calcium carbonate		
	Aquatic Acute 3; H402	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SIGALD - 239216

Page 2 of 10



SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given. For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Calcium oxide Not combustible. Ambient fire may liberate hazardous vapours.

- **5.3** Advice for firefighters In the event of fire, wear self-contained breathing apparatus.
- 5.4 Further information none

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions No special precautionary measures necessary.

- **6.3 Methods and materials for containment and cleaning up** Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- **6.4** Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Keep in a dry place. hygroscopic

Storage class

SIGALD - 239216

Page 3 of 10



Storage class (TRGS 510): 13: Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
calcium carbonate	471-34-1	PEL	10 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		PEL	5 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		TWA	5 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	10 mg/m3	USA. NIOSH Recommended Exposure Limits

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

SIGALD - 239216

Page 4 of 10



Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Respiratory protection

Recommended Filter type: Filter type P1 The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

No special precautionary measures necessary.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: powder Color: white
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	8.0
e)	Melting point/freezing point	Melting point/freezing point: 800 °C (1472 °F) - Decomposes on heating.
f)	Initial boiling point and boiling range	800 °C 1472 °F
g)	Flash point	()Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	The product is not flammable Test N.1: Test method for readily combustible solids
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Density	2.93 g/cm3 at 25 °C (77 °F) - lit.
	Relative density	No data available
n)	Water solubility	0.017 g/l at 20 °C (68 °F) - OECD Test Guideline 105 - slightly

SIGALD - 239216

Page 5 of 10



soluble

- o) Partition coefficient: Not applicable for inorganic substances n-octanol/water
- p) Autoignition not auto-flammable temperature
- q) Decomposition No data available temperature
- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties none
- 9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Generates dangerous gases or fumes in contact with: acids carbon dioxide ammonium compounds acidic salts acidic Exothermic reaction with: Fluorine Aluminum magnesium

10.4 Conditions to avoid

Exposure to moisture may affect product quality. no information available

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products In the event of fire: see section 5

SIGALD - 239216

Page 6 of 10



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - > 2,000 mg/kg (OECD Test Guideline 420) LC50 Inhalation - Rat - male and female - 4 h - > 3 mg/l - aerosol

(OECD Test Guideline 403) LD50 Dermal - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE) Result: No skin irritation - 15 min (OECD Test Guideline 439)

Serious eye damage/eye irritation

Eyes - Bovine cornea Result: No eye irritation - 4 h (OECD Test Guideline 437)

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse Result: negative (OECD Test Guideline 429)

Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Human lymphocytes Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

SIGALD - 239216

Page 7 of 10



Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 48 Days - NOAEL (No observed adverse effect level) - 1,000 mg/kg

RTECS: FF9335000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

	Toxicity to fish	semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - > 100 mg/l - 96 h (OECD Test Guideline 203)
	Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h (OECD Test Guideline 202)
	Toxicity to algae	static test ErC50 - Desmodesmus subspicatus (green algae) - 14 mg/l - 72 h (OECD Test Guideline 201)
	Toxicity to bacteria	static test EC50 - activated sludge - > 1,000 mg/l - 3 h (OECD Test Guideline 209)
12.2	Persistence and deg Biodegradability	radability aerobic - Exposure time 28 d Result: 90 % - Readily biodegradable. (OECD Test Guideline 301B)

12.3 Bioaccumulative potential Bioaccumulation is unlikely.

12.4 Mobility in soil No data available

SIGALD - 239216

Page 8 of 10



12.5 Results of PBT and vPvB assessment

 $\mathsf{PBT}/\mathsf{vPvB}$ assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties No data available

12.7 Other adverse effects

No ecological problems are to be expected when the product is handled and used with due care and attention.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

ΙΑΤΑ

Not dangerous goods

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

SIGALD - 239216

Page 9 of 10



Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 6.9 Revision Date: 03/02/2024 Print Date: 03/23/2024

SIGALD - 239216

Page 10 of 10





SAFETY DATA SHEET

Creation Date 14-Aug-2009

Revision Date 13-Oct-2023

Revision Number 6

1. Identification

Calcium chloride dihydrate

Product Name

Cat No. :

C69-50; C69-500; C69-500LC; C70-500; C79-3; C79-3LC; C79-500; XXC6912KG; NC1773041

CAS No	10035-04-8		
Synonyms	(Crystals/Powder/Granules/USP/FCC/EP/Certified ACS)		
Recommended Use	Laboratory chemicals.		
Uses advised against	Food, drug, pesticide or biocidal product use.		

Details of the supplier of the safety data sheet

Company Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious Eye Damage/Eye Irritation

Category 2

Label Elements

Signal Word Warning

Hazard Statements Causes serious eye irritation



Precautionary Statements Prevention Wash face, hands and any exposed skin thoroughly after handling Wear eye/face protection

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Calcium chloride, dihydrate	10035-04-8	>95
Calcium chloride	10043-52-4	-

4. First-aid measures

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Wash off immediately with plenty of water for at least 15 minutes. Get medical attention.
Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical attention. If not breathing, give artificial respiration.
Do NOT induce vomiting. Get medical attention.
No information available.
Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media	Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.
Unsuitable Extinguishing Media	No information available
Flash Point Method -	No information available No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact	No information available

Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

Hazardous Combustion Products

Hydrogen chloride gas.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health 2	Flammability 0	Instability 1	Physical hazards N/A
	6. Accidental rel	ease measures	
Personal Precautions	Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.		
Environmental Precautions	Should not be released into the environment. See Section 12 for additional Ecological Information.		

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Up

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation. Wash hands before breaks and immediately after handling the product.
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Strong oxidizing agents.

8. Exposure controls / personal protection

Exposure Guidelines

Engineering Measures	Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.					
Personal Protective Equipment						
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.					
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.					
Respiratory Protection	No protective equipment is needed under normal use conditions.					
Recommended Filter type:	Particle filter.					
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.					
	9. Physical and chemical properties					
Physical State Appearance	Solid Beige - White					

Calcium chloride dihydrate

Odor
Odor Threshold
рН
Melting Point/Range
Boiling Point/Range
Flash Point
Evaporation Rate
Flammability (solid,gas)
Flammability or explosive limits
Upper
Lower
Vapor Pressure
Vapor Density
Specific Gravity
Solubility
Partition coefficient; n-octanol/water
Autoignition Temperature
Decomposition Temperature
Viscosity
Molecular Formula
Molecular Weight

Odorless No information available 4.5-6.5 100 g/l aq. sol 175 °C / 347 °F No information available No information available No tapplicable No data available No data available No data available No tapplicable Not applicable 0.830 1000 g/L @ 0 °C No data available No information available

No information available

Not applicable Ca Cl2 . 2 H2 O

10. Stability and reactivity

147.02

Reactive Hazard	None known, based on information available				
Stability	Hygroscopic.				
Conditions to Avoid	Incompatible products. Excess heat. Avoid dust formation. Exposure to moist air or water.				
Incompatible Materials	Strong oxidizing agents				
Hazardous Decomposition Products Hydrogen chloride gas					
Hazardous Polymerization	Hazardous polymerization does not occur.				
Hazardous Reactions	None under normal processing.				

11. Toxicological information

Acute Toxicity

Product Information

Component Informa	tion							
Component		LD50 Oral		LD50 Dermal	LC50	Inhalation		
Calcium chlor	ide	2301 mg/kg (Rat)	LD50 > 5	5000 mg/kg (Rabbit)	mg/kg (Rabbit) Not lis			
Toxicologically Syn Products Delayed and immed	ergistic iate effects as w	No information ava	ailable cts from short an	d long-term expos	sure			
Irritation		Irritating to eyes						
Sensitization		No information ava	ailable					
Carcinogenicity		The table below in	dicates whether ea	ach agency has liste	ed any ingredient	as a carcinogen.		
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico		
Calcium chloride,	10035-04-8	Not listed	Not listed	Not listed	Not listed	Not listed		

Component	CAS NO	IARC	NTP	ACGIH	OSHA	Mexico
Calcium chloride, dihydrate	10035-04-8	Not listed				
Calcium chloride	10043-52-4	Not listed				

Mutagenic Effects	No information available
Reproductive Effects	No information available.
Developmental Effects	No information available.
Teratogenicity	No information available.
STOT - single exposure STOT - repeated exposure	None known None known
Aspiration hazard	No information available
Symptoms / effects,both acute and delayed	No information available
Endocrine Disruptor Information	No information available
Other Adverse Effects	The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea			
Calcium chloride, dihydrate	-	Lepomis macrochirus: LC50:	-	EC50: 3005 mg/L/48h			
		10650 mg/L/96h					
Calcium chloride	Not listed	Lepomis macrochirus: LC50:	Not listed	EC50: 52 mg/L/48h			
		10650 mg/L/96h					

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation

Mobility

No information available.

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Calcium chloride, dihydrate	0.05

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information				
DOT	Not regulated			
TDG	Not regulated			
ΙΑΤΑ	Not regulated			
IMDG/IMO	Not regulated			
	15. Regulatory information			

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Calcium chloride, dihydrate	10035-04-8	-	-	-
Calcium chloride	10043-52-4	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

TSCA 12(b) - Notices of Export

Not applicable Not applicable

International Inventories Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Calcium chloride, dihydrate	10035-04-8	-	-	-	Х	Х	Х	Х	Х	-
Calcium chloride	10043-52-4	Х	-	233-140-8	Х	Х	Х	Х	Х	KE-04496

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable
CERCLA	Not applicable
California Proposition 65	This product does not contain any Proposition 65 chemicals.
U.S. State Right-to-Know Regulations	Not applicable
U.S. Department of Transportation Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.
Other International Regulations	
Mexico - Grade	No information available

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Calcium chloride, dihydrate	10035-04-8	-	Use restricted. See item	-

			75. (see link for restriction details)	
Calcium chloride	10043-52-4	-	Use restricted. See item 75. (see link for restriction details)	-

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Calcium chloride, dihydrate	10035-04-8	Not applicable	Not applicable	Not applicable	Not applicable
Calcium chloride	10043-52-4	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention
-		(2012/18/EC) -	(2012/18/EC) -	Convention (PIC)	(Hazardous Waste)
		Qualifying Quantities	Qualifying Quantities		-
		for Major Accident	for Safety Report		
		Notification	Requirements		
Calcium chloride, dihydrate	10035-04-8	Not applicable	Not applicable	Not applicable	Not applicable
Calcium chloride	10043-52-4	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information				
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com			
Creation Date Revision Date	14-Aug-2009 13-Oct-2023			
Print Date	13-Oct-2023			
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS



SAFETY DATA SHEET

Version 6.7 Revision Date 03/02/2024 Print Date 03/23/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

	Product name	:	Calcium nitrate tetrahydrate
	Product Number Brand CAS-No.	::	237124 SIGALD 13477-34-4
1.2	Relevant identified us	es	of the substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Synthesis of substances
	Uses advised against	:	The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.
1.3	Details of the supplier	of	the safety data sheet
	Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
	Telephone Fax	:	+1 314 771-5765 +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24
		Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

SIGALD - 237124

Page 1 of 9



2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal Word	Danger
Hazard Statements H302 H318	Harmful if swallowed. Causes serious eye damage.
Precautionary Statements P264 P270 P280 P301 + P312 + P330	Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear eye protection/ face protection. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue
P501	rinsing. Immediately call a POISON CENTER/ doctor. Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1	Substances Formula Molecular weight CAS-No. EC-No.	:	CaN2O6 · 4H2O 236.15 g/mol 13477-34-4 233-332-1		
	Component			Classification	Concentration
	Calcium nitrate teti	rahyd	rate		
				Acute Tox. 4; Eye Dam. 1; H302, H318	<= 100 %

Calcium nitrate tetrahydrate		
	Acute Tox. 4; Eye Dam. 1;	<= 100 %
	H302, H318	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance. $\ensuremath{\mathsf{SIGALD}}\xspace - 237124$

Page 2 of 9



If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given. For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx) Calcium oxide Not combustible. Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

SIGALD - 237124

Page 3 of 9



For personal protection see section 8.

- **6.2 Environmental precautions** Do not let product enter drains.
- 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Tightly closed. Dry.

Hygroscopic.

Storage class Storage class (TRGS 510): 13: Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other

SIGALD - 237124

Page 4 of 9



substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact

Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter type P2 The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: crystalline Color: colorless
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	5.5 - 7.0
e)	Melting point/freezing point	Melting point/range: 44 °C (111 °F) - dec.
f)	Initial boiling point and boiling range	No data available

SIGALD - 237124

Page 5 of 9



g)	Flash point	()No data available	
h)	Evaporation rate	No data available	
i)	Flammability (solid, gas)	The product is not flammable.	
j)	Upper/lower flammability or explosive limits	No data available	
k)	Vapor pressure	No data available	
I)	Vapor density	No data available	
m)	Density	1.86 g/mL at 25 °C (77 °F)	
	Relative density	No data available	
n)	Water solubility	1,293 g/l at 20 °C (68 °F)	
o)	Partition coefficient: n-octanol/water	No data available	
p)	Autoignition temperature	No data available	
q)	Decomposition temperature	No data available	
r)	Viscosity	No data available	
s)	Explosive properties	No data available	
t)	Oxidizing properties	none	

9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of explosion with: organic combustible substances Powdered metals ammonium nitrate with Combustible Liquids Exothermic reaction with: Reducing agents

SIGALD - 237124

Page 6 of 9



10.4 Conditions to avoid

Avoid contact with combustible material (paper, wool, oil). no information available

- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - > 300 - < 2,000 mg/kg (OECD Test Guideline 423) Inhalation: No data available Dermal: No data available No data available

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Risk of serious damage to eyes. (OECD Test Guideline 405)

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

SIGALD - 237124

Page 7 of 9



Aspiration hazard

No data available

11.2 Additional Information

RTECS: EW3000000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - > 98.9 mg/l - 96 h

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties No data available

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

Not dangerous goods SIGALD - 237124

Page 8 of 9



IMDG Not dangerous goods

ΙΑΤΑ

Not dangerous goods

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
Calcium nitrate tetrahydrate	13477-34-4	2007-03-01

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 6.7 Revision Date: 03/02/2024 Print Date: 03/23/2024

SIGALD - 237124

Page 9 of 9



SAFETY DATA SHEET

Carbon Dioxide



1/11

Section 1. Identification

GHS product identifier	: Carbon Dioxide
Chemical name	: Carbon Dioxide
Other means of identification	: Carbon Dioxide
Product type	: Gas.
Product use	: Synthetic/Analytical chemistry.
Synonym SDS #	: Carbon Dioxide : 001013
Supplier's details	: Airgas USA, LLC and its affiliates 259 North Radnor-Chester Road Suite 100 Radnor, PA 19087-5283 1-610-687-5253 Inside the US: 1-833-723-3267 (Chemtrec, 24 hours) Outside the US: 1-703-527-3887 (Chemtrec, 24 hours)
24-hour telephone	: 1-866-734-3438

Section 2. Hazards identification

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	GASES UNDER PRESSURE - Liquefied gas

GHS labe	el elements
Hazard	pictograms

$\mathbf{\wedge}$

ŝ

Signal word	1	Warning
Hazard statements	:	Contains gas under pressure; may explode if heated.
		May displace oxygen and cause rapid suffocation. May increase respiration and heart rate.
Precautionary statements		
General	:	Read and follow all Safety Data Sheets (SDS'S) before use. Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand. Close valve after each use and when empty. Use equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use a back flow preventative device in the piping. Use only equipment of compatible materials of construction. Always keep container in upright position.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	1	Protect from sunlight. Store in a well-ventilated place.
Disposal	:	Not applicable.
Hazards not otherwise classified	:	In addition to any other important health or physical hazards, this product may displace oxygen and cause rapid suffocation.

Section 3. Composition/information on ingredients

Substance/mixture	: Substance
Chemical name	: Carbon Dioxide
Other means of identification	: Carbon Dioxide
Product code	: 001013

CAS number/other identifiers

CAS number	11	124-38-9
------------	----	----------

Ingredient name	%	CAS number
Carbon Dioxide	100	124-38-9

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin contact	 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: As this product is a gas, refer to the inhalation section.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Frostbite	: Try to warm up the frozen tissues and seek medical attention.
Ingestion	: As this product is a gas, refer to the inhalation section.
Over-exposure sign	<u>s/symptoms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

: No specific data.

: No specific data.

Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	1	No specific treatment.
Protection of first-aiders	1	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Ingestion

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: Contains gas under pressure. In a fire or if heated, a pressure increase will occur and the container may burst or explode.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Contact supplier immediately for specialist advice. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protec	tive equipment and emergency procedures
For non-emergency personnel	 No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Put on appropriate personal protective equipment.
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Ensure emergency procedures to deal with accidental gas releases are in place to avoid contamination of the environment. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ntainment and cleaning up
Small spill	: Immediately contact emergency personnel. Stop leak if without risk.
Large spill	: Immediately contact emergency personnel. Stop leak if without risk. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	 Put on appropriate personal protective equipment (see Section 8). Contains gas under pressure. Avoid breathing gas. Do not puncture or incinerate container. Use equipment rated for cylinder pressure. Close valve after each use and when empty. Protect cylinders from physical damage; do not drag, roll, slide, or drop. Use a suitable hand truck for cylinder movement. Avoid contact with eyes, skin and clothing. Empty containers retain product residue and can be hazardous.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Section 7. Handling and storage

Conditions for safe storage,	1	Store in accordance with local regulations. Store in a segregated and approved area.
including any		Store away from direct sunlight in a dry, cool and well-ventilated area, away from
incompatibilities		incompatible materials (see Section 10). Cylinders should be stored upright, with valve
		protection cap in place, and firmly secured to prevent falling or being knocked over.
		Cylinder temperatures should not exceed 52 °C (125 °F). Keep container tightly closed
		and sealed until ready for use. See Section 10 for incompatible materials before
		handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Carbon Dioxide	ACGIH TLV (United States, 1/2021). Oxygen Depletion [Asphyxiant]. STEL: 54000 mg/m ³ 15 minutes. STEL: 30000 ppm 15 minutes. TWA: 9000 mg/m ³ 8 hours. TWA: 5000 ppm 8 hours. NIOSH REL (United States, 10/2020).
	STEL: 54000 mg/m ³ 15 minutes. STEL: 30000 ppm 15 minutes. TWA: 9000 mg/m ³ 10 hours. TWA: 5000 ppm 10 hours. OSHA PEL (United States, 5/2018). TWA: 9000 mg/m ³ 8 hours. TWA: 5000 ppm 8 hours. OSHA PEL 1989 (United States, 3/1989).
	STEL: 54000 mg/m³ 15 minutes. STEL: 30000 ppm 15 minutes. TWA: 18000 mg/m³ 8 hours. TWA: 10000 ppm 8 hours.

Biological exposure indices

No exposure indices known.

Appropriate engineering controls	Good general ventilation should be sufficient to control worker exposure to airborn contaminants.	ie
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In som cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.	re e ent
Individual protection measur		
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothin Wash contaminated clothing before reusing. Ensure that eyewash stations and sa showers are close to the workstation location.	ore ıg. afety
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists gases or dusts. If contact is possible, the following protection should be worn, unl the assessment indicates a higher degree of protection: safety glasses with side-shields.	;, ess
Skin protection		

Section 8. Exposure controls/personal protection

Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

<u>Appearance</u>		
Physical state	1	Gas. [Compressed gas.]
Color	1	Colorless.
Odor	:	Odorless.
Odor threshold	:	Not available.
рН	1	Not applicable.
Melting point	1	Sublimation temperature: -79°C (-110.2 to °F)
Boiling point	1	Not available.
Critical temperature	1	30.85°C (87.5°F)
Flash point	1	[Product does not sustain combustion.]
Evaporation rate	1	Not available.
Flammability (solid, gas)	1	Not available.
Lower and upper explosive (flammable) limits	÷	Not available.
Vapor pressure	1	830 (psig)
Vapor density	1	1.5 (Air = 1)
Specific Volume (ft ³ /lb)	1	8.7719
Gas Density (lb/ft ³)	1	0.114
Relative density	1	Not applicable.
Solubility in water	1	Not available.
Partition coefficient: n- octanol/water	:	0.83
Auto-ignition temperature	1	Not available.
Decomposition temperature	1	Not available.
Flow time (ISO 2431)	1	Not available.
Molecular weight	:	44.01 g/mole

Section	10.	Stability	and	reactivity
---------	-----	-----------	-----	------------

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	The product is stable.
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	No specific data.
Incompatible materials	:	No specific data.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Hazardous polymerization : Under normal conditions of storage and use, hazardous polymerization will not occur.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Not available.

Irritation/Corrosion

Not available.

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely : Not available. routes of exposure

Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.

Section 11. Toxicological information

Ingestion

: As this product is a gas, refer to the inhalation section.

Symptoms related to t	he physical, chemical and toxicological characteristics
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.

Ingestion	÷	No specific data.
-----------	---	-------------------

Delayed and immediate effects and also chronic effects from short and long term exposure

<u>Short term exposure</u>		
Potential immediate effects	: Not available.	
Potential delayed effects	: Not available.	
Long term exposure		
Potential immediate effects	: Not available.	
Potential delayed effects	: Not available.	
Potential chronic health effe	ects	

Not available.

General	: N	No known significant effects or critical hazards.
Carcinogenicity	: N	No known significant effects or critical hazards.
Mutagenicity	: N	No known significant effects or critical hazards.
Teratogenicity	: N	No known significant effects or critical hazards.
Developmental effects	: N	No known significant effects or critical hazards.
Fertility effects	: N	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

coefficient (Koc)

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Carbon Dioxide	0.83	-	Low
<u>Mobility in soil</u>			
Soil/water partition	: Not available.		

Other adverse effects : No known significant effects or critical hazards.

Date of issue/Date of revision	: 7/12/2023	Date of previous issue	: 6/27/2023	Version : 7.01	7/11

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Empty pressure vessels should be returned to the supplier. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

Section 14. Transport information

	DOT	TDG	Mexico	IMDG	ΙΑΤΑ
UN number	UN1013	UN1013	UN1013	UN1013	UN1013
UN proper shipping name	CARBON DIOXIDE	CARBON DIOXIDE	CARBON DIOXIDE	CARBON DIOXIDE	CARBON DIOXIDE
Transport hazard class(es)	2.2	2.2	2.2	2.2	2.2
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.

"Refer to CFR 49 (or authority having jurisdiction) to determine the information required for shipment of the product."

Additional information		
DOT Classification	:	<u>Limited quantity</u> Yes. <u>Quantity limitation</u> Passenger aircraft/rail: 75 kg. Cargo aircraft: 150 kg.
TDG Classification	:	Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.13-2.17 (Class 2). <u>Explosive Limit and Limited Quantity Index</u> 0.125 <u>Passenger Carrying Road or Rail Index</u> 75
ΙΑΤΑ	:	Quantity limitation Passenger and Cargo Aircraft: 75 kg. Cargo Aircraft Only: 150 kg.
Special precautions for user	:	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
Transport in bulk according to IMO instruments	:	Not available.

Section 15. Regulatory information

U.S. Federal regulations	: TSCA 8(a)	CDR Exempt/Partial exe	emption: This mater	ial is listed or exempted.	
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Not listed				
Clean Air Act Section 602 Class I Substances	: Not listed				
Date of issue/Date of revision	: 7/12/2023	Date of previous issue	: 6/27/2023	Version : 7.01	8/11

Section 15. Regulatory information

Section 15. Regula	all	ny mormation
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed
<u>SARA 302/304</u>		
Composition/information of	<mark>on i</mark> i	ngredients
No products were found.		
SARA 304 RQ	1	Not applicable.
<u>SARA 311/312</u>		
Classification	: F	Refer to Section 2: Hazards Identification of this SDS for classification of substance.
State regulations		
Massachusetts	1	This material is listed.
New York	1	This material is not listed.
New Jersey	1	This material is listed.
Pennsylvania	1	This material is listed.
<u>California Prop. 65</u>		
This product does not re	əqui	re a Safe Harbor warning under California Prop. 65.
International regulations		
Chemical Weapon Convent	<u>tion</u>	List Schedules I, II & III Chemicals
Not listed.		
Montreal Protocol		
Not listed.		
Stockholm Convention on	Per	sistent Organic Pollutants
Not listed.		
Rotterdam Convention on I	<u>Prio</u>	<u>er Informed Consent (PIC)</u>
Not listed.		
UNECE Aarhus Protocol on	<u>1 PC</u>	<u>)Ps and Heavy Metals</u>
Not listed.		
Inventory list		
Australia	1	This material is listed or exempted.
Canada	1	This material is listed or exempted.
China	1	This material is listed or exempted.
Eurasian Economic Union	1	Russian Federation inventory: Not determined.
Japan	:	Japan inventory (CSCL): This material is listed or exempted. Japan inventory (ISHL): This material is listed or exempted.
New Zealand	1	This material is listed or exempted.
Philippines	1	This material is listed or exempted.
Republic of Korea	1	This material is listed or exempted.
Taiwan	:	This material is listed or exempted.
Thailand	:	This material is listed or exempted.
Turkey	1	This material is listed or exempted.
United States	1	This material is active or exempted.
Viet Nam	:	This material is listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Classification **Justification** GASES UNDER PRESSURE - Liquefied gas Expert judgment **History Date of printing** : 7/12/2023 : 7/12/2023 Date of issue/Date of revision Date of previous issue : 6/27/2023 : 7 01 Version Key to abbreviations : ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations References : Not available Notice to reader

Procedure used to derive the classification

Section 16. Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.


Version 6.4 Revision Date 04/23/2021 Print Date 01/18/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	:	Carbon nanofibers
Product Number	:	719803
Brand	:	Aldrich
CAS-No.	:	308063-67-4
CAS-No.	:	308063-67-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

```
Identified uses : Laboratory chemicals, Synthesis of substances
```

1.3 Details of the supplier of the safety data sheet

	Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
	Telephone Fax	:	+1 314 771-5765 +1 800 325-5052
1.4	Emergency telephone		

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Eye irritation (Category 2A), H319 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

ļ	\mathbf{Y}
•	
Y	

Warning

Signal word Hazard statement(s) H319 H335

Causes serious eye irritation. May cause respiratory irritation.

Aldrich - 719803

Page 1 of 8

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



Precautionary statement(s)	
P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear eye protection/ face protection.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1	Substances Synonyms	:	PR-25-XT-LHT		
	Formula Molecular weight CAS-No.	:	C 12.01 g/mol 308063-67-4		
	Component			Classification	Concentration
	Carbon Fiber				
				Eye Irrit. 2A; STOT SE 3; H319, H335	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

Aldrich - 719803

Page 2 of 8



If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

- 4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- 4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture Iron oxides Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 **Advice for firefighters**

In the event of fire, wear self-contained breathing apparatus.

5.4 **Further information**

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures 6.1 Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

Reference to other sections 6.4

For disposal see section 13.

Aldrich - 719803

Page 3 of 8





SECTION 7: Handling and storage

7.1 Precautions for safe handling For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Storage class (TRGS 510): 11: Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

Handle with impervious gloves.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection required when dusts are generated.

Aldrich - 719803

Page 4 of 8

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: solid			
b)	Odor	No data available			
c)	Odor Threshold	No data available			
d)	рН	No data available			
e)	Melting point/freezing point	Melting point/range: 3,652 - 3,697 °C (6,606 - 6,687 °F)			
f)	Initial boiling point and boiling range	No data available			
g)	Flash point	()No data available			
h)	Evaporation rate	No data available			
i)	Flammability (solid, gas)	No data available			
j)	Upper/lower flammability or explosive limits	No data available			
k)	Vapor pressure	No data available			
I)	Vapor density	No data available			
m)	Relative density	No data available			
n)	Water solubility	No data available			
o)	Partition coefficient: n-octanol/water	No data available			
p)	Autoignition temperature	No data available			
q)	Decomposition temperature	No data available			
r)	Viscosity	No data available			
s)	Explosive properties	No data available			
t)	Oxidizing properties	No data available			
Oth	Other safety information				

No data available

Aldrich - 719803

9.2

Page 5 of 8



SECTION 10: Stability and reactivity

10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

- 10.3 Possibility of hazardous reactions No data available
- **10.4 Conditions to avoid** no information available
- **10.5 Incompatible materials** Strong oxidizing agents
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity No data available

Inhalation: No data available

Dermal: No data available No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitization No data available

Germ cell mutagenicity

No data available

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Aldrich - 719803

Page 6 of 8

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

- 12.1 Toxicity No data available
- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Other adverse effects** No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

DOT (US) Aldrich - 719803

Page 7 of 8



Not dangerous goods

IMDG

Not dangerous goods

ΙΑΤΑ

Not dangerous goods

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.4

Revision Date: 04/23/2021

Print Date: 01/18/2023

Aldrich - 719803

Page 8 of 8





Version 6.5 Revision Date 11/29/2022 Print Date 01/14/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

	Product name	Carbon nanotube, multi-walled
	Product Number Brand CAS-No.	: 698849 : Aldrich : 308068-56-6
1.2	Relevant identified	ses of the substance or mixture and uses advised agains

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

	Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
	Telephone Fax	:	+1 314 771-5765 +1 800 325-5052
1.4	Emergency telephone		

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Carcinogenicity (Category 2), H351

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



```
Signal WordWarningHazard statement(s)<br/>H351Suspected of causing cancer.Precautionary statement(s)<br/>P201Obtain special instructions before use.Aldrick - 698849Suspecial instructions before use.
```

Page 1 of 8



P202	Do not handle until all safety precautions have been read and understood.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1	Substances Synonyms	:	Multiwall carbon na MWNT	notube	
	CAS-No. EC-No.	:	308068-56-6 608-533-6		
	Component			Classification	Concentration
	Carbon Nanotubes				
				Carc. 2; H351	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

Aldrich - 698849

Page 2 of 8



SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture Carbon oxides Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- **6.4** Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Tightly closed. Dry.

Storage class Storage class (TRGS 510): 11: Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Aldrich - 698849

Page 3 of 8



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

Handle with impervious gloves.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Respiratory protection

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- a) Appearance Form: powder Color: black
- b) Odor No data available
- c) Odor Threshold No data available

Aldrich - 698849

Page 4 of 8

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 3,652 - 3,697 °C (6,606 - 6,687 °F)
f)	Initial boiling point and boiling range	No data available
g)	Flash point	()Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Density	2.1 g/cm3 at 25 °C (77 °F)
	Relative density	No data available
n)	Water solubility	insoluble
o)	Partition coefficient: n-octanol/water	No data available
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	none

9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions No data available

10.4 Conditions to avoid

no information available

Aldrich - 698849

Page 5 of 8

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



10.5 Incompatible materials Strong oxidizing agents

10.6 Hazardous decomposition products In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral: No data available Inhalation: No data available Dermal: No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitization No data available

Germ cell mutagenicity No data available

Carcinogenicity

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Carbon Nanotubes)

2B - Group 2B: Possibly carcinogenic to humans (Carbon Nanotubes)

3 - Group 3: Not classifiable as to its carcinogenicity to humans (Carbon Nanotubes)

- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Aldrich - 698849

Page 6 of 8



SECTION 12: Ecological information

12.1 Toxicity

No data available

- **12.2 Persistence and degradability** The methods for determining biodegradability are not applicable to inorganic substances.
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Endocrine disrupting properties** No data available
- **12.7 Other adverse effects** No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

ΙΑΤΑ

Not dangerous goods

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

Aldrich - 698849

Page 7 of 8



This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Chronic Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.5

Revision Date: 11/29/2022

Print Date: 01/14/2023

Aldrich - 698849

Page 8 of 8







Creation Date 10-Feb-2011

Revision Date 04-Feb-2021

Revision Number 2

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description:	Cesium acetate
Cat No. :	44434
CAS-No	3396-11-0
EC-No.	222-248-0
Molecular Formula	C2 H3 Cs O2
Reach Registration Number	-

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

1.3. Details of the supplier of the safety data sheet

Company	Alfa Aesar Avocado Research Chemicals, Ltd. Shore Road Port of Heysham Industrial Park Heysham, Lancashire LA3 2XY United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608
E-mail address	uktech@alfa.com www.alfa.com Product Safety Department
1.4. Emergency telephone number	Call Carechem 24 at

+44 (0) 1865 407333 (English only); +44 (0) 1235 239670 (Multi-language)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Cesium acetate

Revision Date 04-Feb-2021

Category 2 (H361)

Reproductive Toxicity

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Warning

Hazard Statements

H361 - Suspected of damaging fertility or the unborn child

Precautionary Statements

P201 - Obtain special instructions before use P308 + P313 - IF exposed or concerned: Get medical advice/attention

2.3. Other hazards

No information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Acetic acid, cesium salt	3396-11-0	EEC No. 222-248-0	>95	Repr. 2 (H361)

Reach Registration Number	-
---------------------------	---

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated

	clothes and shoes. Get medical attention.	
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink plenty of water. Clean mouth with water. Get medical attention. If possible drink milk afterwards.	
Inhalation	Remove from exposure, lie down. Remove to fresh air. Get medical attention.	
Self-Protection of the First Aider	ler No special precautions required.	
4.2. Most important symptoms and effects, both acute and delayed		

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Cesium acetate

Suitable Extinguishing Media

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Extinguishing media which must not be used for safety reasons No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO₂).

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

6.2. Environmental precautions

See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Do not let this chemical enter the environment.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

Cesium acetate

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid contact with skin and eyes. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Store under an inert atmosphere.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) Class 11 (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Derived No Effect Level (DNEL) No information available

Route of exposure	Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
Oral				
Dermal				
Inhalation				

Predicted No Effect Concentration No information available. **(PNEC)**

8.2. Exposure controls

Engineering Measures

None under normal use conditions.

Personal protective equi Eye Protection	i pment Wear sa	fety glasses with side	e shields (or goggles)	(European standard - EN 166)
Hand Protection	Protectiv	e gloves		
Glove material Natural rubber Nitrile rubber Neoprene PVC	Breakthrough time See manufacturers recommendations	Glove thickness -	EU standard EN 374	Glove comments (minimum requirement)
Skin and body prote	ction Wear ap	propriate protective g	loves and clothing to	prevent skin exposure

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection	No protective equipment is needed under normal use conditions.
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particle filter 2 Particulates filter conforming to EN 143
Small scale/Laboratory use	Maintain adequate ventilation Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Particle filtering: EN149:2001

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Solid	
Appearance	White	
Odor	Odorless	
Odor Threshold	No data available	
Melting Point/Range	194 °C / 381.2 °F	
Softening Point	No data available	
Boiling Point/Range	No information available	
Flammability (liquid)	Not applicable	Solid
Flammability (solid,gas)	No information available	
Explosion Limits	No data available	
Flash Point	No information available	Method - No information available
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
pH .	No information available	
Viscosity	Not applicable	Solid
Water Solubility	91.5% (21°C)	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/wat	er)	

Revision Date 04-Feb-2021

Cesium acetate

Vapor Pressure	No data available		
Density / Specific Gravity	No data available		
Bulk Density	No data available		
Vapor Density	Not applicable	Solid	
Particle characteristics	No data available		
9.2. Other information			
Molecular Formula	C2 H3 Cs O2		
Molecular Weight	191.96		
Evaporation Rate	Not applicable - Solid		

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity	None known, based on information available
10.2. Chemical stability	Hygroscopic.
10.3. Possibility of hazardous react	ions
Hazardous Polymerization Hazardous Reactions	No information available. No information available.
10.4. Conditions to avoid	Incompatible products. Exposure to moisture.
10.5. Incompatible materials	Strong oxidizing agents. Strong acids.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO₂).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information	No acute toxicity information is available for this product
(a) acute toxicity; Oral Dermal Inhalation	No data available No data available No data available
(b) skin corrosion/irritation;	No data available
(c) serious eye damage/irritation;	No data available
(d) respiratory or skin sensitization; Respiratory Skin	No data available No data available

(e) germ cell mutagenicity;	No data available
(f) carcinogenicity;	No data available
	There are no known carcinogenic chemicals in this product
(g) reproductive toxicity; Reproductive Effects	Category 2.
(h) STOT-single exposure;	No data available
(i) STOT-repeated exposure;	No data available
Target Organs	No information available.
(j) aspiration hazard;	Not applicable Solid
Other Adverse Effects	The toxicological properties have not been fully investigated.
Symptoms / effects,both acute and delayed	No information available.
11.2. Information on other hazards	
Endocrine Disrupting Properties	Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.
SE	CTION 12: ECOLOGICAL INFORMATION
<u>12.1. Toxicity</u> Ecotoxicity effects	Do not empty into drains.
12.2. Persistence and degradability Persistence Degradability	Soluble in water, Persistence is unlikely, based on information available. Not relevant for inorganic substances.
12.3. Bioaccumulative potential	Bioaccumulation is unlikely
<u>12.4. Mobility in soil</u>	The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils
12.5. Results of PBT and vPvB assessment	No data available for assessment.
<u>12.6. Endocrine disrupting</u> properties Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors

Cesium acetate

<u>12.7. Other adverse effects</u> Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products	Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.
European Waste Catalogue (EWC)	According to the European Waste Catalog, Waste Codes are not product specific, but application specific.
Other Information	Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

Not regulated

<u>14.1. UN number</u>
14.2. UN proper shipping name
14.3. Transport hazard class(es)
14.4. Packing group

Not regulated

14.1. UN number14.2. UN proper shipping name14.3. Transport hazard class(es)14.4. Packing group

<u>IATA</u>

ADR

Not regulated

14.1. UN number14.2. UN proper shipping name14.3. Transport hazard class(es)14.4. Packing group

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required

<u>14.7. Maritime transport in bulk</u> Not applicable, packaged goods according to IMO instruments

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

X = listed, Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), China (IECSC), Japan (ENCS), Australia (AICS), Korea (ECL).

Cesium acetate

Revision Date 04-Feb-2021

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
Acetic acid, cesium salt	222-248-0	-		Х	Х	-	-	-	-	Х	KE-0002
											1

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals Not applicable

National Regulations

WGK Classification Water endangering class = 3 (self classification)

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H361 - Suspected of damaging fertility or the unborn child

Legend

CAS - Chemical Abstracts Service EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances	TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIOC - New Zealand Inventory of Chemicals
WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic	 TWA - Time Weighted Average IARC - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC) LD50 - Lethal Dose 50% EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative
ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code OECD - Organisation for Economic Co-operation and Development BCF - Bioconcentration factor Key literature references and sources for data	ICAO/IATA - International Civil Aviation Organization/International Air Transport Association MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC (volatile organic compound)

https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

Cesium acetate

Revision Date 04-Feb-2021

First aid for chemical exposure, including the use of eye wash and safety showers.

Prepared By Creation Date Revision Date Revision Summary Health, Safety and Environmental Department 10-Feb-2011 04-Feb-2021 SDS authoring systems update, replaces ChemGes SDS No. 3396-11-0.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 22-Sep-2009

Revision Date 22-Sep-2023

Revision Number 5

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Cat No. : CAS No EC No Molecular Formula <u>Cesium bromide</u> 192060000; 192060250; 192061000 7787-69-1 232-130-0 Br Cs

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	L
Uses advised against	N

aboratory chemicals.

1.3. Details of the supplier of the safety data sheet

Company

UK entity/business name Fisher Scientific UK Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom

EU entity/business name Thermo Fisher Scientific Janssen Pharmaceuticalaan 3a, 2440 Geel, Belgium

E-mail address

dress begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe:**001-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Acute oral toxicity

Category 4 (H302)

Cesium bromide

Revision Date 22-Sep-2023

Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Reproductive Toxicity Specific target organ toxicity - (single exposure)

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Warning

Hazard Statements

H302 - Harmful if swallowed

- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H335 May cause respiratory irritation
- H361 Suspected of damaging fertility or the unborn child

Precautionary Statements

- P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting
- P312 Call a POISON CENTER or doctor if you feel unwell
- P302 + P352 IF ON SKIN: Wash with plenty of soap and water
- P337 + P313 If eye irritation persists: Get medical advice/attention
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P332 + P313 If skin irritation occurs: Get medical advice/attention

2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Cesium bromide (CsBr)	7787-69-1	232-130-0	>95	Acute Tox 4 (H302) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Stot SE 3 (H335) Repr. 2 (H361)

Category 2 (H315) Category 2 (H319) Category 2 (H361) Category 3 (H335)

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice	If symptoms persist, call a physician.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Hydrogen bromide.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

6.2. Environmental precautions

Should not be released into the environment.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Ensure adequate ventilation. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510	Class 11
Storage Class (LGK) (Germany)	

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

No information available

Predicted No Effect Concentration (PNEC)

No information available.

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection	Goggles	(European standard - EN 166)

Hand Protection Protective gloves

Glove material Natural rubber Nitrile rubber Neoprene PVC	Breakthrough time See manufacturers recommendations	Glove thickness -	EU standard EN 374	Glove comments (minimum requirement)	
Skin and body pro	tection Long sle	eved clothing.			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

No protective equipment is needed under normal use conditions.
Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced
Maintain adequate ventilation

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Solid
Appearance	White
Odor	Odorless

Odor Threshold Melting Point/Range Softening Point Boiling Point/Range Flammability (liquid) Flammability (solid,gas)	No data available 636 °C / 1176.8 °F No data available 1300 °C / 2372 °F Not applicable No information available	@ 760 mmHg Solid
Explosion Limits	No data available	
Flash Point Autoignition Temperature Decomposition Temperature	No information available No data available No data available	Method - No information available
pH Viscosity Water Solubility Solubility in other solvents	No information available Not applicable 55g/100ml (20 °C) No information available	Solid
Partition Coefficient (n-octanol/	water)	
Vapor Pressure Density / Specific Gravity Bulk Density Vapor Density Particle characteristics	No data available 4.440 No data available Not applicable No data available	Solid
9.2. Other information		
Molecular Formula Molecular Weight	Br Cs 212.81	

Not applicable - Solid

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity	None known, based on information available
10.2. Chemical stability	Hygroscopic.
10.3. Possibility of hazardous reacti	ons
Hazardous Polymerization Hazardous Reactions	No information available. None under normal processing.
10.4. Conditions to avoid	Incompatible products. Exposure to moist air or water.
10.5. Incompatible materials	Strong acids. Oxidizing agent.

10.6. Hazardous decomposition products

Hydrogen bromide.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

Cesium bromide

Evaporation Rate

Cesium bromide

(a) acute toxicity; Oral Dermal Inhalation	Category 4 No data available No data available
(b) skin corrosion/irritation;	Category 2
(c) serious eye damage/irritation;	Category 2
(d) respiratory or skin sensitization; Respiratory Skin	No data available No data available
(e) germ cell mutagenicity;	No data available
(f) carcinogenicity;	No data available
	There are no known carcinogenic chemicals in this product
(g) reproductive toxicity; Reproductive Effects	Category 2 May cause harm to the unborn child. May impair fertility.
(h) STOT-single exposure;	Category 3
Results / Target organs	Respiratory system.
(i) STOT-repeated exposure;	No data available
Target Organs	No information available.
(j) aspiration hazard;	Not applicable Solid
Symptoms / effects,both acute and delayed	No information available.
11.2. Information on other hazards	
Endocrine Disrupting Properties	Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.
SE	CTION 12: ECOLOGICAL INFORMATION
<u>12.1. Toxicity</u> Ecotoxicity effects	Do not empty into drains. Do not flush into surface water or sanitary sewer system.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Cesium bromide (CsBr)	LC50 > 100 mg/L/96h (Oryzias	EC50 49,5 mg/L/48h (Daphnia	ErC50 > 100 mg/L/72h
	latipes)	magna)	(Pseudokirchneriella subcapitata)

12.2. Persistence and degradability Persistence Degradability	Soluble in water, Persistence is unlikely, based on information available. Not relevant for inorganic substances.
12.3. Bioaccumulative potential	Bioaccumulation is unlikely
<u>12.4. Mobility in soil</u>	The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils
12.5. Results of PBT and vPvB assessment	No data available for assessment.
<u>12.6. Endocrine disrupting</u> properties Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors
12.7. Other adverse effects Persistent Organic Pollutant Ozone Depletion Potential	This product does not contain any known or suspected substance This product does not contain any known or suspected substance
SE	CTION 13: DISPOSAL CONSIDERATIONS
13.1. Waste treatment methods	
Waste from Residues/Unused Products	Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.

ed Packaging	Dispose of this container to hazardous or special waste collection point.	
--------------	---	--

European Waste Catalogue (EWC)	According to the European Waste Catalog, Waste Codes are not product specific, but
	application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO Not regulated 14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class(es) 14.4. Packing group

<u>ADR</u>

Not regulated

14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class(es) 14.4. Packing group

IATA Not regulated

14.1. UN number14.2. UN proper shipping name14.3. Transport hazard class(es)14.4. Packing group

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

<u>14.7. Maritime transport in bulk</u> Not applicable, packaged goods according to IMO instruments

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Cesium bromide (CsBr)	7787-69-1	232-130-0	-	-	Х	Х	KE-05431	Х	Х
Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive		DSL	NDSL	AICS	NZIoC	PICCS
Cesium bromide (CsBr)	7787-69-1	Х	ACT	IVE	-	Х	Х	Х	-

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Cesium bromide (CsBr)	7787-69-1	-	-	-

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -
		Qualifying Quantities for Major Accident	Qualifying Quantities for Safety Report
		Notification	Requirements
Cesium bromide (CsBr)	7787-69-1	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Cesium bromide

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 3 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Cesium bromide (CsBr)	WGK2	

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

H361 - Suspected of damaging fertility or the unborn child

Legend

CAS - Chemical Abstracts Service	TSCA - United States Toxic Substances Control Act Section 8(b)
EINECS/ELINCS - European Inventory of Existing Commercial Chemical	al DSL/NDSL - Canadian Domestic Substances List/Non-Domestic
Substances/EU List of Notified Chemical Substances	Substances List
PICCS - Philippines Inventory of Chemicals and Chemical Substances	ENCS - Japanese Existing and New Chemical Substances
IECSC - Chinese Inventory of Existing Chemical Substances	AICS - Australian Inventory of Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances	NZIOC - New Zealand Inventory of Chemicals
WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic	 TWA - Time Weighted Average IARC - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC) LD50 - Lethal Dose 50% EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative
ADR - European Agreement Concerning the International Carriage of	ICAO/IATA - International Civil Aviation Organization/International Air
Dangerous Goods by Road	Transport Association
IMO/IMDG - International Maritime Organization/International Maritime	MARPOL - International Convention for the Prevention of Pollution from
Dangerous Goods Code	Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

OECD - Organisation for Economic Co-operation and Development **BCF** - Bioconcentration factor

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS
Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Creation Date	22-Sep-2009
Revision Date	22-Sep-2023
Revision Summary	Not applicable.

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Disclaimer

.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet





Creation Date 23-Nov-2010

Revision Date 18-Jan-2021

Revision Number 2

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description:	Cesium chloride
Cat No. :	87640
Synonyms	Cesium Monochloride; Dicesium Dichloride
CAS-No	7647-17-8
EC-No.	231-600-2
Molecular Formula	CI Cs
Reach Registration Number	-

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals. SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites
Product category	PC21 - Laboratory chemicals
Process categories	PROC15 - Use as a laboratory reagent
Environmental release category Uses advised against	ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates) No Information available

1.3. Details of the supplier of the safety data sheet

Company	Alfa Aesar Avocado Research Chemicals, Ltd Shore Road Port of Heysham Industrial Park Heysham, Lancashire LA3 2XY United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608
E-mail address	uktech@alfa.com www.alfa.com Product Safety Department

1.4. Emergency telephone number

Call Carechem 24 at +44 (0) 1865 407333 (English only); +44 (0) 1235 239670 (Multi-language)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Cesium chloride

Based on available data, the classification criteria are not met

Health hazards

Reproductive Toxicity

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Warning

Hazard Statements

H361 - Suspected of damaging fertility or the unborn child

Precautionary Statements

P201 - Obtain special instructions before use

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308 + P313 - IF exposed or concerned: Get medical advice/attention

2.3. Other hazards

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Cesium chloride	7647-17-8	231-600-2	>95	Repr. 2 (H361)

Reach Registration Number	-

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

ALFAA87640

Category 2 (H361)

4.1. Description of first aid measures

General Advice	If symptoms persist, call a physician.		
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.		
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.		
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.		
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.		
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.		
4.2. Most important symptoms and effects, both acute and delayed			

None reasonably foreseeable.

4.3. Indication of any immediate medical attention and special treatment needed

Notes	to	Phv	sician
110100			ororari

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons No information available.

5.2. Special hazards arising from the substance or mixture

Non-combustible. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Hydrogen chloride gas.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation.

6.2. Environmental precautions

Should not be released into the environment.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK)	Class 13
(Germany)	

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Derived No Effect Level (DNEL) Workers

Route of exposure	Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
Oral				
Dermal				4.18 mg/kg
Inhalation				1.47 mg/m ³

Predicted No Effect Concentration See values below. (PNEC)

Fresh water	1.25 mg/L
Fresh water sediment	4.9 mg/kg
Marine water	0.13 mg/l
Marine water sediment	0.49 mg/kg
Microorganisms in sewage	100.3 mg/L
treatment	
Soil (Agriculture)	0.25 mg/kg

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment Eye Protection

Goggles (European standard - EN 166)

Hand Protection	Protective gloves			
Glove material Natural rubber Nitrile rubber Neoprene PVC	Breakthrough time See manufacturers recommendations	Glove thickness	EU standard EN 374	Glove comments (minimum requirement)
A		1 1 4 1		

Skin and body protection Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particulates filter conforming to EN 143
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Revision Date 18-Jan-2021

Physical State	Powder Solid	
Appearance Odor Odor Threshold Melting Point/Range Softening Point/Range Flammability (liquid) Flammability (solid,gas) Explosion Limits	White Odorless No data available 646 °C / 1194.8 °F No data available 1290 °C / 2354 °F Not applicable No information available No data available	@ 760 mmHg Solid
Flash Point	No information available	Method - No information available
Autoignition Temperature	Not applicable	
Decomposition Temperature	No data available	
рН	6.0-7.5 @ 20°C	aq.solution
Viscosity	Not applicable	Solid
Water Solubility	1860 g/L (20°C)	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/wate	r)	
Vapor Pressure	No data available	
Density / Specific Gravity	No data available	
Bulk Density	No data available	
Vapor Density	Not applicable	Solid
Particle characteristics	No data available	
9.2. Other information		
Molecular Formula Molecular Weight Evaporation Rate	Cl Cs 168.36 Not applicable - Solid	

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity	None known, based on information available
10.2. Chemical stability	Stable under normal conditions, Hygroscopic.
10.3. Possibility of hazardous reaction	ons
Hazardous Polymerization Hazardous Reactions	Hazardous polymerization does not occur. None under normal processing.
10.4. Conditions to avoid	Incompatible products. Excess heat. Avoid dust formation. Exposure to moist air or water.
10.5. Incompatible materials	Strong acids. Acids. Strong oxidizing agents.

10.6. Hazardous decomposition products

Hydrogen chloride gas.

SECTION 11: TOXICOLOGICAL INFORMATION

Cesium chloride

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

(a) acute toxicity;		
Oral	Based on available data, the c	lassification criteria are not met
Dermal	Based on available data, the c	lassification criteria are not met
Inhalation	Based on available data, the c	lassification criteria are not met
• •		

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Cesium chloride	2600 mg/kg (Rat)	-	-

(b) skin corrosion/irritation;	Based on available data, the classification criteria are not met
(c) serious eye damage/irritation;	Based on available data, the classification criteria are not met
(d) respiratory or skin sensitization; Respiratory Skin	Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met
(e) germ cell mutagenicity;	Based on available data, the classification criteria are not met
(f) carcinogenicity;	Based on available data, the classification criteria are not met There are no known carcinogenic chemicals in this product
(g) reproductive toxicity; Reproductive Effects	Category 2 Experiments have shown reproductive toxicity effects on laboratory animals.
(h) STOT-single exposure;	Based on available data, the classification criteria are not met
(i) STOT-repeated exposure;	Based on available data, the classification criteria are not met
Target Organs	None known.
(j) aspiration hazard;	Not applicable Solid
Symptoms / effects,both acute and delayed	No information available.

11.2. Information on other hazards

Endocrine Disrupting Properties

.

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity effects

Cesium chloride

Revision Date 18-Jan-2021

Component	Freshwater Fish	Water Flea	Freshwater Algae
Cesium chloride	>100 mg/L 96h	37.4 mg/L 48h	

12.2. Persistence and degradability Persistence Degradability	Soluble in water, Persistence is unlikely, based on information available. Not relevant for inorganic substances.
12.3. Bioaccumulative potential	Bioaccumulation is unlikely
<u>12.4. Mobility in soil</u>	The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils
12.5. Results of PBT and vPvB assessment	In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment.
<u>12.6. Endocrine disrupting</u> properties Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors
<u>12.7. Other adverse effects</u> Persistent Organic Pollutant Ozone Depletion Potential	This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products	Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.
European Waste Catalogue (EWC)	According to the European Waste Catalog, Waste Codes are not product specific, but application specific.
Other Information	Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

Not regulated

14.1. UN number14.2. UN proper shipping name14.3. Transport hazard class(es)14.4. Packing group

<u>ADR</u>

Not regulated

14.1. UN number14.2. UN proper shipping name14.3. Transport hazard class(es)14.4. Packing group

Cesium chloride

Revision Date 18-Jan-2021

ΙΑΤΑ

Not regulated

14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class(es) 14.4. Packing group

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required

14.7. Maritime transport in bulk according to IMO instruments Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

X = listed, Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), China (IECSC), Japan (ENCS), Australia (AICS), Korea (ECL).

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
Cesium chloride	231-600-2	-		Х	Х	-	Х	Х	Х	Х	KE-0543
											3

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

National Regulations

WGK Classification

See table for values

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Cesium chloride	WGK1	

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment Take note of Directive 94/33/EC on the protection of young people at work Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H361 - Suspected of damaging fertility or the unborn child

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical

Cesium chloride

Substances/EU List of Notified Chemical Substances	DSL/NDSL - Canadian Domestic Substances List/Non-Domestic
PICCS Philippings Inventory of Chamicals and Chamical Substances	ENCS Japanese Existing and New Chemical Substances
FICES - Frinippines inventory of Chemicals and Chemical Substances	Alos Australian Inventory of Chamical Substances
KECL Kereen Existing and Evoluated Chemical Substances	NZICC New Zeeland Inventory of Chemical Substances
RECL - Rolean Existing and Evaluated Chemical Substances	NZIOC - New Zealand Inventory of Chemicals
WEL - Workplace Exposure Limit	TWA - Time Weighted Average
ACGIH - American Conference of Governmental Industrial Hygienists	IARC - International Agency for Research on Cancer
DNEL - Derived No Effect Level	Predicted No Effect Concentration (PNEC)
BPE - Respiratory Protective Equipment	I D50 - Lethal Dose 50%
I C50 - Lethal Concentration 50%	EC50 - Effective Concentration 50%
NOEC - No Observed Effect Concentration	POW - Partition coefficient Octanol:Water
BRT Dereistent Bioaccumulative Toxic	VDVR vorv Porsistant vorv Bioaccumulativo
	VFVD - Very Fersistent, very bloaccumulative
ADR - European Agreement Concerning the International Carriage of	ICAO/IATA - International Civil Aviation Organization/International Air
Dangerous Goods by Road	Transport Association
IMO/IMDG - International Maritime Organization/International Maritime	MARPOL - International Convention for the Prevention of Pollution from
Dangerous Goods Code	Ships
OECD - Organisation for Economic Co-operation and Development	ATE - Acute Toxicity Estimate
BCF - Bioconcentration factor	VOC (volatile organic compound)
Key literature references and sources for data	
https://echa.europa.eu/information_on_chemicals	
nups.//echa.eu/opa.eu/inionnau/011-011-011ethildais	

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Prepared By	Health, Safety and Environmental Department
Creation Date	23-Nov-2010
Revision Date	18-Jan-2021
Revision Summary	SDS authoring systems update, replaces ChemGes SDS No. 7647-17-8/1

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



Creation Date 29-Oct-2010

Revision Date 24-Dec-2021

Revision Number 4

1. Identification

Product Name

Cesium iodide

Cat No. :AC192820000; AC192820010; AC192820100; AC192820500CAS No7789-17-5SynonymsTricesium Triiodide.; Dicesium Diiodide; Cesium MonoiodidePacemmanded UseLaboratory chemicals

Recommended Use Uses advised against

Laboratory chemicals. Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

<u>Company</u>

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100 Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Skin Sensitization Reproductive Toxicity Specific target organ toxicity (single exposure) Target Organs - Respiratory system. Category 2 Category 2 Category 1 Category 2 Category 3

Label Elements

Signal Word Warning

Hazard Statements

Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction May cause respiratory irritation Suspected of damaging fertility or the unborn child



Precautionary Statements Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Response

IF exposed or concerned: Get medical attention/advice

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash before reuse

If skin irritation or rash occurs: Get medical advice/attention

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life

3. Composition/Information on Ingredients

	Component	CAS No	Weight %	
(Cesium iodide	7789-17-5	>95	
	4.	First-aid measures		
General Advice	If symptoms persist, call a physician.			
Eye Contact	Rinse immed medical atten	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.		
Skin Contact	Wash off imm	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention.		
Inhalation	Remove to fr	Remove to fresh air. Get medical attention. If not breathing, give artificial respiration.		

Ingestion

Do NOT induce vomiting. Get medical attention.

Most important symptoms and effects Notes to Physician None reasonably foreseeable.

Treat symptomatically

5. Fire-fighting measures

Unsuitable Extinguishing Media	No information available

Flash Point Method -	No information available No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Halogenated compounds.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Health 2	Flammability 1	Instability 1	Physical hazards N/A
	6. Accidental re	lease measures	
Personal Precautions	Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.		
Environmental Precautions	Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.		
Methods for Containment and C Up	lean Sweep up and shovel into containers for disposal.	suitable containers for disposa	al. Keep in suitable, closed
	7. Handling	and storage	
Handling	Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation. Avoid dust formation. Do not get in eyes, on skin, or on clothing.		
Storage.	Keep containers tightly clo Materials. Strong oxidizing	sed in a dry, cool and well-ven g agents.	tilated place. Incompatible

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Cesium iodide	TWA: 0.01 ppm			

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists

Engineering Measures	Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

.	
Physical State	Solid
Appearance	White
Odor	No information available
Odor Threshold	No information available
pH	6-8 @ 20°C 10 % ag. solution
Melting Point/Range	626 °C / 1158.8 °F
Boiling Point/Range	1280 °C / 2336 °F @ 760 mmHg
Flash Point	No information available
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	Not applicable
Specific Gravity	No information available
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	Not applicable
Molecular Formula	CsI
Molecular Weight	259.8

10. Stability and reactivity

Reactive Hazard	None known, based on information available	
Stability	Stable under normal conditions. Hygroscopic.	
Conditions to Avoid	Incompatible products. Excess heat. Avoid dust formation. Exposure to moist air or water.	
Incompatible Materials	Strong oxidizing agents	
Hazardous Decomposition Products Halogenated compounds		
Hazardous Polymerization	Hazardous polymerization does not occur.	

Hazardous Reactions		None under normal processing.					
		11. Toxico	ological info	ormation			
Acute Toxicity							
Product Information	on	No acute toxicity in	formation is availa	able for this product	t		
Component informati		LD50 Oral		I D50 Dormal	1.050	Inhalation	
Cesium iodide		1400 mg/kg (Rat)	>2	2000 g/kg (Rat)	LC30	ot listed	
		2386 mg/kg (Rat)					
Toxicologically Syner Products	gistic	No information ava	ilable				
Delayed and immedia	te effects as w	ell as chronic effe	cts from short an	id long-term expos	<u>sure</u>		
Irritation		Irritating to eyes, re	espiratory system	and skin			
Sensitization		No information ava	ailable				
Carcinogenicity		The table below indicates whether each agency has listed any ingredient as a carcinogen.					
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico	
Cesium iodide	7789-17-5	Not listed	Not listed	Not listed	Not listed	Not listed	
Mutagenic Effects		No information ava	ailable				
Reproductive Effects		Experiments have	shown reproductiv	ve toxicity effects or	n laboratory anima	als.	
Developmental Effect	S	No information available.					
Teratogenicity		No information available.					
STOT - single exposure STOT - repeated exposure		Respiratory system None known					
Aspiration hazard		No information available					
Symptoms / effects,both acute and delayed		No information available					
Endocrine Disruptor Information		No information available					
Other Adverse Effects		The toxicological properties have not been fully investigated.					

12. Ecological information

Ecotoxicity Very toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea		
Cesium iodide	Not listed	LC50 >100 mg/L 96h	Not listed	EC50 = 0.51 mg/L 48 h		
Persistence and Degrada	ability Soluble in w	ater Persistence is unlikely	based on information avai	lable.		
Bioaccumulation/Accun	nulation No informati	on available.				
Mobility Will likely b		be mobile in the environment due to its water solubility.				
	13. D	isposal considera	ations			
Waste Disposal Methods Chemical was hazardous was national haza		aste generators must deterr /aste. Chemical waste gen ardous waste regulations to	mine whether a discarded erators must also consult l o ensure complete and acc	chemical is classified as a ocal, regional, and curate classification.		

	14. Transport information
DOT	
UN-No	UN3077
Proper Shipping Name	Environmentally hazardous substances, solid, n.o.s.
Technical Name	Cesium iodide
Hazard Class	9
Packing Group	III
TDG	
UN-No	UN3077
Proper Shipping Name	Environmentally hazardous substances, solid, n.o.s.
Hazard Class	9
Packing Group	III
ΙΑΤΑ	
UN-No	UN3077
Proper Shipping Name	Environmentally hazardous substances, solid, n.o.s.
Hazard Class	9
Packing Group	III
IMDG/IMO	
UN-No	UN3077
Proper Shipping Name	Environmentally hazardous substances, solid, n.o.s.
Hazard Class	9
Packing Group	
	15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Cesium iodide	7789-17-5	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Cesium iodide	7789-17-5	-	Х	232-145-2	-	Х	Х	Х	Х	KE-05442

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable

CERCLA	Not applicable			
California Proposition 65	This product does not contain any Proposition 65 chemicals.			
U.S. State Right-to-Know Regulations	Not applicable			
U.S. Department of Transportation Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N			
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.			
Other International Regulations				
Mexico - Grade	No information available			
Authorisation/Restrictions according to EU REACH				

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Cesium iodide	7789-17-5	Not applicable	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Cesium iodide	7789-17-5	Not applicable	Not applicable	Not applicable	Not applicable

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date Revision Date Print Date	29-Oct-2010 24-Dec-2021 24-Dec-2021
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS



Version 6.4 Revision Date 10/19/2022 Print Date 01/14/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	[:] Chlorobenzene
Product Number	: 270644
Brand	: SIGALD
Index-No.	: 602-033-00-1
CAS-No.	: 108-90-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	: Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone	: +1 314 771-5765
Fax	: +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703-
		527-3887 CHEMTREC (International) 24
		Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226 Acute toxicity, Inhalation (Category 4), H332 Skin irritation (Category 2), H315 Short-term (acute) aquatic hazard (Category 2), H401 Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Warning

Signal Word SIGALD - 270644





Page 1 of 11

Hazard statement(s)	
H226	Flammable liquid and vapor.
H315	Causes skin irritation.
H332	Harmful if inhaled.
H411	Toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing mist or vapors.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell
P332 + P313	If skin irritation occurs: Get medical advice/ attention
P362	Take off contaminated clothing and wash before reuse
P370 + P378	In case of fire: Use dry sand dry chemical or alcohol-resistant
	foam to extinguish.
P391	Collect spillage.
P403 + P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/ container to an approved waste disposal
	plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula	:	C ₆ H₅Cl
Molecular weight	:	112.56 g/moi
CAS-No.	:	108-90-7
EC-No.	:	203-628-5
Index-No.	:	602-033-00-1

Component	Classification	Concentration
chlorobenzene		
	Flam. Liq. 3; Acute Tox. 4; Skin Irrit. 2; Aquatic Acute 2; Aquatic Chronic 2; H226, H332, H315, H401, H411	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SIGALD - 270644

Page 2 of 11



SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration. Oxygen if necessary. Immediately call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Hydrogen chloride gas Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SIGALD - 270644

Page 3 of 11



SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains. Risk of explosion.
- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
- **6.4** Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
chlorobenzene	108-90-7	TWA	10 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Confirmed	animal carcinoge	en with unknown relevance to

SIGALD - 270644

Page 4 of 11



humans		
TWA	75 ppm 350 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
PEL	10 ppm 46 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
chlorobenzene	108-90-7	4- Chlorocatec hol	100mg/g Creatinin e	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift a	at end of w	orkweek	
		p- Chlorophen ol	20mg/g Creatinin e	Urine	ACGIH - Biological Exposure Indices (BEI)
		End of shift a	at end of w	orkweek	

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Viton® Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 10 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

SIGALD - 270644

Page 5 of 11





Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	a)	Appearance	Form: liquid Color: colorless
	b)	Odor	weak
	c)	Odor Threshold	No data available
	d)	рН	No data available
	e)	Melting point/freezing point	Melting point/range: -45 °C (-49 °F) - lit.
	f)	Initial boiling point and boiling range	132 °C 270 °F - lit.
	g)	Flash point	27 °C (81 °F) - DIN 51755 Part 1
	h)	Evaporation rate	No data available
	i)	Flammability (solid, gas)	No data available
	j)	Upper/lower flammability or explosive limits	Upper explosion limit: 11 %(V) Lower explosion limit: 1.3 %(V)
	k)	Vapor pressure	12.05 hPa at 20 °C (68 °F) - OECD Test Guideline 104
	I)	Vapor density	No data available
	m)	Density	1.106 g/cm3 at 25 °C (77 °F) - lit.
		Relative density	No data available
	n)	Water solubility	0.207 g/l at 20 °C (68 °F)
	o)	Partition coefficient: n-octanol/water	log Pow: 2.84 at 20 °C (68 °F) - $$ - Bioaccumulation is not expected., (ECHA)
	p)	Autoignition temperature	No data available
	q)	Decomposition temperature	No data available
	r)	Viscosity	No data available
	s)	Explosive properties	No data available
	t)	Oxidizing properties	none
SIGAL	D - 27	70644	

Page 6 of 11



SECTION 10: Stability and reactivity

10.1 Reactivity

Vapor/air-mixtures are explosive at intense warming.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Exothermic reaction with: Alkali metals Alkaline earth metals Oxidizing agents dimethyl sulfoxide Nitric acid Risk of explosion with: sodium in finely distributed form. with sodium

10.4 Conditions to avoid

Heating.

- **10.5 Incompatible materials** rubber
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - male - 4 h - 15.57 mg/l - vapor

(OECD Test Guideline 403) Dermal: No data available

Skin corrosion/irritation Skin - Rabbit Result: Skin irritation - 4 h

(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation

SIGALD - 270644

Page 7 of 11



(OECD Test Guideline 405)

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse Result: negative (OECD Test Guideline 429)

Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Mutagenicity (mammal cell test): Test system: Chinese hamster lung cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

RTECS: CZ0175000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Systemic effects:

CNS disorders tachycardia drop in blood pressure agitation, spasms ataxia (impaired locomotor coordination) narcosis

SIGALD - 270644

Page 8 of 11



Headache

Damage to:

Liver Kidney

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

	Toxicity to fish	static test LC50 - Lepomis macrochirus (Bluegill sunfish) - 4.5 mg/l - 96 h Remarks: (ECHA)
	Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 26 mg/l - 48 h (OECD Test Guideline 202)
	Toxicity to algae	static test EC10 - Desmodesmus subspicatus (green algae) - 5.8 mg/l - 72 h (OECD Test Guideline 201)
		static test ErC50 - Desmodesmus subspicatus (green algae) - 11.4 mg/l - 72 h (OECD Test Guideline 201)
	Toxicity to bacteria	static test EC50 - activated sludge - 140 mg/l - 30 min (OECD Test Guideline 209)
	Toxicity to fish(Chronic toxicity)	semi-static test NOEC - Danio rerio (zebra fish) - 4.8 mg/l - 28 d (OECD Test Guideline 210)
	Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	flow-through test NOEC - Daphnia magna (Water flea) - 0.72 mg/l - 21 d (OECD Test Guideline 211)
12.2	Persistence and deg Biodegradability	radability aerobic - Exposure time 28 d Result: 15 % - Not readily biodegradable. (OECD Test Guideline 301F) aerobic - Exposure time 28 d Result: 0 % - Not readily biodegradable. (OECD Test Guideline 301C)
	Theoretical oxygen demand	2,060 mg/g Remarks: (Lit.)
	Ratio BOD/ThBOD	1.5 %

Remarks: (Lit.)

12.3 Bioaccumulative potential

SIGALD - 270644

Page 9 of 11



(OECD Test Guideline 305C)

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties No data available

12.7 Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information DOT (US) UN number: 1134 Class: 3 Packing group: III Proper shipping name: Chlorobenzene Reportable Quantity (RQ): 100 lbs Reportable Quantity (RQ): 100 lbs Poison Inhalation Hazard: No IMDG UN number: 1134 Class: 3 Packing group: III EMS-No: F-E, S-D Proper shipping name: CHLOROBENZENE Marine pollutant : yes IATA

UN number: 1134 Class: 3 Proper shipping name: Chlorobenzene Packing group: III

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

SIGALD - 270644

Page 10 of 11



The following components are subject to reporting levels established by SARA Title III, Section 313:

chlorobenzene

CAS-No. Revision Date 108-90-7 2007-07-01

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

Reportable Quantity D021 lbs

Massachusetts Right To Know Components

:

No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.4

Revision Date: 10/19/2022

Print Date: 01/14/2023

SIGALD - 270644

Page 11 of 11





Version 6.4 Revision Date 03/18/2023 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	[:] Chloroform
Product Number	: C7559
Brand	: Sigma
Index-No.	: 602-006-00-4
CAS-No.	: 67-66-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	: Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone	: +1 314 771-5765
Fax	: +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703-
		527-3887 CHEMIREC (International) 24
		Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 3), H331 Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319 Carcinogenicity (Category 2), H351 Reproductive toxicity (Category 2), H361 Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336 Specific target organ toxicity - repeated exposure (Category 1), Liver, Kidney, H372 Short-term (acute) aquatic hazard (Category 3), H402 Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

Sigma - C7559

Page 1 of 11



2.2 GHS Label elements, including precautionary statements

Danger
Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. Toxic if inhaled. May cause drowsiness or dizziness. Suspected of causing cancer. Suspected of damaging fertility or the unborn child.
Causes damage to organs (Liver, Kidney) through prolonged or repeated exposure. Harmful to aquatic life with long lasting effects.
Obtain special instructions before use. Do not handle until all safety precautions have been read and
understood. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product
Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face
protection. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF exposed or concerned: Get medical advice/ attention. If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms

: Trichloromethane Methylidyne trichloride

Sigma - C7559

Page 2 of 11



Formula	:	CHCl ₃
Molecular weight	:	119.38 g/mol
CAS-No.	:	67-66-3
EC-No.	:	200-663-8
Index-No.	:	602-006-00-4

Component	Classification	Concentration
Chloroform		
	Acute Tox. 4; Acute Tox. 3; Skin Irrit. 2; Eye Irrit. 2A; Carc. 2; Repr. 2; STOT SE 3; STOT RE 1; Aquatic Acute 3; H302, H331, H315, H319, H351, H361, H336, H372, H402 Concentration limits: 20 %: STOT SE 3, H336;	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

Sigma - C7559

Page 3 of 11



SECTION 5: Firefighting measures

5.1 Extinguishing media

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture Carbon oxides Hydrogen chloride gas

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
- **6.4 Reference to other sections** For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class

Sigma - C7559

Page 4 of 11



Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Chloroform	67-66-3	TWA	10 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Confirmed humans	animal carcinoge	en with unknown relevance to
		ST	2 ppm 9.78 mg/m3	USA. NIOSH Recommended Exposure Limits
		Potential O	ccupational Carc	inogen
		С	50 ppm 240 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		PEL	2 ppm 9.78 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Splash contact Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Sigma - C7559

Page 5 of 11





data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	a)	Appearance	Form: liquid, clear Color: colorless
	b)	Odor	sweet
	c)	Odor Threshold	No data available
	d)	рН	No data available
	e)	Melting point/freezing point	Melting point/range: -63 °C (-81 °F)
	f)	Initial boiling point and boiling range	60.5 - 61.5 °C 140.9 - 142.7 °F
	g)	Flash point	() - Regulation (EC) No. 440/2008, Annex, A.9does not flash
	h)	Evaporation rate	No data available
	i)	Flammability (solid, gas)	No data available
	j)	Upper/lower flammability or explosive limits	No data available
	k)	Vapor pressure	210 hPa at 20 °C (68 °F)
	I)	Vapor density	4.12 - (Air = 1.0)
	m)	Density	1.492 g/mL at 25 °C (77 °F)
		Relative density	No data available
	n)	Water solubility	8.7 g/l at 23 °C (73 °F) - OECD Test Guideline 105
	o)	Partition coefficient: n-octanol/water	No data available
Sigma	- C75	559	

Page 6 of 11



p)	Autoignition temperature	No data available	

- q) Decomposition Distillable in an undecomposed state at normal pressure. temperature
- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties none

9.2 Other safety information

Solubility in other solvents	organic solvent at 20 °C (68 °F) - miscible
Relative vapor density	4.12 - (Air = 1.0)

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) . Contains the following stabilizer(s): 2-methyl-2-butene (>=0.001 - <=0.015 %)

- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** no information available
- **10.5 Incompatible materials** various plastics, RubberStrong oxidizing agents
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral - 908 mg/kg (Calculation method) LD50 Oral - Rat - male - 908 mg/kg (OECD Test Guideline 401) Acute toxicity estimate Inhalation - 4 h - 3.1 mg/l - vapor(Calculation method)

LC50 Inhalation - Rat - 6 h - 9.17 mg/l - vapor

Acute toxicity estimate Inhalation - Expert judgment - 4 h - 3.1 mg/l - vapor

Sigma - C7559

Page 7 of 11


Dermal: No data available No data available

Skin corrosion/irritation

Skin - Rabbit Result: Irritating to skin. - 24 h Remarks: (ECHA) Remarks: Drying-out effect resulting in rough and chapped skin. Skin - Rabbit Result: slight irritation Remarks: (IUCLID)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Irritating to eyes. Remarks: (ECHA) Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (Regulation (EC) No. 440/2008, Annex, B.6)

Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative Remarks: (ECHA) Test Type: unscheduled DNA synthesis assay Test system: Liver Metabolic activation: without metabolic activation Result: negative Remarks: (ECHA)

Test Type: Micronucleus test Species: Rat Cell type: Red blood cells (erythrocytes) Application Route: Oral Method: OECD Test Guideline 474 Result: negative

Test Type: unscheduled DNA synthesis assay Species: Rat Cell type: Liver cells Application Route: Oral Method: OECD Test Guideline 486 Result: negative

Test Type: in vivo assay Species: Mouse

Application Route: Inhalation

Result: negative Remarks: (ECHA)

Sigma - C7559

Page 8 of 11

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



Carcinogenicity

Suspected of causing cancer.

- IARC: 2B Group 2B: Possibly carcinogenic to humans (Chloroform)
- NTP: RAHC Reasonably anticipated to be a human carcinogen (Chloroform)
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

Suspected of damaging the unborn child.

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Oral - Causes damage to organs through prolonged or repeated exposure. - Liver, Kidney

Aspiration hazard

No data available

11.2 Additional Information

Repeated dose toxicity - Rat - female - Oral - NOAEL (No observed adverse effect level) - 34 mg/kg

RTECS: FS9100000

Vomiting, Cough, irritant effects, Shortness of breath, respiratory arrest, narcosis, Dizziness, Nausea, agitation, spasms, inebriation, Headache, Stomach/intestinal disorders, ataxia (impaired locomotor coordination), cardiovascular disorders Drying-out effect resulting in rough and chapped skin. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

	Toxicity to algae	static test ErC50 - Chlamydomonas reinhardtii (green algae) - 13.3 mg/l - 72 h Remarks: (ECHA) (Chloroform)
	Toxicity to bacteria	Remarks: (ECHA) (Chloroform)
	Toxicity to fish(Chronic toxicity)	flow-through test NOEC - Oryzias latipes - 0.15 mg/l - 9 Months Remarks: (ECHA)
	Toxicity to daphnia and other aquatic	semi-static test NOEC - Daphnia magna (Water flea) - 6.3 mg/l - 21 d
Sigma	- C7559	

Page 9 of 11

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



invertebrates(Chronic Remarks: (ECHA) toxicity)

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Endocrine disrupting properties** No data available
- 12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US) UN number: 1888 Class: 6.1 Proper shipping name: Chloroform Reportable Quantity (RQ): 10 lbs Reportable Quantity (RQ): 10 lbs Poison Inhalation Hazard: No	Packing group: III	
IMDG UN number: 1888 Class: 6.1 Proper shipping name: CHLOROFORM	Packing group: III	EMS-No: F-A, S-A
IATA UN number: 1888 Class: 6.1 Proper shipping name: Chloroform	Packing group: III	
SECTION 15: Regulatory information SARA 302 Components Chloroform	CAS-No.	Revision Date

ChloroformCAS-No.Revision Dat67-66-32008-11-03

Sigma - C7559

Page 10 of 11



The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada

SARA 313 Components The following components are subject to reporting lever Section 313:	els established by s	SARA Title III,			
Chloroform	CAS-No. 67-66-3	Revision Date 2008-11-03			
SARA 311/312 Hazards Acute Health Hazard, Chronic Health Hazard					
Reportable Quantity D022 lbs					
Massachusetts Right To Know Components		Devision Data			
Chloroform	CAS-NO. 67-66-3	2008-11-03			
Pennsylvania Right To Know Components	CAS-No	Pewision Date			
	67-66-3	2008-11-03			
California Prop. 65 Components		Povision Data			
cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.Chloroform	67-66-3	2011-09-01			

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.4

Revision Date: 03/18/2023

Print Date: 12/30/2023

Sigma - C7559

Page 11 of 11





Safety Data Sheet

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision date: 27.07.2020	Version: 6.4	Print date: 27.07.2020
SECTION 1: Identification		
Product identifier		
Trade name/designation:	Chloroform A	CS
Product No.:	BDH1109	
Synonymes:	none/none	
CAS No.:	67-66-3	
Other means of identification:		
Relevant identified uses of the s	ubstance or mixture and u	ses advised against
Recommended Use:	For Further Ma	nufacturing Use Only
Uses advised against:	Not for Human	or Animal Drug Use
Details of the supplier of the safe	ety data sheet	
Supplier		

VWR International LLC	
Street	100 Matsonford Road Radnor Corporate Center,
	Building One, Suite 200 P. O. Box 6660
Postal code/City	Radnor, PA 19087
Telephone	+1-800-932-5000 toll-free within US/Canada
	+1-610-386-1700
Telefax:	+1-610-728-2103





Emergency phone number

Telephone

+1-800-424-9300 (Chemtrec, 24 hrs/day, 7 days/week, USA)

Preparation Information

VWR International - Product Information Compliance

E-mail

sds@vwr.com

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200 (OSHA HCS)

Hazard classes and hazard categories	Hazard statements
Acute toxicity, category 3, inhalation	H331
Acute toxicity, category 4, oral	H302
Skin irritation, category 2	H315
Eye irritation, category 2	H319
Carcinogenicity, category 2	H351
Reproductive toxicity, category 2	H361
Specific target organ toxicity (repeated exposure), category 1	H372

2.2 Label elements

Labelling in accordance with 29 CFR 1910.1200 (OSHA HCS)

Hazard pictograms



Signal word: Danger

Hazard statements	
H331	Toxic if inhaled.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.





Precautionary	
statements	
P201	Obtain special instructions before use.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of water/
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
	Continue rinsing.
P308+P311	IF exposed or concerned: Call a POISON CENTER/doctor/

Hazards not otherwise classified (HNOC)

none/none

SECTION 3: Composition / information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

Hazardous ingredients Classification according to the OSHA Hazard Communication Standard 29 CFR 1910.1200

Substance name	Concentration	Identifier	Hazard classes and hazard categories
Chloroform	> 99%	CAS No.: 67-66-3	Acute Tox. 3 - H331
			Acute Tox. 4 - H302
			Skin Irrit. 2 - H315
			Eye Irrit. 2 - H319
			Carc. 2 - H351
			Repr. 2 - H361
			STOT RE 1 - H372
2-Methyl-2-butene	< 1%	CAS No.: 513-35-9	Flam. Liq. 2 - H225
			Acute Tox. 4 - H302
			Asp. Tox. 1 - H304

SECTION 4: First aid measures

4.1 General information

IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician. If unconscious but breathing normally, place in recovery position and seek medical advice. Never give anything by mouth to an unconscious person or a person with cramps. Change contaminated, saturated clothing. Do not leave affected person unattended.

In case of inhalation

Call a POISON CENTER/doctor. Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately. In case of skin reactions, consult a physician.





After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye. Remove contact lenses, if present and easy to do. Continue rinsing.

In case of ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting. Give nothing to eat or drink.

Self-protection of the first aider

First aider: Pay attention to self-protection!

4.2 Most important symptoms/effects, acute and delayed

no data available

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Fire fighting measures

5.1 Extinguishing media

Suitable extinguishing media The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

Extinguishing media which must not be used for safety reasons no restriction

5.2 Specific hazards arising from the chemical

In case of fire may be liberated: Pyrolysis products, toxic

5.3 Advice for firefighters

DO NOT fight fire when fire reaches explosives. Protective equipment and precautions for firefighters Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Do not allow run-off from fire-fighting to enter drains or water courses. Do not inhale explosion and combustion gases. Use water spray/stream to protect personnel and to cool endangered containers. In case of fire: Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

In case of major fire and large quantities: Remove persons to safety.

6.2 Environmental precautions

Discharge into the environment must be avoided.





6.3 Methods and material for containment and cleaning up

Spilled product must never be returned to the original container for recycling. Collect in closed and suitable containers for disposal.

6.4 Additional information

Clear spills immediately.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

All work processes must always be designed so that the following is as low as possible:

Inhalation

skin contact

Eye contact

Use extractor hood (laboratory).

If handled uncovered, arrangements with local exhaust ventilation have to be used.

If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

7.2 Conditions for safe storage, including any incompatibilities

Recommended storage temperature: no data available

Keep container tightly closed and in a well-ventilated place. Keep/Store only in original container.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredient (Designation)	Regulatory information	Country	Limit value type (country of origin)	Limit value
Chloroform	NIOSH	US	STV	9,78 mg/m³ (1) - 2 ppm (1)
Chloroform	OSHA	US	STV	240 mg/m ³ - 50 ppm

8.2 Engineering controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment. If handled uncovered, arrangements with local exhaust ventilation have to be used.

Personal protection equipment (PPE)

Wear suitable protective clothing. When handling with chemical substances, protective clothing must be worn.

Eye/face protection

Eye glasses with side protection

Skin protection

Wear suitable gloves. When handling with chemical substances, protective gloves must be worn. In the case of wanting to use the gloves again, clean them before taking off and air them well. Check leak tightness/impermeability prior to use.





By short-term hand contact Suitable material: Thickness of the glove material: Breakthrough time::

<u>By long-term hand contact</u> Suitable material: Thickness of the glove material: Breakthrough time:: Butyl caoutchouc (butyl rubber)/FKM (fluoro rubber) 0,70 mm 120-240 min

PVA (Polyvinyl alcohol)

> 480 min

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn.

Additional information

Wash hands before breaks and after work. Avoid contact with eyes and skin. When using do not eat, drink or smoke. Provide eye shower and label its location conspicuously.

Environmental exposure controls no data available





SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

(a) Appearance	
Physical state:	liquid
Color:	colorless
(b) Odour:	ether-like
(c) Odour threshold:	85-307 ppm

Safety relevant basic data

(d) pH:	no data available
(e) Melting point/freezing point:	-63 °C
(f) Initial boiling point and boiling range:	60.5-61.5 °C
(g) Flash point:	no data available
(h) Evaporation rate:	no data available
(i) Flammability (solid, gas):	not applicable
(j) Flammability or explosive limits	
Lower explosion limit:	no data available
Upper explosion limit:	no data available
(k) Vapour pressure:	160 mmHg (20 °C)
(I) Vapour density:	4.12
(m) Relative density:	1.492 g/cm ³ (20 °C)
(n) Solubility(ies)	
Water solubility (g/L):	no data available
Soluble (g/L) in Ethanol:	no data available
(o) Partition coefficient: n-octanol/water:	no data available
(p) Auto-ignition temperature:	no data available
(q) Decomposition temperature:	no data available
(r) Viscosity	
Kinematic viscosity:	no data available
Dynamic viscosity:	0.58 mPa*s (20 °C)
(s) Explosive properties:	not applicable
(t) Oxidising properties:	not applicable

9.2 Other information

Bulk density:	no data available
Refraction index:	no data available
Dissociation constant:	no data available
Surface tension:	no data available
Henry's Law Constant:	no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available





10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

no data available

10.6 Hazardous decomposition products

no data available

10.7 Additional information

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute effects

Acute oral toxicity: Chloroform - LD50: > 695 mg/kg - Rat - (RTECS)

Chloroform - LDLo: > 2514 mg/kg - Human - (RTECS)

2-Methyl-2-butene - LD50: < 200 mg/kg - Rat - (Merck KGaA)

Acute dermal toxicity: Chloroform - LD50: > 20 g/kg - Rabbit - (National Library of Medicine ChemID Plus (NLM CIP))

2-Methyl-2-butene - LD50: < 2000 mg/kg - Rat - (IUCLID)

Acute inhalation toxicity: Chloroform - LC50: 47702 mg/m3 - Rat - (National Library of Medicine ChemID Plus (NLM CIP))

2-Methyl-2-butene - LC50: > 61000 ppm - Rat - (IUCLID)

Irritant and corrosive effects *Primary irritation to the skin:*

Causes skin irritation.

Irritation to eyes: Causes serious eye irritation.

Irritation to respiratory tract: not applicable





Respiratory or skin sensitization

In case of skin contact: not sensitising In case of inhalation: not sensitising

STOT-single exposure

not applicable

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

no data available	ACGIH	IARC	NTP	OSHA

Germ cell mutagenicity

No indications of human germ cell mutagenicity exist.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

Aspiration hazard

not applicable

Other adverse effects

no data available

Additional information

no data available

SECTION 12: Ecological information

12.1 Ecotoxicity

Fish toxicity:

Chloroform - LC50: 28 mg/l (96 h) - Pearson, C.R., and G. McConnell 1975. Chlorinated C1 and C2 Hydrocarbons in the Marine Environment. Proc.R.Soc.Lond.B Biol.Sci. 189:305-332

Daphnia toxicity:

Chloroform - LC50: 66.8 mg/l (48 h) - Gersich, F.M., F.A. Blanchard, S.L. Applegath, and C.N. Park 1986. The Precision of Daphnid (Daphnia magna Straus, 1820) Static Acute Toxicity Tests. Arch.Environ.Contam.Toxicol. 15(6):741-749

Algae toxicity:

no data available





Bacteria toxicity: no data available

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water: no data available

12.4 Mobility in soil:

no data available

12.5 Results of PBT/vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Appropriate disposal / Product

Dispose according to legislation. Consult the appropriate local waste disposal expert about waste disposal.

Waste code product: no data available

Appropriate disposal / Package

Dispose according to legislation. Handle contaminated packages in the same way as the substance itself.

Additional information

no data available

SECTION 14: Transport information

Land transport (DOT)

UN-No.:	UN1888
Proper Shipping Name:	CHLOROFORM
Class(es):	6.1
Hazard label(s):	6.1
Packing group:	Ш
Environmental hazards:	No
Marine pollutant:	No
Special precautions for user:	

Sea transport (IMDG)

UN-No.:





Proper Shipping Name:	CHLOROFORM
Class(es):	6.1
Classification code:	
Hazard label(s):	6.1
Packing group:	111
Environmental hazards:	No
Marine pollutant:	No
Special precautions for user:	
Segregation group:	10
EmS-No.	F-A S-A
Transport in bulk according to Annex II of MARPOL 73/7 not relevant	78 and the IBC Code

Air transport (ICAO-TI / IATA-DGR)

UN-No.:	1888
Proper Shipping Name:	CHLOROFORM
Class(es):	6.1
Classification code:	
Hazard label(s):	6.1
Packing group:	III
Special precautions for user:	

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA 313 Components

- Chloroform - CAS No.: 67-66-3

Massachusetts Right To Know Components

- Chloroform CAS No.: 67-66-3
- 2-Methyl-2-butene CAS No.: 513-35-9

Pennsylvania Right To Know Components

- Chloroform CAS No.: 67-66-3
- 2-Methyl-2-butene CAS No.: 513-35-9

New Jersey Right To Know Components

- Chloroform CAS No.: 67-66-3
- 2-Methyl-2-butene CAS No.: 513-35-9





California Prop. 65 Components

This product can expose you to chemicals including Chloroform which is known to the State of California to cause cancer and birth defects or other reproductive harm.

For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

Abbreviations and acronyms

- H225 Highly flammable liquid and vapor.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H351 Suspected of causing cancer.
- H361 Suspected of damaging fertility or the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.
- ACGIH American Conference of Governmental Industrial Hygiensts
- DOT Department of Transportation
- IARC International Agency for Research on Cancer
- IATA-DGR International Air Transport Association-Dangerous Goods Regulations
- ICAO-TI International Civil Aviation Organization-Technical Instructions
- IMDG International Maritime Code for Dangerous Goods
- LTV Long Term Value
- NIOSH National Institute for Occupational Safety and Health
- NTP National Toxicology Program
- OSHA Occupational Safety & Health Administration
- PBT Persistent, Bioaccumulative and Toxic
- PEL Permissible Exposure Limit
- STV Short Term Value
- SVHC Substances of Very High Concern
- TDG Transport of Dangerous Goods
- TLV Threshold Limit Value
- vPvB very Persistent, very Bioaccumulative

Training advice: Provide adequate information, instruction and training for operators.





Hazard statementsHazard classes and hazard categoriesClassification procedureH331Acute Tox. 3Calculation method.H302Acute Tox. 4Calculation method.H315Skin Irrit. 2Calculation method.H319Eye Irrit. 2Calculation method.

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure

Additional information

H351

H361

H372

Indication of changes

general update

Carc. 2

Repr. 2

STOT RE 1

If you need an explanation of the change, contact the supplier. (SDS@avantorsciences.com)

Calculation method.

Calculation method.

Calculation method.

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guidance. The information in this document is based on the present state knowledge and is applicable to the product with regard to appropriate safty precautions. It does not represent any guarantee of the properties of the product. VWR International and his Affiliates shall not be held liable for any damage resulting from handling.





Creation Date 09-Oct-2003

Revision Date 24-Dec-2021

Revision Number 5

1. Identification

Product Name

AC192130000; AC192130050; AC192131000; AC192135000

CAS No Synonyms

Cat No. :

21679-31-2 Chromium(III) 2,4-pentanedionate

Recommended Use Uses advised against

Laboratory chemicals. Food, drug, pesticide or biocidal product use.

Chromium(III) acetylacetonate

Details of the supplier of the safety data sheet

<u>Company</u>

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100 Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation

Category 2 Category 2

Label Elements

Signal Word Warning

Hazard Statements Causes skin irritation Causes serious eye irritation



Precautionary Statements Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component		CAS No	Weight %
Chromium acetylacetonate		21679-31-2	> 95
			
	4.	First-aid measures	
General Advice	If symptoms	If symptoms persist, call a physician.	
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.		
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.		
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.		
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.		
Most important symptoms and effects	. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting		
Notes to Physician	Treat symptomatically		
	5. Fi	re-fighting measures	

Suitable Extinguishing Media	Water spray. Carbon dioxide (CO 2). Dry chemical. Chemical foam.
Unsuitable Extinguishing Media	No information available
Flash Point Method -	No information available No information available

Autoignition Temperature	Not applicable
Explosion Limits	
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impac	t No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA			
Health 2	Flammability 1	Instability 0	Physical hazards N/A
	6. Accidental rel	lease measures	
Personal Precautions	Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.		
Environmental Precautions	Should not be released into the environment.		
Methods for Containment and C Up	lean Sweep up and shovel into s containers for disposal.	suitable containers for disposa	I. Keep in suitable, closed
	7. Handling a	and storage	
Handling	Wear personal protective e get in eyes, on skin, or on o	quipment/face protection. Ens clothing. Avoid ingestion and ir	ure adequate ventilation. Do not halation. Avoid dust formation.
Storage.	Keep container tightly closed in a dry and well-ventilated place. Incompatible Materials. Oxidizing agent.		

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Chromium acetylacetonate		(Vacated) TWA: 0.5 mg/m ³	IDLH: 25 mg/m ³	TWA: 0.5 mg/m ³
			TWA: 0.5 mg/m ³	

Legend

OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection

No protective equipment is needed under normal use conditions.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9.	Physical and chemical properties
Physical State	Powder Solid
Appearance	Purple
Odor	Odorless
Odor Threshold	No information available
рН	6 1 g/l aq. sol
Melting Point/Range	212 °C / 413.6 °F
Boiling Point/Range	340 °C / 644 °F @ 760 mmHg
Flash Point	No information available
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	Not applicable
Specific Gravity	No information available
Solubility	Soluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	Not applicable
Decomposition Temperature	> 213°C
Viscosity	Not applicable
Molecular Formula	C15 H21 Cr O6
Molecular Weight	349.32

10. Stability and reactivity

Reactive Hazard	None known, based on information available		
Stability	No information available.		
Conditions to Avoid	Incompatible products.		
Incompatible Materials	Oxidizing agent		
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)			
Hazardous Polymerization	No information available.		
Hazardous Reactions	No information available.		

11. Toxicological information

Acute Toxicity

No acute toxicity information is available for this product

Product Information Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Chromium acetylacetonate	LD50 = 3360 mg/kg (Rat)	Not listed	Not listed

Toxicologically Synergistic Products

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation

Irritating to eyes and skin

Sensitization

No information available

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico		
Chromium	21679-31-2	Not listed	Not listed	Not listed	Not listed	Not listed		
acetylacetonate			lahla					
Mutagenic Effects		No information ava	allable					
Reproductive Effect	S	No information ava	ailable.					
Developmental Effe	cts	No information ava	ailable.					
Teratogenicity		No information ava	ailable.					
STOT - single expos STOT - repeated exp	sure oosure	None known None known						
Aspiration hazard		No information ava	ailable					
Symptoms / effects delayed	,both acute and	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting						
Endocrine Disrupto	r Information	No information available						
Other Adverse Effect	cts	The toxicological properties have not been fully investigated.						
		12. Ecolo	ogical infor	mation				
Ecotoxicity Do not empty into dra	ains.							
Persistence and Degradability Soluble in			ersistence is unlike	ely based on inform	nation available.			
Bioaccumulation/ A	Bioaccumulation/ Accumulation No information available.							
Mobility		Will likely be mobil	e in the environme	ent due to its water	solubility.			

Component	log Pow
Chromium acetylacetonate	-4.24

13. Disposal considerations

Waste Disposal MethodsChemical waste generators must determine whether a discarded chemical is classified as a
hazardous waste. Chemical waste generators must also consult local, regional, and
national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information
DOT	Not regulated
TDG	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
	15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Chromium acetylacetonate	21679-31-2	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Chromium acetylacetonate	21679-31-2	-	Х	244-526-0	Х	Х	Х	Х	-	KE-06007

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

F

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Chromium acetylacetonate	21679-31-2	> 95	1.0

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Chromium acetylaceton	ate -	-	X	-

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors	
Chromium acetylacetonate	Х		-	

OSHA - Occupational Safety and Not applicable Health Administration

CERCLA

Not applicable

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Chromium	-	Х	Х	Х	Х
acetylacetonate					

U.S. Department of Transportation Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.
Other International Regulations	
Mexico - Grade	No information available

Authorisation/Restrictions according to EU REACH

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Chromium acetylacetonate	21679-31-2	Not applicable	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Chromium acetylacetonate	21679-31-2	Not applicable	Not applicable	Not applicable	Not applicable

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date Revision Date Print Date Revision Summary	09-Oct-2003 24-Dec-2021 24-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally
	Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS



Revision Date 04-Feb-2021

Revision Number 2

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Chromium(III) telluride		
40206		
12053-39-3		
Cr2 Te3		

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

1.3. Details of the supplier of the safety data sheet

Company	Alfa Aesar Avocado Research Chemicals, Ltd
	Shore Road
	Port of Heysham Industrial Park
	Heysham, Lancashire LA3 2XY
	United Kingdom
	Office Tel: +44 (0) 1524 850506
	Office Fax: +44 (0) 1524 850608
E-mail address	uktech@alfa.com
	www.alfa.com
	Product Safety Department
1.4. Emergency telephone number	
	Call Carachem 24 at

Call Carechem 24 at +44 (0) 1865 407333 (English only); +44 (0) 1235 239670 (Multi-language)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Chromium(III) telluride

Revision Date 04-Feb-2021

Category 4 (H302)

Category 4 (H332) Category 1 (H317)

Category 1A (H350)

Acute oral toxicity Acute Inhalation Toxicity - Dusts and Mists Skin Sensitization Carcinogenicity

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H317 - May cause an allergic skin reaction H350 - May cause cancer H302 + H332 - Harmful if swallowed or if inhaled

Precautionary Statements

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
P312 - Call a POISON CENTER or doctor/physician if you feel unwell
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
P280 - Wear protective gloves/protective clothing/eye protection/face protection

Additional EU labelling

Restricted to professional users

2.3. Other hazards

No information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Chromium telluride (Cr2Te3)	12053-39-3	EEC No. 235-003-8	<=100	Acute Tox. 4 (H302) Acute Tox. 4 (H332) Skin. Sens. 1 (H317) Carc. 1A (H350)

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice	If symptoms persist, call a physician.		
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.		
Skin Contact	If skin irritation persists, call a physician. Wash off immediately with plenty of water for at least 15 minutes.		
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.		
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.		
Self-Protection of the First Aider	No special precautions required.		
4.2. Most important symptoms and effects, both acute and delayed_			

May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Not combustible.

Extinguishing media which must not be used for safety reasons No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Tellurium oxide, Chromium oxide.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation. Avoid dust formation. Do not get in eyes, on skin, or on clothing.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK)	Class 6.1D
(Germany)	

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): UK - EH40/2005 Work Exposure Limits, Third edition. Published 2018.

Component	The United Kingdom	European Union	Ireland
Chromium telluride (Cr2Te3)	STEL: 0.3 mg/m ³ 15 min		
	TWA: 0.1 mg/m ³ 8 hr		

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

Chromium(III) telluride

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust MDHS 91 Metals and metalloids in workplace air by X-ray fluorescence spectrometry MDHS 99 Metals in air by ICP-AES

Protective gloves

Derived No Effect Level (DNEL) No information available

Route of exposure	Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
Oral				
Dermal				
Inhalation				

Predicted No Effect Concentration No information available. (PNEC)

8.2. Exposure controls

Engineering Measures

None under normal use conditions.

Personal protective equipment **Eve Protection**

Wear safety glasses with side shields (or goggles) (European standard - EN 166)

Hand Protection

Glove material Natural rubber Nitrile rubber Neoprene	Breakthrough time See manufacturers recommendations	Glove thickness -	EU standard EN 374	Glove comments (minimum requirement)	
PVC					
Skin and body prot	tection Long sle	eved clothing			

Skin and body protection

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection	No protective equipment is needed under normal use conditions.
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particle filter 2
Small scale/Laboratory use	Maintain adequate ventilation

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Solid	
Appearance Odor Odor Threshold Melting Point/Range Softening Point Boiling Point/Range Flammability (liquid) Flammability (solid,gas) Explosion Limits	Dark grey Odorless No data available No data available No data available No information available Not applicable No information available No data available	Solid
Flash Point	No information available	Method - No information available
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
pH Viacosity	No information available	Calid
VISCOSITY Water Calubility	Not applicable	Solid
Water Solubility	Insoluble in water	
Solubility in other solvents		
Vaner Pressure	No data availabla	
Vapor Pressure		@ 20 °C
Density / Specific Gravity	6.66 g/cm3	@ 20 °C
Bulk Density	No data avallable	0 - 1:-1
vapor Density		Solid
Particle characteristics	no data avaliable	

9.2. Other information

Molecular Formula	Cr2 Te3
Molecular Weight	486.79
Evaporation Rate	Not applicable - Solid

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity	None known, based on information available			
10.2. Chemical stability	Stable under normal conditions.			
10.3. Possibility of hazardous reactions				
Hazardous Polymerization Hazardous Reactions	No information available. None under normal processing.			
10.4. Conditions to avoid	Incompatible products. Excess heat.			
10.5. Incompatible materials	Oxidizing agent.			

10.6. Hazardous decomposition products

Tellurium oxide. Chromium oxide.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity; Oral Dermal Inhalation	Category 4 No data available Category 4
(b) skin corrosion/irritation;	No data available
(c) serious eye damage/irritation;	No data available
(d) respiratory or skin sensitization; Respiratory Skin	No data available Category 1 May cause sensitization by skin contact
(e) germ cell mutagenicity;	No data available
(f) carcinogenicity;	Category 1A There are no known carcinogenic chemicals in this product
(g) reproductive toxicity;	No data available
(h) STOT-single exposure;	No data available
(i) STOT-repeated exposure;	No data available
Target Organs	No information available.
(j) aspiration hazard;	Not applicable Solid
Symptoms / effects,both acute and delayed	Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.
11.2. Information on other hazards	
Endocrine Disrupting Properties	Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

<u>12.1. Toxicity</u>	
Ecotoxicity effects	May cause long-term adverse effects in the environment. Do not allow material to
	contaminate ground water system.

12.2. Persistence and degradability	Product contains heavy metals. Discharge into the environment must be avoided. Special pre-treatment is necessary
Persistence	Insoluble in water, May persist.
Degradability	Not relevant for inorganic substances.
Degradation in sewage treatment plant	Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.
12.3. Bioaccumulative potential	May have some potential to bioaccumulate; Product has a high potential to bioconcentrate
<u>12.4. Mobility in soil</u>	Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water solubility.
12.5. Results of PBT and vPvB assessment	No data available for assessment.
12.6. Endocrine disrupting	
Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors
12.7. Other adverse effects Persistent Organic Pollutant	This product does not contain any known or suspected substance
Ozone Depletion Potential	This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products	Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.	
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.	
European Waste Catalogue (EWC)	According to the European Waste Catalog, Waste Codes are not product specific, but application specific.	
Other Information	Do not empty into drains. Waste codes should be assigned by the user based on the application for which the product was used.	

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

Not regulated

14.1. UN number14.2. UN proper shipping name14.3. Transport hazard class(es)14.4. Packing group

<u>ADR</u>

Not regulated

14.1. UN number14.2. UN proper shipping name14.3. Transport hazard class(es)14.4. Packing group

IATA Not regulated

14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required

14.7. Maritime transport in bulk according to IMO instruments

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable, packaged goods

International Inventories

X = listed, Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), China (IECSC), Japan (ENCS), Australia (AICS), Korea (ECL).

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
Chromium telluride (Cr2Te3)	235-003-8	-		Х	-	Х	-	-	-	-	KE-0601
											4

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

National Regulations

WGK Classification

Water endangering class = 3 (self classification)

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment Take note of Dir 76/769/EEC relating to restrictions on the marketing and use of certain dangerous substances and preparations

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H332 - Harmful if inhaled

H302 - Harmful if swallowed

H317 - May cause an allergic skin reaction

H350 - May cause cancer

Legend

Chromium(III) telluride

CAS - Chemical Abstracts Service	TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
EINECS/ELINCS - European Inventory of Existing Commercial Chemica	DSL/NDSL - Canadian Domestic Substances List/Non-Domestic
Substances/EU List of Notified Chemical Substances	Substances List
PICCS - Philippines Inventory of Chemicals and Chemical Substances	ENCS - Japanese Existing and New Chemical Substances
IECSC - Chinese Inventory of Existing Chemical Substances	AICS - Australian Inventory of Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances	NZIOC - New Zealand Inventory of Chemicals
WEL - Workplace Exposure Limit	TWA - Time Weighted Average
ACGIH - American Conference of Governmental Industrial Hydienists	IARC - International Agency for Research on Cancer
DNEL - Derived No Effect Level	Predicted No Effect Concentration (PNEC)
RPE - Respiratory Protective Equipment	LD50 - Lethal Dose 50%
LC50 - Lethal Concentration 50%	EC50 - Effective Concentration 50%
NOEC - No Observed Effect Concentration	POW - Partition coefficient Octanol:Water
PBT - Persistent, Bioaccumulative, Toxic	vPvB - very Persistent, very Bioaccumulative
ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road	ICAO/IATA - International Civil Aviation Organization/International Air
IMO/IMDG - International Maritime Organization/International Maritime	MARPOL - International Convention for the Prevention of Pollution from
Dangerous Goods Code	Ships
OECD - Organisation for Economic Co-operation and Development	ATE - Acute Toxicity Estimate
BCF - Bioconcentration factor	VOC (volatile organic compound)
Key literature references and sources for data	
https://echa.europa.eu/information-on-chemicals	
Suppliers safety data sheet Chemadvisor - LOLL Merck index R	RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Prepared By	Health, Safety and Environmental Department
Revision Date	04-Feb-2021
Revision Summary	SDS authoring systems update, replaces ChemGes SDS No. 12053-39-3.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



Creation Date 22-Sep-2009

Revision Date 24-Dec-2021

Revision Number 5

1. Identification

Product Name

Cobalt(II) acetylacetonate

Cat No. :

AC210640000; AC210640500; AC210642500

CAS No Synonyms

14024-48-7 2,4-Pentanedione cobalt(I; Cobalt(II) 4-oxopent-2-en-2-olate; Cobaltous acetylacetonate

Recommended Use Uses advised against

Laboratory chemicals. Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

<u>Company</u>

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100 Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Category 4 Category 1 Category 1 Category 1 Category 2 Category 1B

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label Elements

Signal Word Danger

Hazard Statements

Harmful if swallowed May cause an allergic skin reaction Causes serious eye damage May cause allergy or asthma symptoms or breathing difficulties if inhaled Suspected of causing genetic defects May cause cancer



Precautionary Statements Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Avoid breathing dust/fume/gas/mist/vapors/spray

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Response

IF exposed or concerned: Get medical attention/advice

Inhalation

IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Storage

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant **Hazards not otherwise classified (HNOC)**

None identified

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Cobalt, bis(2,4-pentanedionato-O,O')-, (T-4)-	14024-48-7	>95

4. First-aid measures

General Advice

If symptoms persist, call a physician.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
Most important symptoms and effects	Causes severe eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing
Notes to Physician	Treat symptomatically
	5. Fire-fighting measures

Suitable Extinguishing Media	Water spray. Carbon dioxide (CO 2). Dry chemical. Chemical foam.
Unsuitable Extinguishing Media	No information available
Flash Point Method -	No information available No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impa	ct No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA				
Health 3	Flammability 0	Instability 1	Physical hazards N/A	
	6. Accidental rel	ease measures		
Personal Precautions	Ensure adequate ventilation formation.	Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.		
Environmental Precautions	Should not be released into	Should not be released into the environment.		
Methods for Containment and C Up	containers for disposal.	suitable containers for disposa	al. Keep in suitable, closed	
	7. Handling a	and storage		
Handling	Ensure adequate ventilation dust formation. Avoid inges	n. Wear personal protective en tion and inhalation. Do not ge	quipment/face protection. Avoid t in eyes, on skin, or on clothing.	

Storage.	Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Incompatible Materials. Halogens. Strong acids. Oxidizing agent.	
8. E	Exposure controls / personal protection	
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.	
Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.	
Personal Protective Equipment		
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.	
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.	
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.	
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.	

9. Physical and	d chemical properties
Physical State Appearance Odor Odor Threshold pH Melting Point/Range Boiling Point/Range Flash Point Evaporation Rate	Powder Solid Purple Odorless No information available No information available 165 - 170 °C / 329 - 338 °F No information available No information available Not applicable
Flammability (solid,gas) Flammability or explosive limits Upper Lower Vapor Pressure Vapor Density Specific Gravity Solubility Partition coefficient; n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula Molecular Weight	No data available No data available No information available Not applicable No information available 5 g/L water (20°C) No data available No information available > 160°C Not applicable C10 H14 Co O4 257.14

10. Stability and reactivity

Reactive Hazard

None known, based on information available

Stability

Moisture sensitive.

	11. Toxicological information
Hazardous Reactions	None under normal processing.
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Decomposition Products	Carbon monoxide (CO), Carbon dioxide (CO ₂)
Incompatible Materials	Halogens, Strong acids, Oxidizing agent
Conditions to Avoid	Incompatible products. Exposure to moist air or water.

Acute Toxicity

Product Information

Component Information			
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Cobalt, bis(2,4-pentanedionato-O,O')-, (T-4)-	670 mg/kg (Rat)	LD50 > 2000 mg/kg (Rat)	LC50 > 5.09 mg/L (Rat)4 h
Toxicologically Synergistic Products	No information available		
Delayed and immediate effects a	is well as chronic effects from	short and long-term exposur	<u>e</u>
Irritation	Risk of serious damage to	eyes	
Sensitization	May cause sensitization by	inhalation and skin contact	

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Cobalt,	14024-48-7	Not listed	Reasonably	Not listed	Not listed	Not listed
bis(2,4-pentanedionato			Anticipated			
-O,O')-, (T-4)-						

IARC (International Agency for Research on Cancer) NTP: (National Toxicity Program)

Group 2B - Possibly Carcinogenic to Humans NTP: (National Toxicity Program) Known - Known Carcinogen Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

.. .

	12. Ecological information
Other Adverse Effects	The toxicological properties have not been fully investigated.
Endocrine Disruptor Information	No information available
Symptoms / effects,both acute and delayed	Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing
Aspiration hazard	No information available
STOT - single exposure STOT - repeated exposure	None known None known
Teratogenicity	No information available.
Developmental Effects	No information available.
Reproductive Effects	No information available.
Mutagenic Effects	Possible risk of irreversible effects

Ecotoxicity Do not empty into drains.

Persistence and Degradability	Persistence is unlikely
Bioaccumulation/ Accumulation	No information available.
Mobility	. Will likely be mobile in the environment due to its water solubility

Component	log Pow
Cobalt, bis(2,4-pentanedionato-O,O')-, (T-4)-	-1.10

	13. Disposal considerations
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.
	14 Transport information

	14. Transport Information
DOT	Not regulated
TDG	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
	15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Cobalt,	14024-48-7	Х	ACTIVE	-
bis(2,4-pentanedionato-O,O')-,				
(T-4)-				

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Cobalt, bis(2,4-pentanedionato-O,O')-, (T-4)-	14024-48-7	-	X	237-855-6	X	X	X	X	X	2015-3-6605

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Cobalt, bis(2,4-pentanedionato-O,O')-, (T-4)-	14024-48-7	>95	0.1

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Cobalt, bis(2,4-pentanedionato-O,O')-,	Х		-
(T-4)-			

OSHA - Occupational Safety and Not applicable Health Administration

CERCLA

Not applicable

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Cobalt,	-	Х	Х	Х	-
bis(2,4-pentanedionato-O					
,O')-, (T-4)-					

U.S. Department of Transportation

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland This product does not contain any DHS chemicals. Security

Other International Regulations

Mexico - Grade

No information available

Authorisation/Restrictions according to EU REACH

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Cobalt, bis(2,4-pentanedionato-O,O')-, (T-4)-	14024-48-7	Not applicable	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Cobalt, bis(2,4-pentanedionato-O,O')-, (T-4)-	14024-48-7	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Prepared By

Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com

Creation Date	22-Sep-2009
Revision Date	24-Dec-2021
Print Date	24-Dec-2021
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text





Revision Date 24-Dec-2021

Revision Number 4

1. Identification

Product Name

Copper(II) acetylacetonate

Cat No. :	AC110650000; AC110650250; AC110651000; AC110655000
CAS No	13395-16-9
Synonyms	2,4-Pentanedione, metal derivative; Cupric acetylacetonate

Recommended Use Uses advised against

Laboratory chemicals. Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

<u>Company</u>

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100 Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Category 4 Category 4 Category 2 Category 2 Category 1B Category 3

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity
Acute dermal toxicity
Acute Inhalation Toxicity - Dusts and Mists
Skin Corrosion/Irritation
Serious Eye Damage/Eye Irritation
Reproductive Toxicity
Specific target organ toxicity (single exposure)
Target Organs - Respiratory system.
Combustible dust

Label Elements

Signal Word

Yes

Danger

Hazard Statements

May form combustible dust concentrations in air Causes skin irritation Causes serious eye irritation May cause respiratory irritation May damage fertility or the unborn child Harmful if swallowed, in contact with skin or if inhaled



Precautionary Statements Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wear eye/face protection

Response

IF exposed or concerned: Get medical attention/advice

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN: Wash with plenty of soap and water

Call a POISON CENTER or doctor/physician if you feel unwell

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Copper, bis(2,4-pentanedionato-O,O')-, (SP-4-1)-	13395-16-9	98

4. First-aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention.
Inhalation	Remove from exposure, lie down. Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.
Ingestion	Clean mouth with water. Get medical attention.
Most important symptoms and	No information available.
Notes to Physician	Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media	Water spray. Carbon dioxide (CO ₂). Dry chemical. Chemical foam.
Cantable Extinguishing meana	

Unsuitable Extinguishing Media	No information available

Flash Point	No information available
Method -	No information available

Autoignition Temperature 250 °C / 482 °F

Explosion Limits	
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical Fine dust dispersed in air may ignite.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Copper oxides.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u> Health 2	Flammability 1	Instability 0	Physical hazards N/A
	6. Accidental re	lease measures	
Personal Precautions Environmental Precautions	Ensure adequate ventilation See Section 12 for addition environment. Do not allow surface water or sanitary s	n. Use personal protective eq nal Ecological Information. Sho material to contaminate groun ewer system.	uipment as required. buld not be released into the id water system. Do not flush into
Methods for Containment and Up	Clean Avoid dust formation. Swe this chemical enter the env	ep up and shovel into suitable /ironment.	containers for disposal. Do not let
	7. Handling	and storage	
Handling	Avoid contact with skin and eyes. Do not breathe dust. Do not ingest. If swallowed ther seek immediate medical assistance.		o not ingest. If swallowed then

Storage.

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Incompatible Materials. Strong oxidizing agents.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Copper,	TWA: 1 mg/m ³		IDLH: 100 mg/m ³	
bis(2,4-pentanedionato-O,O'			TWA: 1 mg/m ³	
)-, (SP-4-1)-				

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash station and safety showers are close to the workstation location.	
Personal Protective Equipment		
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.	
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.	
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.	
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.	

9. Physical and chemical properties

Physical State	Powder Solid
Appearance	Blue
Odor	Slight
Odor Threshold	No information available
pH	No information available
Melting Point/Range	245 °C / 473 °F
Boiling Point/Range	160 °C / 320 °F @ 9.8 mmHg
Flash Point	No information available
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	0.13 hPa @ 163 °C
Vapor Density	Not applicable
Specific Gravity	No information available
Solubility	No information available
Partition coefficient; n-octanol/wate	r No data available
Autoignition Temperature	250 °C / 482 °F
Decomposition Temperature	245 °C
Viscosity	Not applicable
Molecular Formula	C10 H14 Cu O4
Molecular Weight	261.76

10. Stability and reactivity						
Reactive Hazard		None known, base	ed on information a	available		
Stability	lity Stable under normal conditions.					
Conditions to Avoid		Avoid dust formati	on. Incompatible p	oroducts.		
Incompatible Materia	ls	Strong oxidizing a	gents			
Hazardous Decompo	sition Products	Carbon monoxide	(CO), Carbon dio>	kide (CO2), Copper	oxides	
Hazardous Polymeria	zation	Hazardous polyme	erization does not	occur.		
Hazardous Reaction	S	None under norma	al processing.			
		11. Toxico	ological info	ormation		
Acute Toxicity						
Product Information Component Informat Toxicologically Syne Products Delayed and immedia	ion rgistic ate effects as w	No information ava	ailable ects from short ar	nd long-term expo	sure_	
Irritation		No information ava	ailable			
Sensitization		No information ava	ailable			
Carcinogenicity		The table below indicates whether each agency has listed any ingredient as a carcinogen.			as a carcinogen.	
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Copper, bis(2,4-pentanedionato -O,O')-, (SP-4-1)-	13395-16-9	Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects		No information ava	ailable			
Reproductive Effects	5	No information available.				
Developmental Effec	ts	No information ava	ailable.			
Teratogenicity	Feratogenicity No information available.					
STOT - single exposision STOT - repeated exp	single exposure Respiratory system repeated exposure None known					
Aspiration hazard	No information available					
Symptoms / effects, delayed	ymptoms / effects,both acute and No information available elayed					
Endocrine Disruptor	Endocrine Disruptor Information No information available					
Other Adverse Effect	ther Adverse Effects The toxicological properties have not been fully investigated. See actual entry in RTEC complete information.			entry in RTECS for		
		12. Ecol	ogical infor	mation		

Ecotoxicity

Do not empty into drains. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

	12 Dispessed considerations
Mobility	Is not likely mobile in the environment due its low water solubility.
Bioaccumulation/ Accumulation	No information available.
Persistence and Degradability	Insoluble in water May persist based on information available.

 Use Sector
 <thUse Sector</th>
 Use Sector
 Use Sect

	14. Transport information	
DOT	Not regulated	
TDG	Not regulated	
ΙΑΤΑ	Not regulated	
IMDG/IMO	Not regulated	
	15. Regulatory information	

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Copper, bis(2,4-pentanedionato-O,O')-, (SP-4-1)-	13395-16-9	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed '-' - Not Listed

NOT LISTOU

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Copper, bis(2,4-pentanedionato-O,O')-, (SP-4-1)-	13395-16-9	X	-	236-477-9	Х	Х	Х	Х	Х	KE-08946

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold Values %	
Copper, bis(2,4-pentanedionato-O,O')-, (SP-4-1)-	13395-16-9	98	1.0	

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants

Copper, bis(2,4-pentanedionato-O,O')-, (SP-4-1)-	-	-	Х	-
Clean Air Act	Not applicable			
OSHA - Occupational Safety and Health Administration	Not applicable			
CERCLA	Not applicable			

U.S. State Right-to-Know Regulations

California Proposition 65

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Copper,	-	Х	Х	-	-
bis(2,4-pentanedionato-O					
,O')-, (SP-4-1)-					

This product does not contain any Proposition 65 chemicals.

U.S. Department of Transportation Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.
Other International Regulations	

Mexico - Grade

No information available

Authorisation/Restrictions according to EU REACH

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Copper, bis(2,4-pentanedionato-O,O')-, (SP-4-1)-	13395-16-9	Not applicable	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Copper, bis(2,4-pentanedionato-O,O')-, (SP-4-1)-	13395-16-9	Not applicable	Not applicable	Not applicable	Annex I - Y22

Prepared By

16. Other information

Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com Revision Date Print Date Revision Summary 24-Dec-2021 24-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text





Version 6.7 Revision Date 08/16/2023 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	[:] Copper(II) chloride
Product Number Brand	: 751944 : Aldrich
CAS-No.	: 7447-39-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

```
Identified uses : Laboratory chemicals, Synthesis of substances
```

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	:	+1 314 771-5765 +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Dermal (Category 4), H312 Skin irritation (Category 2), H315 Serious eye damage (Category 1), H318 Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Aldrich - 751944

Page 1 of 11



Pictogram	
Signal Word	Danger
Hazard statement(s) H302 + H312 H315 H318 H400 H411	Harmful if swallowed or in contact with skin. Causes skin irritation. Causes serious eye damage. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Precautionary statement(s) P264 P270 P273 P280	Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P302 + P352 + P312	IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P332 + P313 P362 P391 P501	If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. Collect spillage. Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

			-		
3.1	Substances Synonyms	:	Cupric chloride		
	Molecular weight CAS-No. EC-No.	::	134.45 g/mol 7447-39-4 231-210-2		
	Component			Classification	Concentration
	copper(II) chloride				
				Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; Aquatic Acute 1; Aquatic Chronic 2; H302, H312, H315, H318, H400, H411 M-Factor - Aquatic Acute: 10 - Aquatic Chronic: 1	<= 100 %

Aldrich - 751944

Page 2 of 11



SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Hydrogen chloride gas Copper oxides Not combustible. Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Aldrich - 751944

Page 3 of 11



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

- 6.2 **Environmental precautions** Do not let product enter drains.
- 6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- 6.4 **Reference to other sections** For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Hygroscopic. Store under inert gas.

Storage class

Storage class (TRGS 510): 8A: Combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

Ingredients with workplace control parameters

Aldrich - 751944

Page 4 of 11



Component	CAS-No.	Value	Control parameters	Basis
copper(II) chloride	7447-39-4	TWA	1 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		TWA	1 mg/m3	USA. NIOSH Recommended Exposure Limits
		PEL	1 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact

Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter type P2 The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Aldrich - 751944

Page 5 of 11



required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: powder Color: brown
b)	Odor	odorless
c)	Odor Threshold	Not applicable
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 620 °C (1148 °F)
f)	Initial boiling point and boiling range	993 °C 1819 °F at 1013.250 hPa
g)	Flash point	()Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Density	3.386 g/cm3 at 20 °C (68 °F)
	Relative density	3.425 °C
n)	Water solubility	620 g/l at 20 °C (68 °F) - soluble
o)	Partition coefficient: n-octanol/water	Not applicable for inorganic substances
p)	Autoignition temperature	< 400 °C (< 752 °F) - Relative self-ignition temperature for solidsdoes not ignite
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	none

Aldrich - 751944

Page 6 of 11



SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with: Alkali metals Strong oxidizing agents Risk of explosion with: Acetylene Possible formation of: acetylidene

10.4 Conditions to avoid no information available

- **10.5 Incompatible materials** various metals
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 584 mg/kg Remarks: (RTECS) Symptoms: After swallowing: irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract. Inhalation: No data available LD50 Dermal - Rat - female - 1,224 mg/kg (OECD Test Guideline 402) Remarks: The value is given in analogy to the following substances: Copper (I)-chloride No data available

Skin corrosion/irritation Skin - Rabbit Result: Irritations

Result: Irritations Remarks: (ECHA) The value is given in analogy to the following substances: Copper (I)-chloride

Aldrich - 751944

Page 7 of 11



Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes serious eye damage. Remarks: (ECHA) The value is given in analogy to the following substances: Copper (I)-chloride

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: Not a skin sensitizer. (OECD Test Guideline 406) Remarks: The value is given in analogy to the following substances: Copper (I)-chloride

Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Remarks: The value is given in analogy to the following substances: Copper sulphate pentahydrate Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Oral Method: Regulation (EC) No. 440/2008, Annex, B.12 Result: negative Remarks: The value is given in analogy to the following substances: Copper sulphate pentahydrate

Test Type: unscheduled DNA synthesis assay Species: Rat Cell type: Liver cells Application Route: Oral Method: OECD Test Guideline 486 Result: negative Remarks: The value is given in analogy to the following substances: Copper sulphate pentahydrate

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aldrich - 751944

Page 8 of 11



Aspiration hazard

No data available

11.2 Additional Information

RTECS: GL7000000

Symptoms of systemic copper poisoning may include: capillary damage, headache, cold sweat, weak pulse, and kidney and liver damage, central nervous system excitation followed by depression, jaundice, convulsions, paralysis, and coma. Death may occur from shock or renal failure. Chronic copper poisoning is typified by hepatic cirrhosis, brain damage and demyelination, kidney defects, and copper deposition in the cornea as exemplified by humans with Wilson's disease. It has also been reported that copper poisoning has lead to hemolytic anemia and accelerates arteriosclerosis., Gastrointestinal disturbance, Lowered blood pressure, Depending on the intensity and duration of exposure, effects may vary from mild irritation to severe destruction of tissue., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Systemic effects:

After absorption:

Headache Diarrhea drop in blood pressure Fever

After uptake of large quantities:

CNS disorders haemolysis

Damage to:

Liver Kidney

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish

flow-through test LC50 - Oncorhynchus mykiss (rainbow trout) -0.0028 mg/l - 96 h Remarks: (ECOTOX Database)

Aldrich - 751944

Page 9 of 11



Toxicity to daphniastaand other aquatic48invertebratesRe

static test EC50 - Ceriodaphnia dubia (water flea) - 0.00557 mg/l - 48 h Remarks: (ECOTOX Database)

12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties No data available

12.7 Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

UN number: 2802 Class: 8 Packing group: III Proper shipping name: Copper chloride Reportable Quantity (RQ): 10 lbs Marine pollutant: yes Poison Inhalation Hazard: No

IMDG

UN number: 2802 Class: 8 Packing group: III EMS-No: F-A, S-B Proper shipping name: COPPER CHLORIDE Marine pollutant : yes Marine pollutant : yes

ΙΑΤΑ

UN number: 2802 Class: 8 Packing group: III Proper shipping name: Copper chloride

Aldrich - 751944

Page 10 of 11



SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

D.Revision Date1993-02-16
D.Revision Date19-41993-02-16

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact misbranding@sial.com. Version: 6.7 Revision Date: 08/16/2023 Print Date: 12/30/2023

Aldrich - 751944

Page 11 of 11







Creation Date 04-Oct-2010

Revision Date 18-Jan-2021

Revision Number 2

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description:	Copper foil		
Cat No. :	42974		
CAS-No	7440-50-8		
Molecular Formula	Cu		
Reach Registration Number	-		

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

1.3. Details of the supplier of the safety data sheet

Company	Alfa Aesar Avocado Research Chemicals, Ltd. Shore Road Port of Heysham Industrial Park Heysham, Lancashire LA3 2XY United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608
E-mail address	uktech@alfa.com www.alfa.com Product Safety Department
1.4. Emergency telephone number	Call Carechem 24 at +44 (0) 1865 407333 (English only); +44 (0) 1235 239670 (Multi-language)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Copper foil

Based on available data, the classification criteria are not met

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements

None required

2.3. Other hazards

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment

Toxic to terrestrial vertebrates Toxicity to Soil Dwelling Organisms

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Copper	7440-50-8	EEC No. 231-159-6	>95	-

Reach Registration Number

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

-

4.1. Description of first aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Self-Protection of the First Aider	No special precautions required.
4.2. Most important symptoms and	effects, both acute and delayed

None reasonably foreseeable.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Extinguishing media which must not be used for safety reasons No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Copper oxides.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Should not be released into the environment. Do not allow material to contaminate ground water system.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation. Avoid dust formation.

Hygiene Measures

Copper foil

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Store under an inert atmosphere.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) Class 13 (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Third edition. Published 2018. **IRE -** 2018 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

Component	The United Kingdom	European Union	Ireland
Copper	STEL: 0.6 mg/m ³ 15 min		TWA: 0.2 mg/m ³ 8 hr. Cu
	STEL: 2 mg/m ³ 15 min		fume
	TWA: 1 mg/m ³ 8 hr		TWA: 1 mg/m ³ 8 hr. Cu
	TWA: 0.2 mg/m ³ 8 hr		dusts and mists
	_		STEL: 2 mg/m ³ 15 min
			STEL: 0.6 mg/m ³ 15 min

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Derived No Effect Level (DNEL) No information available

Route of exposure	Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
Oral				
Dermal				
Inhalation				

Predicted No Effect Concentration No information available. (PNEC)

8.2. Exposure controls

Engineering Measures

None under normal use conditions.

Personal protective equipment

Copper foil

N 166)
-

Hand Protection

ction	Protectiv	/e gloves		
erial	Breakthrough time	Glove thickness	EU standard	Glove comments

Glove material Br Natural rubber Se Nitrile rubber re Neoprene PVC	reakthrough time ee manufacturers ecommendations	Glove thickness -	EU standard EN 374	Glove comments (minimum requirement)	
Skin and body protection	on Wear ap	propriate protective g	ploves and clothing to	prevent skin exposure	

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection	No protective equipment is needed under normal use conditions.
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particle filter 2
Small scale/Laboratory use	Maintain adequate ventilation
Environmental exposure controls	Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Solid	
Appearance	Brown	
Odor	Odorless	
Odor Threshold	No data available	
Melting Point/Range	1083 °C / 1981.4 °F	
Softening Point	No data available	
Boiling Point/Range	2595 °C / 4703 °F	@ 760 mmHg
Flammability (liquid)	Not applicable	Solid
Flammability (solid,gas)	No information available	
Explosion Limits	No data available	
Flash Point	No information available	Method - No information available
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
рН	Not applicable	
Viscosity	Not applicable	Solid
Water Solubility	Insoluble	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/wate	r)	
Vapor Pressure	No data available	
Density / Specific Gravity	No data available	
Bulk Density	No data available	
Vapor Density	Not applicable	Solid
Particle characteristics	No data available	

9.2. Other information

Molecular Formula	
Molecular Weight	
Evaporation Rate	

Cu 63.54 Not applicable - Solid

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Air sensitive.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous Reactions	Hazardous polymerization does not occur. None under normal processing.
10.4. Conditions to avoid	Incompatible products. Excess heat. Avoid dust formation. Exposure to air.
10.5. Incompatible materials	

Strong oxidizing agents. Acids.

10.6. Hazardous decomposition products

Copper oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information	No acute toxicity information is available for this product
(a) acute toxicity; Oral Dermal Inhalation	No data available No data available No data available
(b) skin corrosion/irritation;	No data available
(c) serious eye damage/irritation;	No data available
(d) respiratory or skin sensitization; Respiratory Skin	No data available No data available
(e) germ cell mutagenicity;	No data available
(f) carcinogenicity;	No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity;	No data available
(h) STOT-single exposure;	No data available
(i) STOT-repeated exposure;	No data available
Target Organs	No information available.
(j) aspiration hazard;	Not applicable Solid
Other Adverse Effects	The toxicological properties have not been fully investigated.
Symptoms / effects,both acute and delayed	No information available.

11.2. Information on other hazards

Endocrine	Disrupting	Properties
-----------	------------	-------------------

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity effects

Copper foil

Contains a substance which is:. Very toxic to aquatic organisms. The product contains following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Copper	LC50: = 1.25 mg/L, 96h static (Lepomis macrochirus) LC50: = 0.3 mg/L, 96h semi-static (Cyprinus carpio) LC50: = 0.8 mg/L, 96h static (Cyprinus carpio) LC50: = 0.112 mg/L, 96h flow-through (Poecilia reticulata) LC50: = 0.052 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: 0.0068 - 0.0156 mg/L, 96h (Pimephales promelas) LC50: < 0.3 mg/L, 96h static (Pimephales promelas) LC50: = 0.2 mg/L, 96h flow-through (Pimephales promelas)	EC50: = 0.03 mg/L, 48h Static (Daphnia magna)	EC50: 0.031 - 0.054 mg/L, 96h static (Pseudokirchneriella subcapitata) EC50: 0.0426 - 0.0535 mg/L, 72h static (Pseudokirchneriella subcapitata)

<u>12.2. Persistence and degradability</u> Product contains heavy metals. Discharge into the environment must be avoided. Special pre-treatment is necessary

Persistence Degradability Degradation in sewage treatment plant	Insoluble in water, May persist. Not relevant for inorganic substances. Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.
12.3. Bioaccumulative potential	May have some potential to bioaccumulate; Product has a high potential to bioconcentrate
<u>12.4. Mobility in soil</u>	Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water solubility.
12.5. Results of PBT and vPvB assessment	In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment.
<u>12.6. Endocrine disrupting</u> properties Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors
12.7. Other adverse effects Persistent Organic Pollutant Ozone Depletion Potential	This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Copper foil

Waste from Residues/Unused Products	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.
Contaminated Packaging	Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use empty containers.
European Waste Catalogue (EWC)	According to the European Waste Catalog, Waste Codes are not product specific, but application specific.
Other Information	Do not flush to sewer.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO	Not regulated
<u>14.1. UN number</u> 14.2. UN proper shipping name 14.3. Transport hazard class(es) 14.4. Packing group	
ADR	Not regulated
<u>14.1. UN number</u> 14.2. UN proper shipping name 14.3. Transport hazard class(es) 14.4. Packing group	
IATA	Not regulated
<u>14.1. UN number</u>	

Copper foil

14.2. UN proper shipping name 14.3. Transport hazard class(es)

14.4. Packing group	
14.5. Environmental hazards	No hazards identified
14.6. Special precautions for user	No special precautions required
14.7. Maritime transport in bulk according to IMO instruments	Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

X = listed, Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), China (IECSC), Japan (ENCS), Australia (AICS), Korea (ECL).

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
Copper	231-159-6	-		Х	Х	-	Х	Х	Х	Х	KE-0889
											6

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

National Regulations

WGK Classification

See table for values

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Copper	WGK2	Class III : 1 mg/m ³ (Massenkonzentration)

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

Legend CAS - Chemical Abstracts Service TSCA - United States Toxic Substances Control Act Section 8(b) Inventory EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List PICCS - Philippines Inventory of Chemicals and Chemical Substances ENCS - Japanese Existing and New Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances NZIOC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic	 TWA - Time Weighted Average IARC - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC) LD50 - Lethal Dose 50% EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative
ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code OECD - Organisation for Economic Co-operation and Development BCF - Bioconcentration factor Key literature references and sources for data https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, I	ICAO/IATA - International Civil Aviation Organization/International Air Transport Association MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC (volatile organic compound)

Training Advice

Copper foil

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Prepared ByHealth, Safety and Environmental DepartmentCreation Date04-Oct-2010Revision Date18-Jan-2021Revision SummarySDS authoring systems update, replaces ChemGes SDS No. 7440-50-8/3.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



Version 6.4 Revision Date 08/03/2023 Print Date 01/06/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Creatinine

:	C4255
:	Sigma-Aldrich
:	60-27-5
	:

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laborator	y chemicals, Synthesis of substances
-----------------------------	--------------------------------------

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	:	+1 314 771-5765 +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #

: 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2 GHS Label elements, including precautionary statements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms Sigma-Aldrich - C4255 : 2-Imino-1-methylimidazolidin-4-one

Page 1 of 9


2-Imino-N-methylhydantoin 2-Amino-1-methyl-2-imidazolin-4-one

Formula	:	$C_4H_7N_3O$
Molecular weight	:	113.12 g/mol
CAS-No.	:	60-27-5
EC-No.	:	200-466-7

No components need to be disclosed according to the applicable regulations.

SECTION 4: First aid measures

4.1 Description of first-aid measures

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

Sigma-Aldrich - C4255

Page 2 of 9



5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- **6.4** Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Tightly closed. Dry.

Storage class Storage class (TRGS 510): 13: Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

Sigma-Aldrich - C4255

Page 3 of 9



Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Respiratory protection

Recommended Filter type: Filter type P1 The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance

Form: powder Color: white

b) Odor odorless

Sigma-Aldrich - C4255

Page 4 of 9



c)	Odor Threshold	Not applicable
d)	рН	7.0 - 9.0 at 50 g/l at 20 °C (68 °F)
e)	Melting point/freezing point	Melting point/range: 295 °C (563 °F)
f)	Initial boiling point and boiling range	No data available
g)	Flash point	290 °C (554 °F) - c.c.
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	The product is not flammable Flammability (solids)
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Density	1.39 g/cm3 at 20.3 °C (68.5 °F) - OECD Test Guideline 109
	Relative density	1.3920.3 °C - OECD Test Guideline 109
n)	Water solubility	90 g/l at 20 °C (68 °F)
o)	Partition coefficient: n-octanol/water	log Pow: -1.76 - (Lit.), Bioaccumulation is not expected.
p)	Autoignition temperature	> 360 °C (> 680 °F)
q)	Decomposition temperature	305 °C (581 °F) -
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	none
Oth No	ner safety informatio data available	n

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Sigma-Aldrich - C4255

Page 5 of 9



10.3 Possibility of hazardous reactions

Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines!

- **10.4 Conditions to avoid** Strong heating.
- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral - 2,500 mg/kg (Calculation method) LD50 Oral - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 423) Inhalation: No data available Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitization

Buehler Test - Guinea pig Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Sigma-Aldrich - C4255

Page 6 of 9



Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Under given conditions, contact with nitrites or nitric acid can lead to the formation of nitrosamines, which have shown themselves to be carcinogenic in animal experiments.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - > 1,000 mg/l - 48 h (Directive 67/548/EEC, Annex V, C.2.)
Toxicity to algae	static test NOEC - Pseudokirchneriella subcapitata (green algae) - > 100 mg/l - 72 h (OECD Test Guideline 201)
	static test ErC50 - Pseudokirchneriella subcapitata (green algae) - > 100 mg/l - 72 h (OECD Test Guideline 201)

12.2 Persistence and degradability

Biodegradability

aerobic - Exposure time 28 d Result: 96.1 % - Readily biodegradable. (OECD Test Guideline 301E)

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

- **12.6 Endocrine disrupting properties** No data available
- **12.7 Other adverse effects**

No data available

Sigma-Aldrich - C4255

Page 7 of 9



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

ΙΑΤΑ

Not dangerous goods

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

No SARA Hazards

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of

Sigma-Aldrich - C4255

Page 8 of 9



the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact misbranding@sial.com.

Version: 6.4 Revision Date: 08/03/2023 Print Date: 01/06/2024

Sigma-Aldrich - C4255

Page 9 of 9





SAFETY DATA SHEET

Revision Date 06-Sep-2023

Revision Number 6

1. Identification

Product Name

Cumyl hydroperoxide

Cat No. : L06866

CAS No Synonyms

Recommended Use Uses advised against Cumene hydroperoxide Laboratory chemicals.

80-15-9

Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 **Email:** tech@alfa.com www.alfa.com

Emergency Telephone Number

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 3
Organic peroxides	Type E
Acute oral toxicity	Category 4
Acute dermal toxicity	Category 4
Acute Inhalation Toxicity - Vapors	Category 3
Skin Corrosion/Irritation	Category 1 B
Serious Eye Damage/Eye Irritation	Category 1
Carcinogenicity	Category 1B
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Respiratory system.	
Specific target organ toxicity - (repeated exposure)	Category 2
Target Organs - Lungs.	
Aspiration Toxicity	Category 1
· · · · · · · · · · · · · · · · · · ·	

Label Elements

Signal Word Danger

Hazard Statements

Flammable liquid and vapor Heating may cause a fire May be fatal if swallowed and enters airways Causes severe skin burns and eye damage May cause respiratory irritation Toxic if inhaled May cause cancer May cause damage to organs through prolonged or repeated exposure Harmful if swallowed or in contact with skin



Precautionary Statements Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Use only non-sparking tools Take precautionary measures against static discharge Keep/Store away from clothing/ other combustible materials Keep only in original container Keep cool Response Immediately call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Skin Wash contaminated clothing before reuse IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower **Eves** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion Do NOT induce vomiting Rinse mouth Fire In case of fire: Use CO2, dry chemical, or foam for extinction Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed Store at temperatures not exceeding 40 °C/ 104 °F. Keep cool Protect from sunlight Store away from other materials **Disposal** Dispose of contents/container to an approved waste disposal plant **Hazards not otherwise classified (HNOC)**

Toxic to aquatic life with long lasting effects

WARNING. Cancer - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Cumene hydroperoxide	80-15-9	80
Cumene	98-82-8	20

4. First-aid measures		
General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.	
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.	
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.	
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.	
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.	
Most important symptoms and effects	None reasonably foreseeable. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation	
Notes to Physician	Treat symptomatically	
5. Fire-fighting measures		
Suitable Extinguishing Media	Carbon dioxide (CO 2). Powder. Water spray. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. CO 2, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.	

Unsuitable Extinguishing MediaNo information availableFlash Point56 °C / 132.8 °FMethod -No information availableAutoignition TemperatureNo information availableExplosion LimitsNo data availableUpperNo data availableLowerNo data availableSensitivity to Mechanical ImpactNo information available

Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health 0	Flammability 0	Instability 0	Physical hazards -
	6. Accidental rel	lease measures	
Personal Precautions	Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.		
Environmental Precautions	Should not be released into	o the environment.	

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Up

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation. Avoid dust formation.
Storage.	Keep refrigerated. Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Incompatible Materials. Reducing Agent.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Cumene	TWA: 5 ppm	(Vacated) TWA: 50 ppm	IDLH: 900 ppm	TWA: 50 ppm
		(Vacated) TWA: 245 mg/m ³	TWA: 50 ppm	
		Skin	TWA: 245 mg/m ³	
		TWA: 50 ppm		
		TWA: 245 mg/m ³		

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	None under normal use conditions.	
Personal Protective Equipment		
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.	
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.	

Respiratory Protection

No protective equipment is needed under normal use conditions.

Recommended Filter type:

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State	Liquid
Appearance	No information available
Odor	No information available
Odor Threshold	No information available
рН	Not applicable
Melting Point/Range	-30 °C / -22 °F
Boiling Point/Range	250 - 102 °C / 482 - 215.6 °F @ 8mmHg
Flash Point	56 °C / 132.8 °F
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	No information available
Specific Gravity	1.03 g/cm3
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	No information available
Molecular Formula	C9 H12 O2
Molecular Weight	152.20
Refractive index	1.5242

Particle filter.

10. Stability and reactivity

Reactive Hazard	Yes
Stability	Stable under normal conditions.
Conditions to Avoid	Keep away from open flames, hot surfaces and sources of ignition.
Incompatible Materials	Reducing Agent
Hazardous Decomposition Products	Carbon monoxide (CO), Carbon dioxide (CO ₂)
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information					
Oral LD50	Category 4. ATE = 300 - 2000 mg/kg.				
Dermal LD50	Category 4. ATE = 1000 -	2000 mg/kg.			
Vapor LC50	Category 3. ATE = 2 - 10 r	ng/l.			
Component Information	ponent Information				
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Cumene hydroperoxide	LD50 = 382 mg/kg (Rat)	LD50 = 0.126 mL/kg (Rabbit)	LC50 = 220 ppm (Rat) 4 h		

r						
Cumene 1 2		1400 mg/kg (Rat) 2700 mg/kg(Rat)	1400 mg/kg (Rat) LD50 = 12300 2700 mg/kg (Rat)		LC50 > 357	7 ppm (Rat)6 h
Toxicologically Syne Products Delayed and immedi	ergistic iate effects as w	No information ava	ailable	nd long-term expos	ure_	
Irritation No information available						
Sensitization		No information ava	ailable			
Carcinogenicity		The table below in	dicates whether	each agency has liste	ed any ingredient	as a carcinogen.
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Cumene	80-15-9	Not listed	Not listed	Not listed	Not listed	Not listed
Cumene	98-82-8	Group 2B	Reasonably Anticipated	A3	Х	Not listed
NTP: (National Tox ACGIH: (Americar Hygienists) Mutagenic Effects	vicity Program) In Conference of G	Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans MTP: (National Toxicity Program) Known - Known Carcinogen Reasonably Anticipated to be a Human Carcinogen A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen A3 - Animal Carcinogen ACGIH: (American Conference of Governmental Industrial Hygienis				
Reproductive Effect	e	No information ava	ailable			
Developmental Effec	s	No information ava				
	213	No information ave				
relatogenicity		NO INICITIATION AVA				
STOT - single expos STOT - repeated exp	TOT - single exposure Respiratory system TOT - repeated exposure Lungs					
Aspiration hazard	ration hazard No information available					
Symptoms / effects, delayed	both acute and	and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomi Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion cause severe swelling, severe damage to the delicate tissue and danger of perforation				
Endocrine Disruptor Information No information available						
Other Adverse Effects The toxicological properties have not been fully investigated.						

12. Ecological information

Ecotoxicity

The product contains following substances which are hazardous for the environment. Contains a substance which is:. Very toxic to aquatic organisms.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Cumene hydroperoxide	Not listed	LC50: = 3.9 mg/L, 96h static (Oncorhynchus mykiss)	Not listed	Not listed
Cumene	EC50: = 2.6 mg/L, 72h	LC50: = 5.1 mg/L, 96h	EC50 = 0.89 mg/L 5 min	EC50: = 0.6 mg/L, 48h

	(Pseudokirchneriella	semi-static (Poecilia	EC50 = 1.10 mg/L 15 min	(Daphnia magna)
	subcapitata)	reticulata)	EC50 = 1.48 mg/L 30 min	EC50: 7.9 - 14.1 mg/L, 48h
		LC50: = 2.7 mg/L, 96h	EC50 = 172 mg/L 24 h	Static (Daphnia magna)
		semi-static (Oncorhynchus		
		mykiss)		
		LC50: 6.04 - 6.61 mg/L, 96h		
		flow-through (Pimephales		
		promelas)		
		LC50: = 4.8 mg/L, 96h		
		flow-through (Oncorhynchus		
		mykiss)		
Persistence and Degrad	ability Immiscible w	ith water May persist base	d on information available.	

Bioaccumulation/Accumulation

Mobility

Is not likely mobile in the environment due its low water solubility.

Component	log Pow
Cumene hydroperoxide	1.6
Cumene	3.55

No information available.

Waste Disposal Methods

13. Disposal considerations

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Cumene hydroperoxide - 80-15-9	U096	-
Cumene - 98-82-8	U055	-

	14. Transport information
DOT	
UN-No	UN3109
Proper Shipping Name	ORGANIC PEROXIDE TYPE F, LIQUID
Technical Name	(Cumene hydroperoxide)
Hazard Class	5.2
<u>TDG</u>	
UN-No	UN3109
Proper Shipping Name	ORGANIC PEROXIDE TYPE F, LIQUID
Hazard Class	5.2
ΙΑΤΑ	
UN-No	UN3109
Proper Shipping Name	ORGANIC PEROXIDE TYPE F, LIQUID
Hazard Class	5.2
Subsidiary Hazard Class	8
IMDG/IMO	
UN-No	UN3109
Proper Shipping Name	ORGANIC PEROXIDE TYPE F, LIQUID
Hazard Class	5.2
	15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Cumene hydroperoxide	80-15-9	Х	ACTIVE	-
Cumene	98-82-8	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

TSCA 12(b) - Notices of Export

Not applicable

Not applicable

International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS), Taiwan (TCSI), Japan (ISHL), New Zealand (NZIoC), Japan (ISHL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Cumene hydroperoxide	80-15-9	Х	-	201-254-7	Х	Х	Х	Х	Х	KE-24814
Cumene	98-82-8	Х	-	202-704-5	Х	Х	Х	Х	Х	KE-23957

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Cumene hydroperoxide	80-15-9	80	1.0
Cumene	98-82-8	20	0.1

SARA 311/312 Hazard Categories See section 2 for more information

Y

CWA (Clean Water Act) Not applicable

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Cumene	Х		-

OSHA - Occupational Safety and Not applicable Health Administration

	Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals
	Cumene hydroperoxide	-	TQ: 5000 lb
CERCLA	Not applic	able	

ComponentHazardous Substances RQsCERCLA EHS RQsCumene hydroperoxide10 lb-Cumene5000 lb-

California Proposition 65

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Cumene	98-82-8	Carcinogen	-	Carcinogen
J.S. State Right-to-Know				

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Cumene hydroperoxide	Х	Х	Х	-	Х
Cumene	Х	Х	Х	Х	Х

U.S. Department of Transportation

Reportable Quantity (RQ):

DOT Marine Pollutant	N
DOT Severe Marine Pollutant	N
U.S. Department of Homeland Security	This product does not contain any DHS chemicals

Other International Regulations

Mexico - Grade

No information available

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Cumene hydroperoxide	80-15-9	-	Use restricted. See item 75. (see link for restriction details)	-
Cumene	98-82-8	-	-	-

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Cumene hydroperoxide	80-15-9	Listed	Not applicable	Not applicable	Not applicable
Cumene	98-82-8	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Cumene hydroperoxide	80-15-9	Not applicable	Not applicable	Not applicable	Not applicable
Cumene	98-82-8	Not applicable	Not applicable	Not applicable	Not applicable

	16. Other information
Prepared By	Health, Safety and Environmental Department Email: tech@alfa.com www.alfa.com
Revision Date Print Date Revision Summary	06-Sep-2023 06-Sep-2023 SDS authoring systems update, replaces ChemGes SDS No. 80-15-9.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage,

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text



SAFETY DATA SHEET

Creation Date 08-Feb-2008

Revision Date 24-Dec-2021

Revision Number 5

 1. Identification

 Product Name
 Decanoic acid

 Cat No. :
 AC167270000; AC167270010; AC167270025; AC167271000; AC167275000

 CAS No
 334-48-5

 Synonyms
 Capric acid

 Recommended Use
 Laboratory chemicals.

 Uses advised against
 Food, drug, pesticide or biocidal product use.

<u>Company</u> Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Category 2 Category 2

Label Elements

Signal Word Warning

Hazard Statements Causes skin irritation Causes serious eye irritation



Precautionary Statements Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Hazards not otherwise classified (HNOC)

Harmful to aquatic life with long lasting effects

3. Composition/Information on Ingredients

Component		CAS No	Weight %
Capric acid		334-48-5	>95
	4.	First-aid measures	
General Advice	al Advice If symptoms persist, call a physician.		
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.		
Skin Contact	Get medical attention. Wash off immediately with plenty of water for at least 15 minutes.		
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention.		
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.		
Most important symptoms and	None reasonably foreseeable.		
Notes to Physician	Treat sympto	omatically	
	5. Fi	re-fighting measures	

Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.
Unsuitable Extinguishing Media	No information available
Flash Point	113 °C / 235.4 °F
Method -	No information available
Autoignition Temperature	No information available

Physical hazards

N/A

Explosion Limits	
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂).

Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Instability

0

Flammability

0

 Health 2	

NFPA

	6. Accidental release measures
Personal Precautions	Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation.
Environmental Precautions	Should not be released into the environment. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage.
Methods for Containment and Clean Up	Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.
	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Bases. Strong oxidizing agents. Reducing Agent.
8. E>	posure controls / personal protection
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.
Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Tight sealing safety goggles.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	No protective equipment is needed under normal use conditions.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.
9	. Physical and chemical properties
Physical State	Solid

Appearance Odor **Odor Threshold** рΗ Melting Point/Range **Boiling Point/Range** Flash Point **Evaporation Rate** Flammability (solid,gas) Flammability or explosive limits Upper Lower Vapor Pressure Vapor Density **Specific Gravity** Solubility Partition coefficient; n-octanol/water **Autoignition Temperature Decomposition Temperature** Viscosity **Molecular Formula Molecular Weight**

Off-white No information available No information available 4.6 0.01 g/l water 30 - 32 °C / 86 - 89.6 °F 268 - 270 °C / 514.4 - 518 °F 113 °C / 235.4 °F Not applicable No information available No data available No data available 0.13 hPa @ 79 °C Not applicable 0.890 No information available No data available No information available No information available Not applicable C10 H20 O2 172.27

10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Avoid dust formation. Incompatible products. Excess heat.
Incompatible Materials	Bases, Strong oxidizing agents, Reducing Agent
Hazardous Decomposition Products	Carbon monoxide (CO), Carbon dioxide (CO ₂)
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

component informa	lion						
Componen	t	LD50 Oral		LD50 Dermal	LC50	Inhalation	
Capric acid	LD	50 > 10000 mg/kg() No	ot listed			
Toxicologically Syn Products	ergistic	No information ava	ailable				
Delayed and immed	iate effects as we	ell as chronic effe	cts from short an	d long-term expo	sure		
Irritation	No information available						
Sensitization	ion No information available						
Carcinogenicity		The table below in	dicates whether ea	ach agency has list	ed any ingredient	as a carcinogen.	
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico	
Capric acid	334-48-5	Not listed	Not listed	Not listed	Not listed	Not listed	

 Capric acid
 334-48-5
 Not listed
 Not listed
 Not listed
 Mutagenic Effects

Reproductive Effects	No information available.
Developmental Effects	No information available.
Teratogenicity	No information available.
STOT - single exposure STOT - repeated exposure	None known None known
Aspiration hazard	No information available
Symptoms / effects,both acute and delayed	No information available
Endocrine Disruptor Information	No information available
Other Adverse Effects	The toxicological properties have not been fully investigated. See actual entry in RTECS for complete information.

12. Ecological information

Ecotoxicity

Do not empty into drains. Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea			
Capric acid	Not listed	LC50: = 54 mg/L, 96h	EC50 = 11.2 mg/L 5 min	Not listed			
		semi-static (Oryzias latipes)	EC50 = 9.0 mg/L 25 min				
			EC50 = 9.31 mg/L 15 min				

Persistence and Degradability Insoluble in water May persist

Bioaccumulation/Accumulation

No information available.

Mobility

. Is not likely mobile in the environment due its low water solubility.

Component	log Pow
Capric acid	4.09

	13. Disposal considerations
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information					
DOT	Not regulated				
TDG	Not regulated				
IATA	Not regulated				
IMDG/IMO	Not regulated				
	15. Regulatory information				

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Capric acid	334-48-5	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Capric acid	334-48-5	Х	-	206-376-4	Х	Х	Х	Х	Х	KE-09442

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations	
SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable
CERCLA	Not applicable
California Proposition 65	This product does not contain any Proposition 65 chemicals.
U.S. State Right-to-Know Regulations	Not applicable
U.S. Department of Transportation Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Slight

Slight risk, Grade 1

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Capric acid	-	Use restricted. See item 75.	-
		(see link for restriction details)	

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Capric acid	334-48-5	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Capric acid	334-48-5	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information			
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com		
Creation Date Revision Date Print Date Revision Summary	08-Feb-2008 24-Dec-2021 24-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).		

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS



SAFETY DATA SHEET

Version 6.6 Revision Date 03/18/2023 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

	Product name	:	Diethylene glycol dimethyl ether		
	Product Number Brand Index-No. CAS-No.	:::::::::::::::::::::::::::::::::::::::	281662 Sigma-Aldrich 603-139-00-0 111-96-6		
1.2	Relevant identified use	es	of the substance or mixture and uses advised against		
	Identified uses Uses advised against	:	Processing aid, Solvent, For industrial use only.Intermediate This product is not intended for consumer use.		
1.3	Details of the supplier of the safety data sheet				
	Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES		
	Telephone Fax	:	+1 314 771-5765 +1 800 325-5052		
1.4	Emergency telephone				
	Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week		

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226 Reproductive toxicity (Category 1B), H360

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word



Danger

Hazard statement(s) H226

Flammable liquid and vapor.

Sigma-Aldrich - 281662

Page 1 of 11



H360	May damage fertility or the unborn child.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS May form explosive peroxides.

С	FION 3: Composition	/info	rmation on ingred	ients	
1	Substances Synonyms	:	2-Methoxyethyl etl `Diglyme' Dimethyldiglycol Bis(2-methoxyethy	ner /l) ether	
	Formula Molecular weight CAS-No. EC-No. Index-No.		C ₆ H ₁₄ O ₃ 134.17 g/mol 111-96-6 203-924-4 603-139-00-0		
	Component			Classification	Concentration
	Diethyleneglycol di	methy	lether		
				Flam. Liq. 3; Repr. 1B; H226, H360	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

Sigma-Aldrich - 281662

Page 2 of 11



SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Sigma-Aldrich - 281662

Page 3 of 11



SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains. Risk of explosion.
- 6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
- **6.4** Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Test for peroxide formation periodically and before distillation.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Sigma-Aldrich - 281662

Page 4 of 11



Component	CAS-No.	Value	Control parameters	Basis
Diethyleneglycol dimethylether	111-96-6	PEL	1 ppm 5.5 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
	Remarks	Skin		
		STEL	5 ppm 27 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		Skin		

Derived No Effect Level (DNEL)

Application Area	Routes of	Health effect	Value
	exposure		
Workers	Inhalation	Long-term systemic effects	26.8 mg/m3
Workers	Skin contact	Long-term systemic effects	2.08mg/kg BW/d
Consumers	Inhalation	Long-term systemic effects	6.67 mg/m3
Consumers	Skin contact	Long-term systemic effects	1.04mg/kg BW/d
Consumers	Ingestion	Long-term systemic effects	1.04mg/kg BW/d

Predicted No Effect Concentration (PNEC)

Compartment	Value
Water	9.43 mg/l
Soil	1.72 mg/kg
Sea water	0.64 mg/l
Fresh water	6.4 mg/l
Sea sediment	2.74 mg/kg
Fresh water sediment	27.4 mg/kg
Onsite sewage treatment plant	50 mg/l

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: butyl-rubber

Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

Sigma-Aldrich - 281662

Page 5 of 11



This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 30 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	a)	Appearance	Form: clear, liquid Color: colorless
	b)	Odor	ether-like
	c)	Odor Threshold	No data available
	d)	рН	at 20 °C (68 °F)neutral
	e)	Melting point/freezing point	Melting point/range: -64 °C (-83 °F) - lit.
	f)	Initial boiling point and boiling range	162 °C 324 °F - lit.
	g)	Flash point	57 °C (135 °F) - closed cup
	h)	Evaporation rate	No data available
	i)	Flammability (solid, gas)	No data available
	j)	Upper/lower flammability or explosive limits	Upper explosion limit: 17.4 %(V)
	k)	Vapor pressure	3.99 hPa at 20 °C (68 °F)
	I)	Vapor density	4.62 - (Air = 1.0)
	m)	Density	0.943 g/cm3 at 25 °C (77 °F) - lit.
		Relative density	No data available
	n)	Water solubility	soluble
	o)	Partition coefficient:	log Pow: -0.36 at 25 °C (77 °F) - Bioaccumulation is not
Sigma	-Aldri	ch - 281662	

Page 6 of 11



n-octanol/water expected., (External MSDS)

- p) Autoignition not auto-flammable
 temperature
 q) Decomposition > 165 °C (> 329 °F) -
- temperature
- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties none

9.2 Other safety information

Relative vapor 4.62 - (Air = 1.0) density

SECTION 10: Stability and reactivity

10.1 Reactivity

Formation of peroxides possible. Vapor/air-mixtures are explosive at intense warming.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) . Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No data available

- A Conditions to av
- **10.4 Conditions to avoid** Heating. Moisture.
- **10.5 Incompatible materials** Strong oxidizing agents
- **10.6 Hazardous decomposition products** Peroxides In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 5,400 mg/kg Remarks: Behavioral:Somnolence (general depressed activity). Behavioral:Ataxia. Respiratory disorder (RTECS) LC50 Inhalation - Rat - male and female - 7 h - > 11 mg/l - vapor

(OECD Test Guideline 403) Dermal: No data available

Sigma-Aldrich - 281662

Page 7 of 11



Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 24 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: unscheduled DNA synthesis assay Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 482 Result: negative Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative

Test Type: Chromosome aberration test Species: Rat Cell type: Bone marrow Application Route: inhalation (vapor) Method: OECD Test Guideline 475 Result: negative

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

May damage the unborn child. May damage fertility.

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

RTECS: KN3339000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Sigma-Aldrich - 281662

Page 8 of 11



SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	LC50 - Pimephales promelas (fathead minnow) - 8,569 mg/l - 96 h Remarks: (IUCLID)
Toxicity to daphnia and other aquatic invertebrates	semi-static test EC50 - Daphnia magna (Water flea) - 943 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	semi-static test ErC50 - Pseudokirchneriella subcapitata (green algae) - > 10,000 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	static test EC20 - activated sludge - 1,067 mg/l - 3 h (OECD Test Guideline 209)
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	semi-static test NOEC - Daphnia magna (Water flea) - 320 mg/l - 21 d (OECD Test Guideline 211)
Develotories and dev	

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 67 % - Inherently biodegradable. (OECD Test Guideline 302B)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties No data available

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

Sigma-Aldrich - 281662

Page 9 of 11



SECTION 14: Transport information

DOT (US)

UN number: 3271 Class: 3 Packing group: III Proper shipping name: Ethers, n.o.s. Reportable Quantity (RQ): Poison Inhalation Hazard: No

IMDG

UN number: 3271 Class: 3 Packing group: III EMS-No: F-E, S-D Proper shipping name: ETHERS, N.O.S. (Diethyleneglycol dimethylether)

ΙΑΤΑ

UN number: 3271 Class: 3 Packing group: III Proper shipping name: Ethers, n.o.s. (Diethyleneglycol dimethylether)

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-NO.	Revision Date
Diethyleneglycol dimethylether	111-96-6	1989-08-11

SARA 311/312 Hazards

Fire Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Diethyleneglycol dimethylether	CAS-No.	Revision Date
	111-96-6	1989-08-11

Page 10 of 11



SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.6

Revision Date: 03/18/2023

Print Date: 12/30/2023

Sigma-Aldrich - 281662

Page 11 of 11




SAFETY DATA SHEET

Version 6.7 Revision Date 09/12/2022 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

	2,2-Dimethoxy-2-pheny	lacetophenone
Product Number	: 196118	
Brand	: Aldrich	
CAS-No.	: 24650-42-8	
Relevant identified	s of the substance or mixture an	d uses advised against

1.2

Identified uses : Laboratory chemicals, Synthesis of substances

Details of the supplier of the safety data sheet 1.3

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	:	+1 314 771-5765 +1 800 325-5052

Emergency telephone 1.4

Emergency Phone #

800-424-9300 CHEMTREC (USA) +1-703-: 527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Specific target organ toxicity - repeated exposure (Category 2), oral cavity, H373 Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word



Warning

Hazard statement(s) H302

Harmful if swallowed.

Aldrich - 196118

Page 1 of 9



H373	May cause damage to organs (oral cavity) through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.
Precautionary statement(s)	
P260	Do not breathe dust.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P314	Get medical advice/ attention if you feel unwell.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	: Be a,a	nzil a,a-dimethyl a-Dimethoxy-a-pl	acetal nenylacetophenone	
Formula Molecular weight CAS-No. EC-No.	: C10 : 25 : 24 : 24	6H16O3 6.3 g/mol 650-42-8 6-386-6		
Component			Classification	Concentration
2,2-dimethoxy-1,2-dip	heny	lethan-1-one		
			Acute Tox. 4; STOT RE 2; Aquatic Chronic 3; H302, H373, H412 M-Factor - Aquatic Acute: 10	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

Aldrich - 196118

Page 2 of 9



In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture
 Carbon oxides
 Combustible.
 Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

- **6.2 Environmental precautions** Do not let product enter drains.
- 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections For disposal see section 13.

Aldrich - 196118

Page 3 of 9



SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Light sensitive.

Storage class

Storage class (TRGS 510): 11: Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

Handle with impervious gloves.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Splash contact

Aldrich - 196118

Page 4 of 9



Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	a)	Appearance	Form: powder, crystalline Color: white
	b)	Odor	odorless
	c)	Odor Threshold	Not applicable
	d)	рН	No data available
	e)	Melting point/freezing point	Melting point/range: 67 - 70 °C (153 - 158 °F) - lit.
	f)	Initial boiling point and boiling range	100 - 115 °C 212 - 239 °F at < 0.1 hPa
	g)	Flash point	()Not applicable
	h)	Evaporation rate	No data available
	i)	Flammability (solid, gas)	No data available
	j)	Upper/lower flammability or explosive limits	No data available
	k)	Vapor pressure	No data available
	I)	Vapor density	No data available
	m)	Density	No data available
		Relative density	No data available
	n)	Water solubility	No data available
	o)	Partition coefficient: n-octanol/water	log Pow: 3.42
	p)	Autoignition temperature	> 400 °C (> 752 °F) at 1,013 hPa
	q)	Decomposition	No data available
Aldrich	- 196	6118	

Page 5 of 9



temperature

- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties none
- 9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions Violent reactions possible with:

Strong oxidizing agents

10.4 Conditions to avoid

no information available

- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - > 6,000 mg/kg Acute toxicity estimate Oral - Expert judgment - 500.1 mg/kg (Expert judgment) Inhalation: No data available LD50 Dermal - Rat - > 7,000 mg/kg No data available

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation Remarks: (External MSDS) Skin - Rabbit Result: No skin irritation

Aldrich - 196118

Page 6 of 9



Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Result: Not mutagenic in Ames Test. Remarks: Histidine reversion (Ames)

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure. - oral cavity

Aspiration hazard

No data available

11.2 Additional Information

RTECS: KM5775658

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

No data available	
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 26 mg/l - 24 h (OECD Test Guideline 202)
Toxicity to algae	IC50 - Desmodesmus subspicatus (green algae) - 0.17 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	EC50 - activated sludge - > 100 mg/l - 3 h (OECD Test Guideline 209)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

Aldrich - 196118

Page 7 of 9



12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

- **12.6 Endocrine disrupting properties** No data available
- **12.7 Other adverse effects** No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

ΙΑΤΑ

Not dangerous goods

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Aldrich - 196118

Page 8 of 9



SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.7

Revision Date: 09/12/2022

Print Date: 12/30/2023

Aldrich - 196118

Page 9 of 9





SAFETY DATA SHEET

Version 6.22 Revision Date 12/13/2023 Print Date 01/06/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

	Product name	:	N,N-Dimethylformamide	
	Product Number Brand Index-No. CAS-No.	:	227056 Sigma-Aldrich 616-001-00-X 68-12-2	
1.2	Relevant identified uses of the substance or mixture and uses advised against			
	Identified uses	:	Laboratory chemicals, Synthesis of substances	
1.3	Details of the supplier of the safety data sheet			
	Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES	

Telephone	:	+1 314 771-5765
Fax	:	+1 800 325-5052

1.4 Emergency telephone

Emergency Phone #	: 800-424-9300 CHEMTREC (USA) +1-703-
	527-3887 CHEMTREC (International) 24
	Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 4), H312 Eye irritation (Category 2A), H319 Carcinogenicity (Category 1B), H350 Reproductive toxicity (Category 1B), H360

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Sigma-Aldrich - 227056

Page 1 of 14



Pictogram	
Signal Word	Danger
Hazard Statements H226 H312 + H332 H319 H350 H360	Flammable liquid and vapor. Harmful in contact with skin or if inhaled. Causes serious eye irritation. May cause cancer. May damage fertility or the unborn child.
Precautionary Statements	
P201 P202	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P201 P264	Wash skin thoroughly after handling
P204 P271	Use only outdoors or in a well-ventilated area
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS Rapidly absorbed through skin.

SECTION 3: Composition/information on ingredients

3.1 Substances

Sigma-Aldrich - 227056

Page 2 of 14



Synonyms	: DMF
Formula	: C ₃ H ₇ NO
Molecular weight	: 73.09 g/mol
CAS-No.	: 68-12-2
EC-No.	: 200-679-5
Index-No.	: 616-001-00-X

Component	Classification	Concentration
N,N-dimethylformamide		
	Flam. Liq. 3; Acute Tox. 4; Eye Irrit. 2A; Repr. 1B; H226, H332, H312, H319, H360	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

Sigma-Aldrich - 227056

Page 3 of 14



SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Sigma-Aldrich - 227056

Page 4 of 14



Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Handle and store under inert gas.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
N,N- dimethylformamid e	68-12-2	TWA	5 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Confirmed	animal carcinoge	en with unknown relevance to
		humans		
		Danger of o	cutaneous absor	ption
		TWA	10 ppm	USA. NIOSH Recommended
			30 mg/m3	Exposure Limits
		Potential fo	r dermal absorp	tion
		TWA	10 ppm	USA. Occupational Exposure
			50 mg/m5	Limits for Air Contaminants
		Skin desigr	nation	
		PEL	10 ppm 30 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article
				107)
		Skin		

Sigma-Aldrich - 227056

Page 5 of 14



	TWA	10 ppm 30 mg/m3	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
	Skin notatio	on	

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
N,N- dimethylformami de	68-12-2	Total N- Methylform amide	30 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift (As soon as	possible after exp	osure ceases)
		N-Acetyl-S- (N- methylcarb amoyl) cysteine	30 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
		End of shift at end of workweek			

Derived No Effect Level (DNEL)

Application Area	Routes of exposure	Health effect	Value
Workers	Inhalation	Long-term systemic effects	6 mg/m3
Workers	Dermal	Long-term systemic effects	1.1mg/kg BW/d

Predicted No Effect Concentration (PNEC)

Compartment	Value
Fresh water sediment	111 mg/kg
Sea sediment	11.1 mg/kg
Sewage treatment plant	44 mg/l

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact

Material: butyl-rubber Minimum layer thickness: 0.7 mm

Sigma-Aldrich - 227056

Page 6 of 14



Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Viton® Minimum layer thickness: 0.7 mm Break through time: 240 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: Filter A-(P2)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid, clear Color: colorless
b)	Odor	amine-like
c)	Odor Threshold	0.329 ppm
d)	рН	7 at 200 g/l at 20 °C (68 °F)
e)	Melting point/freezing point	Melting point/range: -61 °C (-78 °F)
f)	Initial boiling point and boiling range	153 °C 307 °F
g)	Flash point	57.5 °C (135.5 °F) - closed cup - DIN 51755 Part 2
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or	Upper explosion limit: 16 %(V) Lower explosion limit: 2.2 %(V)
Sigma-Ald	rich - 227056	

Page 7 of 14



explosive limits

k)	Vapor pressure	3.77 hPa at 20 °C (68 °F)
I)	Vapor density	2.52 - (Air = 1.0)
m)	Density	0.944 g/mL
	Relative density	No data available
n)	Water solubility	1,000 g/l at 20 °C (68 °F)completely miscible
o)	Partition coefficient: n-octanol/water	log Pow: -0.85 at 25 °C (77 °F) - Bioaccumulation is not expected.
p)	Autoignition temperature	435 °C (815 °F) at 1,013 hPa - DIN 51794
q)	Decomposition temperature	> 350 °C (> 662 °F) -
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	none
Oth	ner safety informatio	n

Relative vapor 2.52 - (Air = 1.0) density

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Vapor/air-mixtures are explosive at intense warming.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with: Alkali metals halogens halides Reducing agents triethylaluminium nitrates metallic oxides nonmetallic oxides Halogenated hydrocarbon Isocyanates sodium Sodium borohydride hydrides Oxidizing agents Oxides of phosphorus

Sigma-Aldrich - 227056

Page 8 of 14



Tin Strong oxidizing agents rubber Copper Copper alloys various metals A risk of explosion and/or of toxic gas formation exists with the following substances: azides Bromine Chlorine chromium(VI) oxide potassium permanganate triethylaluminium chlorates Halogenated hydrocarbon with Iron

10.4 Conditions to avoid

Heating.

- **10.5 Incompatible materials** various plastics, Copper, Copper alloys, Tin, Strong oxidizing agents
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 3,010 mg/kg (OECD Test Guideline 401) Acute toxicity estimate Inhalation - 4 h - 11.1 mg/l - vapor

(Expert judgment) Remarks: (Regulation (EC) No 1272/2008, Annex VI) LD50 Dermal - Rabbit - 1,500 mg/kg Remarks: (Regulation (EC) No 1272/2008, Annex VI) (IUCLID)

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 20 h Remarks: (ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Irritating to eyes. (OECD Test Guideline 405) Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Sigma-Aldrich - 227056

Page 9 of 14



Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Result: negative Remarks: (ECHA) Test Type: unscheduled DNA synthesis assay Test system: human diploid fibroblasts Metabolic activation: with and without metabolic activation Result: negative Remarks: (ECHA) Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative Remarks: (ECHA)

Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Intraperitoneal injection

Result: negative Remarks: (ECHA)

Test Type: dominant lethal test Species: Rat

Application Route: Inhalation

Result: negative Remarks: (ECHA)

Test Type: dominant lethal test Species: Mouse

Application Route: Intraperitoneal

Result: negative Remarks: (ECHA)

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Sigma-Aldrich - 227056

Page 10 of 14



OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

May damage the unborn child.

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 28 d - NOAEL (No observed adverse effect level) - 238 mg/kg - LOAEL (Lowest observed adverse effect level) - 475 mg/kg Remarks: Subacute toxicity

RTECS: LQ2100000 Vomiting Diarrhea Abdominal pain Warning: intolerance for alcohol can occur up to 4 days after dimethylformamide exposure. N,N-dimethylformamide is considered to be a potent liver toxin. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption:

Headache Dizziness Drowsiness

Damage to:

Kidney Liver

This substance should be handled with particular care.

SECTION 12: Ecological information

12.1 Toxicity

Sig

Toxicity to fish	flow-through test LC50 - Lepomis macrochirus (Bluegill sunfish) - 7,100 mg/l - 96 h (US-EPA)
Toxicity to daphnia and other aquatic	static test EC50 - Daphnia magna (Water flea) - 13,100 mg/l - 48 h (OECD Test Guideline 202)
ma-Aldrich - 227056	Page 11 of 14

age 1 0



invertebrates

Toxicity to algae	static test ErC50 - Desmodesmus subspicatus (green algae) - > 1,000 mg/l - 72 h (DIN 38412)
Toxicity to bacteria	static test EC50 - Vibrio fischeri - 12,300 - 17,500 mg/l - 5 min Remarks: (ECHA)
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	semi-static test NOEC - Daphnia magna (Water flea) - 1,500 mg/l - 21 d Remarks: (ECHA)

12.2 Persistence and degradability

Biodegradability	aerobic - Exposure time 21 d
	Result: 100 % - Readily biodegradable.
	(OECD Test Guideline 301E)

Biochemical Oxygen	900 mg/g
Demand (BOD)	Remarks: (Lit.)
Theoretical oxygen	1,863 mg/g
demand	Remarks: (Lit.)

12.3 Bioaccumulative potential

Bioaccumulation

Cyprinus carpio (Carp) - 56 d at 25 °C - 0.002 mg/I(N,N-dimethylformamide)

Bioconcentration factor (BCF): 0.3 - 1.2 (OECD Test Guideline 305C)

Remarks: Does not significantly accumulate in organisms.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

 $\mathsf{PBT}/\mathsf{vPvB}$ assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties No data available

12.7 Other adverse effects

Stability in water

- ca.50 d Remarks: reaction with hydroxyl radicals(calculated)(Lit.)

Sigma-Aldrich - 227056

Page 12 of 14



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

DOT (US) UN number: 2265 Class: 3 Packing group: III Proper shipping name: N,N-Dimethylformamide Reportable Quantity (RQ): 100 lbs Poison Inhalation Hazard: No

IMDG

UN number: 2265 Class: 3 Packing group: III No: F-E, S-D Proper shipping name: N,N-DIMETHYLFORMAMIDE

EMS-

ΙΑΤΑ

UN number: 2265 Class: 3 Packing group: III Proper shipping name: N,N-Dimethylformamide

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
N,N-dimethylformamide	68-12-2	2020-02-24

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components		
N,N-dimethylformamide	CAS-No. 68-12-2	Revision Date 2020-02-24
Pennsylvania Right To Know Components		
N,N-dimethylformamide	CAS-No. 68-12-2	Revision Date 2020-02-24

Sigma-Aldrich - 227056

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



Page 13 of 14

CAS-No. 68-12-2

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 6.22 Revision Date: 12/13/2023 Print Date: 01/06/2024

Sigma-Aldrich - 227056

Page 14 of 14





SAFETY DATA SHEET

Version 6.14 Revision Date 12/13/2023 Print Date 01/06/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

	Product name	:	N,N-Dimethylformamide
	Product Number Brand Index-No. CAS-No.	::	319937 SIGALD 616-001-00-X 68-12-2
1.2	Relevant identified us	es	of the substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Synthesis of substances
13	Details of the supplier	of	the safety data sheet

1.3 Details of the supplier of the safety data sneet

Company	: Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone	: +1 314 771-5765
Fax	: +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703-
		527-3887 CHEMTREC (International) 24
		Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 4), H312 Eye irritation (Category 2A), H319 Reproductive toxicity (Category 1B), H360

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

SIGALD - 319937

Page 1 of 14



Pictogram	
Signal Word	Danger
Hazard Statements H226 H312 + H332 H319 H360	Flammable liquid and vapor. Harmful in contact with skin or if inhaled. Causes serious eye irritation. May damage fertility or the unborn child.
Precautionary Statements P201 P202	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking
P233 P240 P241 P242 P243 P261 P264 P271 P280 P303 + P361 + P353 P304 + P340 + P312	 Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist or vapors. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 P337 + P313 P363 P370 + P378	IF exposed or concerned: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Wash contaminated clothing before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P235 P405 P501	Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS Rapidly absorbed through skin.

SECTION 3: Composition/information on ingredients

3.1 Substances Synonyms : DMF

SIGALD - 319937

Page 2 of 14



Formula	:	C ₃ H ₇ NO
Molecular weight	:	73.09 g/mol
CAS-No.	:	68-12-2
EC-No.	:	200-679-5
Index-No.	:	616-001-00-X

Component	Classification	Concentration
N,N-dimethylformamide		
	Flam. Liq. 3; Acute Tox. 4; Eye Irrit. 2A; Repr. 1B; H226, H332, H312, H319, H360	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

SIGALD - 319937

Page 3 of 14



Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
- **6.4** Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

SIGALD - 319937

Page 4 of 14



For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Handle and store under inert gas.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
N,N- dimethylformamid e	68-12-2	TWA	5 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Confirmed humans Danger of d	animal carcinoge	en with unknown relevance to
		TWA	10 ppm 30 mg/m3	USA. NIOSH Recommended Exposure Limits
		Potential fo	r dermal absorp	tion
		TWA	10 ppm 30 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		Skin desigr	ation	
		PEL	10 ppm 30 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		Skin		
		TWA	10 ppm 30 mg/m3	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
		Skin notatio	on	

SIGALD - 319937

Page 5 of 14



Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
N,N- dimethylformami de	68-12-2	Total N- Methylform amide	30 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift (As soon as	possible after exp	osure ceases)
		N-Acetyl-S-30 mg/lUrineACGIH -(N-BiologicamethylcarbExposureamoyl)(BEI)cysteineExposure			ACGIH - Biological Exposure Indices (BEI)
		End of shift at end of workweek			

Derived No Effect Level (DNEL)

Application Area	Routes of	Health effect	Value
	exposure		
Workers	Inhalation	Long-term systemic effects	6 mg/m3
Workers	Dermal	Long-term systemic effects	1.1mg/kg BW/d

Predicted No Effect Concentration (PNEC)

Compartment	Value
Fresh water sediment	111 mg/kg
Sea sediment	11.1 mg/kg
Sewage treatment plant	44 mg/l

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: butyl-rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other

SIGALD - 319937

Page 6 of 14



substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Viton® Minimum layer thickness: 0.7 mm Break through time: 240 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: Filter A-(P2)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid, clear Color: colorless
b)	Odor	amine-like
c)	Odor Threshold	0.329 ppm
d)	рН	7 at 200 g/l at 20 °C (68 °F)
e)	Melting point/freezing point	Melting point/range: -61 °C (-78 °F) - lit.
f)	Initial boiling point and boiling range	153 °C 307 °F - lit.
g)	Flash point	57.5 °C (135.5 °F) - closed cup - DIN 51755 Part 2
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 16 %(V) Lower explosion limit: 2.2 %(V)
k)	Vapor pressure	3.77 hPa at 20 °C (68 °F)
I)	Vapor density	2.52 - (Air = 1.0)

SIGALD - 319937

Page 7 of 14



m)	Density	0.944 g/mL - lit.		
	Relative density	No data available		
n)	Water solubility	1,000 g/l at 20 °C (68 °F)completely miscible		
o)	Partition coefficient: n-octanol/water	log Pow: -0.85 at 25 °C (77 °F) - Bioaccumulation is not expected.		
p)	Autoignition temperature	435 °C (815 °F) at 1,013 hPa - DIN 51794		
q)	Decomposition temperature	> 350 °C (> 662 °F) -		
r)	Viscosity	No data available		
s)	Explosive properties	No data available		
t)	Oxidizing properties	none		
Other safety information				
	Delative vaner	2 = 2 = 2 = 2 = 2 = 2 = 2 = 2 = 2 = 2 =		

Relative vapor 2.52 - (Air = 1.0) density

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Vapor/air-mixtures are explosive at intense warming.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with: Alkali metals halogens halides Reducing agents triethylaluminium nitrates metallic oxides nonmetallic oxides Halogenated hydrocarbon Isocyanates sodium Sodium borohydride hydrides Oxidizing agents Oxides of phosphorus Tin Strong oxidizing agents rubber Copper

SIGALD - 319937

Page 8 of 14



Copper alloys various metals A risk of explosion and/or of toxic gas formation exists with the following substances: azides Bromine Chlorine chromium(VI) oxide potassium permanganate triethylaluminium chlorates Halogenated hydrocarbon with Iron

10.4 Conditions to avoid

Heating.

- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 3,010 mg/kg (OECD Test Guideline 401) Acute toxicity estimate Inhalation - 4 h - 11.1 mg/l - vapor

(Expert judgment)

Remarks: (Regulation (EC) No 1272/2008, Annex VI) LD50 Dermal - Rabbit - 1,500 mg/kg Remarks: (Regulation (EC) No 1272/2008, Annex VI) (IUCLID)

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 20 h Remarks: (ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Irritating to eyes. (OECD Test Guideline 405) Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

SIGALD - 319937

Page 9 of 14



Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Result: negative Remarks: (ECHA) Test Type: unscheduled DNA synthesis assay Test system: human diploid fibroblasts Metabolic activation: with and without metabolic activation Result: negative Remarks: (ECHA) Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative Remarks: (ECHA)

Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Intraperitoneal injection

Result: negative Remarks: (ECHA)

Test Type: dominant lethal test Species: Rat

Application Route: Inhalation

Result: negative Remarks: (ECHA)

Test Type: dominant lethal test Species: Mouse

Application Route: Intraperitoneal

Result: negative Remarks: (ECHA)

Carcinogenicity

- IARC: 2A Group 2A: Probably carcinogenic to humans (N,N-dimethylformamide)
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

SIGALD - 319937

Page 10 of 14



May damage the unborn child.

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 28 d - NOAEL (No observed adverse effect level) - 238 mg/kg - LOAEL (Lowest observed adverse effect level) - 475 mg/kg Remarks: Subacute toxicity

RTECS: LQ2100000 Vomiting Diarrhea Abdominal pain Warning: intolerance for alcohol can occur up to 4 days after dimethylformamide exposure. N,N-dimethylformamide is considered to be a potent liver toxin. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. After absorption:

Headache Dizziness Drowsiness

Damage to:

Kidney Liver

This substance should be handled with particular care.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	flow-through test LC50 - Lepomis macrochirus (Bluegill sunfish) - 7,100 mg/l - 96 h (US-EPA)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 13,100 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Desmodesmus subspicatus (green algae) - > 1,000 mg/l - 72 h

SIGALD - 319937

Page 11 of 14



(DIN 38412)

Toxicity to bacteria	static test EC50 - Vibrio fischeri - 12,300 - 17,500 mg/l - 5 min
	Remarks: (ECHA)

Toxicity to daphnia	semi-static test NOEC - Daphnia magna (Water flea) - 1,500 mg/l -
and other aquatic	21 d
invertebrates(Chronic	Remarks: (ECHA)
toxicity)	

12.2 Persistence and degradability

Biodegradability	aerobic - Exposure time 21 d Result: 100 % - Readily biodegradable. (OECD Test Guideline 301E)
Biochemical Oxygen Demand (BOD)	900 mg/g Remarks: (Lit.)
Theoretical oxygen	1,863 mg/g

demand Remarks: (Lit.)

12.3 Bioaccumulative potential Bioaccumulation Cyprin

Cyprinus carpio (Carp) - 56 d at 25 °C - 0.002 mg/I(N,N-dimethylformamide)

Bioconcentration factor (BCF): 0.3 - 1.2 (OECD Test Guideline 305C)

Remarks: Does not significantly accumulate in organisms.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties No data available

12.7 Other adverse effects

Stability in water - ca.50 d Remarks: reaction with hydroxyl radicals(calculated)(Lit.)

SIGALD - 319937

Page 12 of 14



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

UN number: 2265 Class: 3 Packing group: III Proper shipping name: N,N-Dimethylformamide Reportable Quantity (RQ): 100 lbs Poison Inhalation Hazard: No

IMDG

UN number: 2265 Class: 3 No: F-E, S-D Proper shipping name: N,N-DIMETHYLFORMAMIDE

ΙΑΤΑ

UN number: 2265 Class: 3 Packing group: III Proper shipping name: N,N-Dimethylformamide

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-NO.	Revision Date
N,N-dimethylformamide	68-12-2	2020-02-24

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components		
N,N-dimethylformamide	CAS-No. 68-12-2	Revision Date 2020-02-24
Pennsylvania Right To Know Components		
N,N-dimethylformamide	CAS-No. 68-12-2	Revision Date 2020-02-24

SIGALD - 319937

Page 13 of 14

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



Packing group: III

EMS-
CAS-No. 68-12-2

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 6.14 Revision Date: 12/13/2023 Print Date: 01/06/2024

SIGALD - 319937

Page 14 of 14





SAFETY DATA SHEET

Version 6.3 Revision Date 10/27/2023 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

1.

1.

	Product name	:	Dimethyl methylphosphonate
	Product Number Brand CAS-No.	:	D169102 Aldrich 756-79-6
2	Relevant identified us	es	of the substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Synthesis of substances
3	3 Details of the supplier of		the safety data sheet
	Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
	Telephone	:	+1 314 771-5765

1.4 Emergency telephone

Fax

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

:

+1 800 325-5052

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227 Eye irritation (Category 2A), H319 Germ cell mutagenicity (Category 1B), H340 Reproductive toxicity (Category 2), H361

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Aldrich - D169102

Page 1 of 10



Signal Word	Danger
Hazard statement(s) H227 H319 H340 H361	Combustible liquid. Causes serious eye irritation. May cause genetic defects. Suspected of damaging fertility or the unborn child.
Precautionary statement(s)	
P201 P202	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P264	Wash skin thoroughly after handling.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1	Substances Formula Molecular weight CAS-No. EC-No.	:	C₃H9O₃P 124.08 g/mol 756-79-6 212-052-3		
	Component			Classification	Concentration
	Dimethyl methylphos	spho	onate		
				Flam. Liq. 4; Eye Irrit. 2A;	<= 100 %
				Muta. 1B; Repr. 2; H227,	
				H319, H340, H361	

For the full text of the H-Statements mentioned in this Section, see Section 16.

Aldrich - D169102

Page 2 of 10



SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Oxides of phosphorus Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Aldrich - D169102

Page 3 of 10



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions Do not let product enter drains.

- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
- 6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Aldrich - D169102

Page 4 of 10



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

required

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter type ABEK The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Color: colorless
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	181 °C 358 °F - lit

Aldrich - D169102

Page 5 of 10



g)	Flash point	69 °C (156 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	< 0.1 hPa at 20 °C (68 °F)
I)	Vapor density	No data available
m)	Density	1.145 g/cm3 at 25 °C (77 °F) - lit.
	Relative density	No data available
n)	Water solubility	No data available
o)	Partition coefficient: n-octanol/water	No data available
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available

9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** Strong heating.
- **10.5 Incompatible materials** Strong oxidizing agents, Strong bases
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

Aldrich - D169102

Page 6 of 10



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 8,210 mg/kg Remarks: Behavioral:Muscle weakness. LC50 Inhalation - Rat - 4 h - > 2.589 mg/l - aerosol

LD50 Dermal - Rabbit - > 2,000 mg/kg No data available

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation

Serious eye damage/eye irritation

Eyes - Rabbit Result: Moderate eye irritation

Respiratory or skin sensitization No data available

Germ cell mutagenicity

In vivo tests showed mutagenic effects Test Type: in vitro test Test system: Chinese hamster ovary cells Method: OECD Test Guideline 479 Result: positive Remarks: Sister chromatid exchange Test Type: in vitro test Test system: mouse lymphoma cells Method: OECD Test Guideline 476 Result: positive Remarks: Cytogenetic analysis

Test Type: dominant lethal test Species: Mouse

Application Route: Oral

Result: positive

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Aldrich - D169102

Page 7 of 10



Reproductive toxicity

No data available Suspected of damaging fertility. Suspected human reproductive toxicant

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

RTECS: SZ9120000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated., Nausea, Headache, Vomiting

SECTION 12: Ecological information

12.1 Toxicity

No data available

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment
 PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

 12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects No data available

Aldrich - D169102

Page 8 of 10



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

NA-Number: 1993 Class: NONE Packing group: III Proper shipping name: Combustible liquid, n.o.s. (Dimethyl methylphosphonate) Reportable Quantity (RQ): Poison Inhalation Hazard: No

IMDG

Not dangerous goods

ΙΑΤΑ

Not dangerous goods

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any

Aldrich - D169102

Page 9 of 10



damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact misbranding@sial.com. Version: 6.3 Revision Date: 10/27/2023 Print Date: 12/30/2023

Aldrich - D169102

Page 10 of 10





SAFETY DATA SHEET

Version 6.8 Revision Date 10/27/2023 Print Date 01/06/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	[:] Dimethyl sulfoxide
Product Number	: 276855
Brand	: Sigma-Aldrich
CAS-No.	: 67-68-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses		:	Laboratory chemicals,	S	ynthesis of substances
-----------------	--	---	-----------------------	---	------------------------

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	:	+1 314 771-5765 +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #

: 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram	none
Signal Word	Warning
Hazard statement(s)	
H227	Combustible liquid.

Sigma-Aldrich - 276855

Page 1 of 11



Precautionary statement(s)	
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P280	Wear protective gloves/ eye protection/ face protection.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS Rapidly absorbed through skin.

SECTION 3: Composition/information on ingredients

L	Substances Synonyms	:	DMSO Methyl sulfoxide			
	Formula Molecular weight CAS-No. EC-No.	:	C₂H₀OS 78.13 g/mol 67-68-5 200-664-3			
	Component			Classification	Concentration	
	dimethyl sulphoxide	9				
				Flam. Liq. 4; H227	<= 100 %	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Sigma-Aldrich - 276855

Page 2 of 11



4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Sulfur oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections For disposal see section 13.

Sigma-Aldrich - 276855

Page 3 of 11



SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed.

Store under inert gas. hygroscopic

Storage class

Storage class (TRGS 510): 10: Combustible liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
dimethyl sulphoxide	67-68-5	TWA	250 ppm	USA. Workplace Environmental Exposure Levels (WEEL)

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Chloroprene

Minimum layer thickness: 0.65 mm

Sigma-Aldrich - 276855

Page 4 of 11



Break through time: 480 min Material tested:KCL 720 Camapren®

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Latex gloves Minimum layer thickness: 0.6 mm Break through time: 240 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: clear, liquid Color: clear
b)	Odor	odorless
c)	Odor Threshold	No data available
d)	рН	Not applicable
e)	Melting point/freezing point	Melting point/range: 16 - 19 °C (61 - 66 °F)
f)	Initial boiling point and boiling range	189 °C 372 °F
g)	Flash point	87 °C (189 °F) - closed cup - ASTM D 93
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 28.5 %(V) Lower explosion limit: 2.6 %(V)

Sigma-Aldrich - 276855

Page 5 of 11



k)	Vapor pressure	0.55 hPa at 20 °C (68 °F)
I)	Vapor density	2.70 - (Air = 1.0)
m)	Density	1.1 g/mL
	Relative density	No data available
n)	Water solubility	completely miscible
o)	Partition coefficient: n-octanol/water	log Pow: -1.35 at 20 °C (68 °F) - Bioaccumulation is not expected.
p)	Autoignition temperature	300 - 302 °C (572 - 576 °F) at 1,013 hPa
q)	Decomposition temperature	> 190 °C (> 374 °F) -
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	none
Otł	ner safety informatio	n
	Surface tension	43.5 mN/m at 20 °C (68 °F)
	Dissociation constant	35.1
	Relative vapor	2.70 - (Air = 1.0)

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

density

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of explosion with: acetylidene organic halides perchlorates Acid chlorides nonmetallic halides iron(III) compounds nitrates fluorides chlorates hydrides perchloric acid Oxides of phosphorus Nitric acid Sigma-Aldrich - 276855

Page 6 of 11



silver compounds silicon compounds silanes acid halides Exothermic reaction with: boron compounds oxyhalogenic compounds Potassium sodium Strong oxidizing agents phosphorus halides strong reducing agents Acid chlorides Strong acids silver salt nitrogen dioxide Risk of ignition or formation of inflammable gases or vapours with: potassium permanganate

10.4 Conditions to avoid

Strong heating.

- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 28,300 mg/kg (OECD Test Guideline 401) LC0 Inhalation - Rat - male and female - 4 h - > 5.33 mg/l - dust/mist

(OECD Test Guideline 403) LD50 Dermal - Rat - male and female - 40,000 mg/kg Remarks: (ECHA)

Skin corrosion/irritation

Skin - Rabbit Result: slight irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation Eyes - Rabbit

Result: slight irritation - 24 h (OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test - Guinea pig Sigma-Aldrich - 276855

Page 7 of 11



Result: negative (OECD Test Guideline 406) Local lymph node assay (LLNA) - Mouse Result: negative (OECD Test Guideline 429)

Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 479 Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat

Application Route: Intraperitoneal Method: OECD Test Guideline 474 Result: negative

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

Sigma-Aldrich - 276855

Page 8 of 11



11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 18 Months - NOAEL (No observed adverse effect level) - 3,300 mg/kg - LOAEL (Lowest observed adverse effect level) - 9,900 mg/kg

Repeated dose toxicity - Monkey - male and female - Dermal - 18 Months - NOAEL (No observed adverse effect level) - >= 8,910 mg/kg - LOAEL (Lowest observed adverse effect level) - 990 mg/kg

RTECS: PV6210000 Exposure to large amounts can cause:, redness of skin, Itching, burning, sedation, Headache, Nausea, Dizziness To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Eyes - Eye disease - Based on Human Evidence

Eyes - Eye disease - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	static test LC50 - Danio rerio (zebra fish) - > 25,000 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 24,600 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 17,000 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	EC50 - activated sludge - 10 - 100 mg/l - 30 min (ISO 8192)
– • · • • •	

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 31 % - Not readily biodegradable. (OECD Test Guideline 301D)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties No data available

Sigma-Aldrich - 276855

Page 9 of 11



12.7 Other adverse effects

Stability in water

- 0.12 - 1.2 h at 30 °C pH 7 Remarks: Hydrolyzes readily.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

NA-Number: 1993 Class: NONE Packing group: III Proper shipping name: Combustible liquid, n.o.s. (dimethyl sulphoxide) Reportable Quantity (RQ): Poison Inhalation Hazard: No

IMDG

Not dangerous goods

ΙΑΤΑ

Not dangerous goods

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Sigma-Aldrich - 276855

Page 10 of 11



SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact misbranding@sial.com. Version: 6.8 Revision Date: 10/27/2023 Print Date: 01/06/2024

Sigma-Aldrich - 276855

Page 11 of 11





SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifiers Product name 5,5-Dimethyl-1-pyrroline N-oxide Product Number : 92688 Brand : Sigma-Aldrich CAS-No. : 3317-61-1 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses : Laboratory chemicals, Synthesis of substances 1.3 Details of the supplier of the safety data sheet : Sigma-Aldrich Inc. Company 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES Telephone : +1 314 771-5765 : +1 800 325-5052 Fax **1.4 Emergency telephone** Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2 GHS Label elements, including precautionary statements

Not a hazardous substance or mixture.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula	: C6H11NO
Molecular weight	: 113.16 g/mol
CAS-No.	: 3317-61-1
EC-No.	: 222-011-1

Sigma-Aldrich - 92688

Page 1 of 8



No components need to be disclosed according to the applicable regulations.

SECTION 4: First aid measures

4.1 Description of first-aid measures

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

In case of skin contact

Wash off with soap and plenty of water.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- 5.2 Special hazards arising from the substance or mixture Carbon oxides Nitrogen oxides (NOx)
- **5.3 Advice for firefighters** Wear self-contained breathing apparatus for firefighting if necessary.
- **5.4 Further information** No data available

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Avoid dust formation. Avoid breathing vapors, mist or gas. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Sweep up and shovel. Keep in suitable, closed containers for disposal.
- **6.4** Reference to other sections For disposal see section 13.

Sigma-Aldrich - 92688

Page 2 of 8



SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on protection against fire and explosion

Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures

General industrial hygiene practice. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place.

Storage stability

Recommended storage temperature -20 °C

Handle and store under inert gas. Hygroscopic. Air and light sensitive.

Storage class

Storage class (TRGS 510): 11: Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

General industrial hygiene practice.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Sigma-Aldrich - 92688

Page 3 of 8



Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: crystalline Color: light yellow, colorless
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 25 - 29 °C (77 - 84 °F)
f)	Initial boiling point and boiling range	78 °C 172 °F at 1.9 hPa
g)	Flash point	95 °C (203 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Density	1.015 g/cm3
	Relative density	No data available
n)	Water solubility	No data available
o)	Partition coefficient: n-octanol/water	No data available
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available

9.2 Other safety information No data available

Sigma-Aldrich - 92688

Page 4 of 8



SECTION 10: Stability and reactivity

- **10.1 Reactivity** No data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** Air Avoid moisture. Light.
- **10.5 Incompatible materials** Strong oxidizing agents
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral: No data available Inhalation: No data available Dermal: No data available No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitization No data available

Germ cell mutagenicity No data available

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Sigma-Aldrich - 92688

Page 5 of 8



Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

- No data available
- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- 12.6 Endocrine disrupting properties No data available
- 12.7 Other adverse effects No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US) Not dangerous goods

IMDG

Sigma-Aldrich - 92688

Page 6 of 8



Not dangerous goods

ΙΑΤΑ

Not dangerous goods

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

No SARA Hazards

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

3,4-Dihydro-2,2-dimethyl-2H-pyrrole 1-oxide	CAS-No. 3317-61-1	Revision Date
New Jersey Right To Know Components 3,4-Dihydro-2,2-dimethyl-2H-pyrrole 1-oxide	CAS-No. 3317-61-1	Revision Date

California Prop. 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

SECTION 16: Other information

Further information

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma-Aldrich - 92688

Page 7 of 8



The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.2

Revision Date: 06/16/2022

Print Date: 01/06/2024

Sigma-Aldrich - 92688

Page 8 of 8





SAFETY DATA SHEET

Australian statement of hazardous nature : Classified as hazardous according to criteria of Safe Work Australia

Section 1 - Identification

Product Name	2,3-Dimethylbutane
CAS No	79-29-8
Synonyms	Diisopropyl
Product Code	43142
Address	ThermoFisher Scientific Australia Pty Ltd 5 Caribbean Drive, Scoresby VICTORIA 3179. Australia
Emergency Tel.	CHEMTREC® 03 9757 4559 or +613 9757 4559
Telephone / Fax Numbers	Tel: 1300 735 292 Fax: 1800 067 639
E-mail address	ANZinfo@thermofisher.com
Recommended Use	Laboratory chemicals.
Uses advised against	This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list. This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern.

Section 2 - Hazard(s) Identification

Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards Flammable liquids	Category 2
Health hazards	
Aspiration Toxicity Skin Corrosion/Irritation Specific target organ toxicity - (single exposure)	Category 1 Category 2 Category 3
Environmental hazards	
Chronic aquatic toxicity	Category 2

Label Elements

2,3-Dimethylbutane

SAFETY DATA SHEET



Signal Word

Danger

Hazard Statements

- H225 Highly flammable liquid and vapor
- H304 May be fatal if swallowed and enters airways
- H315 Causes skin irritation
- H336 May cause drowsiness or dizziness
- H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P233 Keep container tightly closed
- P240 Ground and bond container and receiving equipment
- P241 Use explosion-proof electrical/ ventilating/ lighting equipment
- P242 Use non-sparking tools
- P243 Take action to prevent static discharges
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P271 Use only outdoors or in a well-ventilated area
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor
- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

- P312 Call a POISON CENTER or doctor if you feel unwell
- P331 Do NOT induce vomiting
- P363 Wash contaminated clothing before reuse
- P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
- P403 + P233 Store in a well-ventilated place. Keep container tightly closed
- P501 Dispose of contents/ container to an approved waste disposal plant

Other information

Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
2,3-Dimethylbutane	79-29-8	<= 100

Section 4 - First Aid Measures

Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur. Risk of serious damage to the lungs (by aspiration).
Ingestion	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim

	lean forward.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
General Advice	If symptoms persist, call a physician.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
First Aid Facilities	Eyewash, safety shower and washroom.
Most important symptoms and effects	Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting
Notes to Physician	Treat symptomatically. Symptoms may be delayed.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

Do not use a solid water stream as it may scatter and spread fire.

Hazardous Decomposition Products

Carbon monoxide (CO), Carbon dioxide (CO₂).

Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition. Vapors may form explosive mixtures with air.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6 - Accidental Release Measures

Emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

Environmental Precautions

Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Up

Clean-up methods - small spillage

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation. Do not get in eyes, on skin, or on clothing. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals AS 1940-2004 - The storage and handling of flammable and combustible liquids

Section 8 - Exposure Controls and Personal Protection

Exposure limits

ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace. **DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
2,3-Dimethylbutane			TWA: 500 ppm		TWA: 500 ppm (8
			STEL: 1000 ppm		Stunden). AGW -
					exposure factor 2
					TWA: 1800 mg/m ³ (8
					Stunden). AGW -
					exposure factor 2
					TWA: 500 ppm (8
					Stunden). MAK
					TWA: 1800 mg/m ³ (8
					Stunden). MAK
					Höhepunkt: 1000 ppm
					Höhepunkt: 3600 mg/m ³

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Exposure Controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

ersonal protective equipment Eye Protection	Wear safety glasses with side shields (or goggles) (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)
Hand Protection	Protective gloves

	Glove material Nitrile rubber Viton (R)	Breakthrough time See manufacturers recommendations	Glove thickness	AUS/NZ Standard AS/NZS 2161	Glove comments (minimum requirement)	
--	--	---	-----------------	--------------------------------	---	--

P

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure		
Repiratory Protection	Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintaneance of repiratory protective devices		
Recommended Filler type.			
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.		
Environmental exposure controls	event product from entering drains. Do not allow material to contaminate ground wate stem.		

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colorless	
Physical State	Liquid	
Odor	Odorless	
Odor Threshold	No data available	
рН	No information available	
Melting Point/Range	-129 °C / -200.2 °F	
Softening Point	No data available	
Boiling Point/Range	58 °C / 136.4 °F	@ 760 mmHg
Flash Point	-29 °C / -20.2 °F	Method - No information available
Evaporation Rate	No data available	
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	Lower 1.2	
-	Upper 7	
Vapor Pressure	267 mbar @ 20 °C	
Vapor Density	3	(Air = 1.0)
Specific Gravity / Density	0.662	
Bulk Density	Not applicable	Liquid
Water Solubility	Immiscible	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/w	vater)	
Autoignition Temperature	415 °C / 779 °F	
Decomposition Temperature	No data available	
Viscosity	No data available	
Explosive Properties		Vapors may form explosive mixtures with air
Oxidizing Properties	No information available	
Other information		
Molecular Formula	C6 H14	
Molecular Weight	86.18	

Section 10 - Stability and Reactivity

2,3-Dimethylbutane

SAFETY DATA SHEET

Reactivity	None known, based on information available	
Stability	Stable under normal conditions.	
Conditions to Avoid	Keep away from open flames, hot surfaces and sources of ignition, Incompatible products.	
Incompatible Materials	Strong oxidizing agents.	
Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO2).		
Hazardous Polymerization	No information available.	

Section 11 - Toxicological Information

Information on Toxicological Effects

Product Information

(a) acute toxicity;

OralNo data availableDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
2,3-Dimethylbutane		LD50 > 5 mL/kg (Rabbit)	LC50 = 259354 mg/m ³ (Rat) 4
			h
(b) skin corrosion/irritation;	Category 2		
(c) serious eye damage/irritation;	No data available		
(d) respiratory or skin sensitization;	Ne dete evelleble		
Respiratory	No data avallable		
Skin	No data avallable		
(e) germ cell mutagenicity;	No data available		
(f) carcinogenicity;	No data available		
		unio ale anciente in this musclust	
	There are no known carcinoge	anic chemicals in this product	
(a) reproductive toxicity:	No data available		
(g) reproductive toxicity,			
(h) STOT-single exposure;	Category 3		
Results / Target organs	Central nervous system (CNS))	
(i) STOT-repeated exposure:	No data available		
Target Organs	None known.		
0 0			
	Onto many A		
(j) aspiration hazard;	Category 1		
Symptome / offects both south and	Inholation of high yoner cance	strations may source averators	a lika baadaaba dizzinaaa
symptoms / enects, both acute and	tiredness neuros and versition		s like neadache, dizziness,
uelayeu	inequiess, nausea and vomitin	9	
Section 12 - Ecological Information

Ecotoxicity effects	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Persistence and Degradability	
Persistence	Persistence is unlikely, based on information available.
Degradation in sewage treatment plant	Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.
Bioaccumulative Potential	Bioaccumulation is unlikely
Mobility	The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. Will likely be mobile in the environment due to its volatility Disperses rapidly in air
Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential	This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance This product does not contain any known or suspected substance

Section 13 - Disposal Considerations

Waste from Residues/Unused Products	Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.
Other Information	Chemical wastes should be disposed through a licensed commercial waste collection service. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not let this chemical enter the environment. Do not empty into drains.

Section 14 - Transport Information

IMDG/IMO

UN-No	UN2457
Proper Shipping Name	2,3-DIMETHYLBUTANE
Hazard Class	3
Packing Group	II

ADG

UN-No Proper Shipping Name Hazard Class Packing Group	UN2457 2,3-DIMETHYLBUTANE 3 II	
	Component	Hazchem Code
	2,3-Dimethylbutane	3YE
	79-29-8 (<= 100)	

<u>IATA</u>

UN-No	UN2457
Proper Shipping Name	2,3-DIMETHYLBUTANE
Hazard Class	3

Packing Group	11
Environmental hazards	Dangerous for the environment Product is a marine pollutant according to the criteria set by IMDG/IMO
Special Precautions	No special precautions required
Additional information	None known

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

Standard for the Uniform Scheduling of Medicines and Poisons

No poison schedule number allocated.

Australian Industrial Chemicals Introduction Scheme (AICIS)

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
2,3-Dimethylbutane - 79-29-8	Present	-

Australian - Illicit Drug Precursors/Reagents Substance List

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

Chemicals of Security Concern

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

National pollutant inventory Not applicable

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

International Inventories

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	ISHL	IECSC	KECL
2,3-Dimethylbutane	Х	Х	201-193-6	438-390-	Х	Х	-	Х	Х	Х	Х	KE-11249
-				3								

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Basel convention on the control of transboundary movements of hazardous wastes and their dispoal Not applicable.

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
2,3-Dimethylbutane	79-29-8	Listed	Not applicable	Not applicable	Not applicable

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
2,3-Dimethylbutane	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

Section 16 - Other Information

Legend

AICS - Australian Inventory of Chemical Substances NZIOC - New Zealand Inventory of Chemicals TSCA - United States Toxic Substances Control Act Section 8(b) EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic ENCS - Japanese Existing and New Chemical Substances Substances List **IECSC** - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances **PICCS** - Philippines Inventory of Chemicals and Chemical Substances **CAS** - Chemical Abstracts Service TWA - Time Weighted Average ACGIH - American Conference of Governmental Industrial Hygienists IARC - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC) ICAO/IATA - International Civil Aviation Organization/International Air IMO/IMDG - International Maritime Organization/International Maritime **Transport Association** Dangerous Goods Code MARPOL - International Convention for the Prevention of Pollution from ADG Australian Code for the Transport of Dangerous Goods by Road and Rail Ships NZS 5433:2012 - Transport of Dangerous Goods on Land OECD - Organisation for Economic Co-operation and Development LD50 - Lethal Dose 50% LC50 - Lethal Concentration 50% EC50 - Effective Concentration 50% ATE - Acute Toxicity Estimate WEL - Workplace Exposure Limit **RPE** - Respiratory Protective Equipment NOEC - No Observed Effect Concentration **DNEL** - Derived No Effect Level POW - Partition coefficient Octanol:Water BCF - Bioconcentration factor vPvB - very Persistent, very Bioaccumulative PBT - Persistent, Bioaccumulative, Toxic **VOC** - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical incident response training.

Revision Date Revision Summary 18-Nov-2022 SDS sections updated.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



SAFETY DATA SHEET

Version 6.2 Revision Date 04/04/2022 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Dioctyl ether

Product Number	:	249599
Brand	:	Aldrich
CAS-No.	:	629-82-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	: Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES	
Telephone Fax	: +1 314 771-5765 : +1 800 325-5052	

1.4 Emergency telephone

Emergency Phone #

: 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2 GHS Label elements, including precautionary statements Not a hazardous substance or mixture.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1	Substances Synonyms	:	Octyl ether
	Formula	:	C ₁₆ H ₃₄ O

Aldrich - 249599

Page 1 of 8



Molecular weight	:	242.44 g/mol
CAS-No.	:	629-82-3
EC-No.	:	211-112-6

No components need to be disclosed according to the applicable regulations.

SECTION 4: First aid measures

4.1 Description of first-aid measures

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

In case of skin contact

Wash off with soap and plenty of water.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- **5.2 Special hazards arising from the substance or mixture** Carbon oxides
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- 5.4 Further information No data available

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Avoid breathing vapors, mist or gas. For personal protection see section 8.
- **6.2 Environmental precautions** No special environmental precautions required.
- **6.3 Methods and materials for containment and cleaning up** Keep in suitable, closed containers for disposal.

Aldrich - 249599

Page 2 of 8



SECTION 7: Handling and storage

7.1 Precautions for safe handling For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place.

Storage class

Storage class (TRGS 510): 12: Non Combustible Liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls General industrial hygiene practice.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 480 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.2 mm Break through time: 30 min Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

Aldrich - 249599

Page 3 of 8



If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection not required. For nuisance exposures use type OV/AG (US) or type ABEK (EU EN 14387) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: clear, liquid Color: colorless
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: -7.6 °C (18.3 °F) - lit.
f)	Initial boiling point and boiling range	286 - 287 °C 547 - 549 °F - lit.
g)	Flash point	110 °C (230 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	The product is not flammable.
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	<= 0.40 hPa at 20 °C (68 °F) - OECD Test Guideline 104
I)	Vapor density	No data available
m)	Density	0.806 g/cm3 at 25 °C (77 °F) - lit.
	Relative density	No data available
n)	Water solubility	0.1 g/l at 20 °C (68 °F) - OECD Test Guideline 105
o)	Partition coefficient: n-octanol/water	log Pow: > 5.7 at 23 °C (73 °F) -

Aldrich - 249599

Page 4 of 8



- p) Autoignition 200 °C (392 °F) Tested according to Directive 92/69/EEC. temperature
- q) Decomposition No data available temperature
- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties No data available

9.2 Other safety information

Surface tension 56.5 mN/m at 26 °C (79 °F)

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- 10.3 Possibility of hazardous reactions No data available
- **10.4 Conditions to avoid** No data available
- **10.5 Incompatible materials** Strong oxidizing agents
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 401) Inhalation: No data available Dermal: No data available No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitization No data available

Germ cell mutagenicity No data available

Aldrich - 249599

Page 5 of 8

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

RTECS: RH8800000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	semi-static test LC50 - Danio rerio (zebra fish) - 3,200 mg/l $$ - 96 h (ISO 7346/1)
Toxicity to daphnia and other aquatic invertebrates	static test - Daphnia magna (Water flea) - > 100 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test EC50 - Desmodesmus subspicatus (green algae) - 26.16 mg/l - 72 h (OECD Test Guideline 201)

12.2 Persistence and degradability

Biodegradability Result: 94.2 % - Readily biodegradable. (OECD Test Guideline 301B)

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

 $\mathsf{PBT}/\mathsf{vPvB}$ assessment not available as chemical safety assessment not required/not conducted

Aldrich - 249599

Page 6 of 8



12.6 Endocrine disrupting properties No data available

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US) Not dangerous goods

IMDG Not dangerous goods

IATA Not dangerous goods

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

No SARA Hazards

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Dioctyl ether

CAS-No. 629-82-3 Revision Date

New Jersey Right To Know Components

Aldrich - 249599

Page 7 of 8





California Prop. 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

SECTION 16: Other information

Further information

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.2

Revision Date: 04/04/2022

Print Date: 12/30/2023

Aldrich - 249599

Page 8 of 8





SAFETY DATA SHEET

Version 6.5 Revision Date 04/28/2022 Print Date 12/23/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifiers**

Product name : 1,2-Dodecanediol Product Number : 213721 Brand : Aldrich CAS-No. : 1119-87-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	: Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone	: +1 314 771-5765
Fax	: +1 800 325-5052

1.4 **Emergency telephone**

Emergency Phone #

: 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2 GHS Label elements, including precautionary statements

Not a hazardous substance or mixture.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 **Substances** $: C_{12}H_{26}O_{2}$ Formula Molecul CAS-No

a	•	°12 ¹¹ 26°2
ar weight	:	202.33 g/mol
).	:	1119-87-5

Aldrich - 213721

Page 1 of 8



The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada

EC-No.

: 214-289-8

No components need to be disclosed according to the applicable regulations.

SECTION 4: First aid measures

4.1 Description of first-aid measures

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

In case of skin contact

Wash off with soap and plenty of water.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- 5.2 Special hazards arising from the substance or mixture Carbon oxides
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- **5.4 Further information** No data available

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Avoid dust formation. Avoid breathing vapors, mist or gas. For personal protection see section 8.
- **6.2 Environmental precautions** No special environmental precautions required.
- **6.3 Methods and materials for containment and cleaning up** Sweep up and shovel. Keep in suitable, closed containers for disposal.
- **6.4** Reference to other sections For disposal see section 13.

Aldrich - 213721

Page 2 of 8

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Advice on protection against fire and explosion

Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures

General industrial hygiene practice. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

Storage class

Storage class (TRGS 510): 13: Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls General industrial hygiene practice.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Aldrich - 213721

Page 3 of 8



Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: powder Color: white
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 56 - 60 °C (133 - 140 °F) - lit.
f)	Initial boiling point and boiling range	No data available
g)	Flash point	()No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
Aldrich - 2	13721	

Page 4 of 8





I)	Vapor density	No data available
m)	Density	No data available
	Relative density	No data available
n)	Water solubility	No data available
o)	Partition coefficient: n-octanol/water	log Pow: 3.803
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
Other safety information		

9.2 Other safety information No data available

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** No data available
- **10.5 Incompatible materials** Acid chlorides, Acid anhydrides, Chloroformates, Reducing agents
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral: No data available Inhalation: No data available Dermal: No data available No data available

Skin corrosion/irritation

No data available

Aldrich - 213721

Page 5 of 8

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity No data available

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity No data available

12.2 Persistence and degradability

No data available

- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Endocrine disrupting properties** No data available

Aldrich - 213721

Page 6 of 8



12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

ΙΑΤΑ

Not dangerous goods

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

No SARA Hazards

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components Dodecane-1,2-diol	CAS-No. 1119-87-5	Revision Date
New Jersey Right To Know Components Dodecane-1,2-diol	CAS-No. 1119-87-5	Revision Date

Aldrich - 213721

Page 7 of 8



The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada

California Prop. 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

SECTION 16: Other information

Further information

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.5

Revision Date: 04/28/2022

Print Date: 12/23/2023

Aldrich - 213721

Page 8 of 8





SAFETY DATA SHEET

Version 6.4 Revision Date 09/27/2022 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name: DodecylamineProduct Number: 325163Brand: Aldrich

CAS-No. : 124-22-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	: Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone	: +1 314 771-5765
Fax	: +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #

: 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 Specific target organ toxicity - repeated exposure, Oral (Category 2), Gastrointestinal tract, Liver, Immune system, H373 Aspiration hazard (Category 1), H304 Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Aldrich - 325163

Page 1 of 9

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada

Pictogram	
Signal Word	Danger
Hazard statement(s) H304 H314 H335 H373	May be fatal if swallowed and enters airways. Causes severe skin burns and eye damage. May cause respiratory irritation. May cause damage to organs (Gastrointestinal tract, Liver, Immune system) through prolonged or repeated exposure if swallowed.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary statement(s) P260 P264 P271 P273 P280 P301 + P310 P301 + P330 + P331 P303 + P361 + P353 P304 + P340 + P310	Do not breathe dust. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable
P305 + P351 + P338 + P310	for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor
P314 P363 P391 P403 + P233 P405 P501	Get medical advice/ attention if you feel unwell. Wash contaminated clothing before reuse. Collect spillage. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances Synonyms : 1-Aminododecane Laurylamine Formula : C12H27N Molecular weight : 185.35 g/mol CAS-No. : 124-22-1 EC-No. : 204-690-6 Component Classification Concentration dodecylamine Skin Corr. 1B; Eye Dam. <= 100 %

Aldrich - 325163

Page 2 of 9



1; STOT SE 3; STOT RE 2;	
Asp. Tox. 1; Aquatic Acute	
1; Aquatic Chronic 1;	
H314, H318, H335, H373,	
H304, H400, H410	
M-Factor - Aquatic Acute:	
10	
	1; STOT SE 3; STOT RE 2; Asp. Tox. 1; Aquatic Acute 1; Aquatic Chronic 1; H314, H318, H335, H373, H304, H400, H410 M-Factor - Aquatic Acute: 10

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Pulmonary failure possible after aspiration of vomit. Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide (CO2) Foam Dry powder

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Combustible. Vapors are heavier than air and may spread along floors.

Aldrich - 325163

Page 3 of 9



Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions Do not let product enter drains.

- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- **6.4** Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** For precautions see section 2.2.
- 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Tightly closed. Dry.

Store under inert gas. Air sensitive.

Storage class

Storage class (TRGS 510): 8A: Combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Aldrich - 325163

Page 4 of 9



8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact

Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 480 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact

Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 30 min Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- a) Appearance Form: crystalline Color: colorless
- b) Odor amine-like
- c) Odor Threshold No data available

Aldrich - 325163

Page 5 of 9

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



d)	рН	12.4 at 20 °C (68 °F)
e)	Melting point/freezing point	Melting point/range: 27 - 29 °C (81 - 84 °F) - lit.
f)	Initial boiling point and boiling range	247 - 249 °C 477 - 480 °F - lit.
g)	Flash point	115 °C (239 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	85 hPa at 170 °C (338 °F)
I)	Vapor density	No data available
m)	Density	0.806 g/mL at 25 °C (77 °F) - lit.
	Relative density	0.9423.2 °C - OECD Test Guideline 109
n)	Water solubility	3.5 g/l at 25 °C (77 °F)
o)	Partition coefficient: n-octanol/water	log Pow: 4.7
p)	Autoignition temperature	255 °C (491 °F) at 1,006 hPa
q)	Decomposition temperature	No data available
r)	Viscosity	4.2 mm2/s at 40 °C (104 °F) -
s)	Explosive properties	No data available
t)	Oxidizing properties	none
Otł	ner safety informatio	n
	Surface tension	51.3 mN/m at 20 °C (68 °F)
	Dissociation constant	ca.10.6 at 25 °C (77 °F)

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines!

Aldrich - 325163

Millipore Sigma

Page 6 of 9

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada

Violent reactions possible with: Strong acids Strong oxidizing agents Acid anhydrides acid halides

- **10.4 Conditions to avoid** Strong heating.
- **10.5 Incompatible materials** Metals
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 401) Inhalation: No data available Dermal: No data available No data available

Skin corrosion/irritation

Skin - Rabbit Result: Corrosive - 3 min (OECD Test Guideline 404)

Serious eye damage/eye irritation No data available

Respiratory or skin sensitization No data available

Germ cell mutagenicity No data available

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Respiratory Tract

Specific target organ toxicity - repeated exposure

Oral - May cause damage to organs through prolonged or repeated exposure. - Gastrointestinal tract, Liver, Immune system

Aldrich - 325163

Page 7 of 9



Aspiration hazard

No data available

11.2 Additional Information

Repeated dose toxicity - No data available RTECS: JR6475000 Cough, Shortness of breath, Headache, Nausea, Vomiting To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	static test LC50 - Danio rerio (zebra fish) - 0.54 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 0.15 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test EC50 - Pseudokirchneriella subcapitata - 0.05 mg/l - 72 h (OECD Test Guideline 201)

12.2 Persistence and degradability No data available

- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

- **12.6 Endocrine disrupting properties** No data available
- 12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US) Aldrich - 325163

Page 8 of 9



UN number: 3259 Class: 8 Packing group: II Proper shipping name: Amines, solid, corrosive, n.o.s. (dodecylamine) Reportable Quantity (RQ): Poison Inhalation Hazard: No

IMDG

UN number: 3259 Class: 8 Packing group: II EMS-No: F-A, S-B Proper shipping name: AMINES, SOLID, CORROSIVE, N.O.S. (dodecylamine) Marine pollutant : yes

ΙΑΤΑ

UN number: 3259 Class: 8 Packing group: II Proper shipping name: Amines, solid, corrosive, n.o.s. (dodecylamine)

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.4

Revision Date: 09/27/2022

Print Date: 12/30/2023

Aldrich - 325163

Page 9 of 9



🍠 Celanese

PE874

Version 3.1

 Issue Date
 :
 02/07/2024

 Revision Date
 :
 03/16/2023

Ref. 130000143959

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name Tradename/Synonym	PE874 PE874 INTEXAR™	
Product Use	For industrial use only., Paste for electronic industry	
Restrictions on use Manufacturer/Supplier	Do not use product for anything outside of the above specified uses. Celanese Sales U.S. Ltd. 222 West Las Colinas Boulevard Suite 900N Irving, TX 75039	
Product Information Transport Emergency	+1 972-443-4000 HazCom@celanese.com	

SECTION 2. HAZARDS IDENTIFICATION

Not classified as a hazardous substance or mixture according to the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard 2012.

Other hazards

No applicable data available.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Silver powder	7440-22-4	50 - 60 %
Dimethyl glutarate	1119-40-0	20 - 30 %

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4. FIRST AID MEASURES



PE874

Version 3.1

Issue Date Revision Date		02/07/2024 03/16/2023	Ref. 130000143959
General advice Inhalation		 No applicable data If inhaled, remove breathing, give art 	a available. to fresh air. If breathing is difficult, give oxygen. If not ificial respiration. Get medical attention.
Skin contact		: Wash off with soar persists. Wash co	o and water. Get medical attention if irritation develops and ntaminated clothing before re-use.
Eye contact		: Immediately flush	eyes for at least 15 minutes. Get medical attention.
Ingestion		: If swallowed Rinse immediately. DO N or poison control c	e mouth with water. Call a physician or poison control centre IOT induce vomiting unless directed to do so by a physician enter.
Most important symptoms/effects, acute		: No applicable data	a available.
Protection of first-aiders Notes to physician		: No applicable data : No applicable data	a available. a available.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, Dry chemical, Carbon dioxide (CO2)
Unsuitable extinguishing media	: No applicable data available.
Specific hazards	: Hazardous decomposition products formed under fire conditions. (see also section 10) Avoid breathing decomposition products.
Special protective equipment for firefighters	: Exposure to decomposition products may be a hazard to health. Wear self- contained breathing apparatus for firefighting if necessary.
Further information	: Evacuate personnel to safe areas. Stop spill/release if it can be done with minimal risk. Do not allow run-off from fire fighting to enter drains or water courses.
	2/12

🍠 Celanese

PE874

Version 3.1

Issue Date Revision Date : 02/07/2024 : 03/16/2023 Ref. 130000143959

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Safeguards (Personnel)	roid contact with skin, eyes and clothing. Ensure adequa itable protective equipment.	te ventilation. Wear
Environmental precautions	event further leakage or spillage if safe to do so. Preven tering drains. Clean contaminated floors and objects tho serving environmental regulations.	t product from roughly while
Spill Cleanup	ontain spill. Soak up with inert absorbent material. Collec ntaminated absorbent and dike material for disposal. Ke osed containers for disposal. Ventilate the area. Clean co rface thoroughly.	t and contain ep in suitable, ontaminated
Accidental Release Measures	spose of in accordance with local regulations.	

SECTION 7. HANDLING AND STORAGE

Handling (Personnel)	oid inhalation, ingestion and contact with skin and eas without adequate ventilation. Keep container cl ke care to avoid waste and spillage when weighing oduct. Indle in accordance with good industrial hygiene ar ntact with skin, eyes and clothing. Contaminated w allowed out of the workplace. Remove contaminate otective equipment before entering eating areas. R ntaminated clothing before re-use.	eyes. Do not use in osed when not in use. I, loading and mixing the Ind safety practice. Avoid ork clothing should not red clothing and emove and wash
Handling (Physical Aspects)	oid formation of dust and aerosols. Keep away from ition.	n heat and sources of
Dust explosion class Storage	applicable data available. bre in original container. Keep containers tightly clo ill-ventilated place. Keep away from sources of ign t store or consume food, drink or tobacco in areas ntaminated with this material. Keep container close t reuse empty container.	ised in a dry, cool and tion - No smoking. Do where they may become ad when not in use. Do
	3 / 12	

🥑 Celanese

PE874

Version 3.1

Issue Date Revision Date	:	02/0 03/1	7/2024 Ref. 130000143959 6/2023
			Stable under normal conditions.
Storage period		:	No applicable data available.
Storage temperature		:	No applicable data available.
SECTION 8. EXPOSURE CO	DNT	ROLS	S/PERSONAL PROTECTION
Engineering controls		:	Local exhaust or a laboratory hood should be used when handling the materials. Maintain air concentrations below occupational exposure standards.
Personal protective equip Respiratory protection	ome	nt :	Provide adequate ventilation. No personal respiratory protective equipment normally required. Where there is potential for airborne exposures in excess of applicable limits, wear approved respiratory protection with dust/mist cartridge. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer. Persons performing maintenance or repairs on exhaust system equipment (e.g. ducts) may need to use respirators and protective clothing to prevent exposure to any accumulated residues.
Hand protection		:	Material: Impervious gloves Additional protection: Gloves must be inspected prior to use., Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough., The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other., The exact break through time can be obtained from the protective glove producer and this has to be observed., Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
Eye protection		:	Wear safety glasses with side shields.
Skin and body protection	on	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Lightweight protective clothing Safety shoes
			4 / 12



PE874

Version 3.1

Issue Date	
Revision Date	

1 02/07/2024 03/16/2023

:

Ref. 130000143959

Exposure Guidelines

Exposure Limit Values

Silver powder							
TLV	(ACGIH)	0.1 mg/m3	TWA				
		-	Dust and fume				
REL	(NIOSH)	0.01 mg/m3	Time-weighted average concentration				
			for up to a 10-hour workday during a				
			40-hour workweek				
			Dust				
PEL (Permissible	(OSHA)	0.01 mg/m3	TWA				
Exposure Limit)		-					

Dimethyl glutarate			
AEL *	(DuPont)	1.5 ppm 10 mg/m3	8 & 12 hr. TWA

* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

Appearance Physical state Form Color	: liquid : viscous liquid : silver
Odor	: mild, fruity
Odor threshold	: No applicable data available.
рН	: no data available, Substance/mixture is non-polar/aprotic.
Melting point/range	: No applicable data available.
Boiling point/boiling range	: No applicable data available.
Flash point	: 102 °C Method: closed cup
Evaporation rate	: No applicable data available.
Flammability (solid, gas)	: No applicable data available.

🥑 Celanese

PE874

Version 3.1

Issue Date : Revision Date :	02/07/2024 03/16/2023	Ref. 130000143959	
Upper explosion limit	: No applicable da	ata available.	
Lower explosion limit	: No applicable da	ata available.	
Vapour Pressure	: No applicable dat	ta available.	
Vapour density	: No applicable dat	ta available.	
Density	: 2.41 g/cm3 at 20	°C (68 °F)	
Specific gravity (Relative density)	: No applicable dat	ta available.	
Water solubility	: insoluble		
Solubility(ies)	: No applicable dat	ta available.	
Partition coefficient: n- octanol/water	: No applicable dat	ta available.	
Auto-ignition temperature	: No applicable da	ata available.	
Decomposition temperature	: No applicable da	ata available.	
Viscosity, kinematic	: > 20.5 mm2/s at estimated	40 °C (104 °F)	
Viscosity, dynamic	: No applicable da	ata available.	

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability	No applicable data available. Stable at normal temperatures and storage conditions.	
Possibility of hazardous reactions	Polymerization will not occur.	
Conditions to avoid	None reasonably foreseeable.	
Incompatible materials	Acids, bases and strong oxidizing agents	
Hazardous decomposition products	No decomposition if stored and applied as directed. Hazardous decomposition products, Under fire conditions:, Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smok metal oxides, Isocyanates, Isocyanic Acid	<e.,< td=""></e.,<>
	6 / 12	

Celanese

PE874

Version 3.1

 Issue Date
 :
 02/07/2024

 Revision Date
 :
 03/16/2023

Ref. 130000143959

SECTION 11. TOXICOLOGICAL INFORMATION

Silver powder

Inhalation 4 h LC50	:	> 5.16 mg/l , Rat
Dermal LD50	:	> 2,000 mg/kg , Rat
Oral LD50	:	> 2,000 mg/kg , Rat
Skin irritation	:	Slight or no skin irritation, Rabbit Minimal effects that do not meet the threshold for classification.
Eye irritation	:	No eye irritation, Rabbit
Skin sensitization	:	Does not cause skin sensitisation., Guinea pig Information given is based on data obtained from similar substances.
Repeated dose toxicity	:	Ingestion Rat - 90 d NOAEL: 30 mg/kg LOAEL: 125 mg/kgMethod: OECD Test Guideline 408 No toxicological effects warranting significant target organ toxicity classification were seen below the recommended guidance values for classification.
Mutagenicity	:	Inhalation Rat - 90 d dust/mistMethod: OECD Test Guideline 413 No toxicological effects warranting significant target organ toxicity classification were seen below the recommended guidance values for classification. Weight of evidence does not support classification as a germ cell mutagen. Did not cause genetic damage in cultured bacterial cells. Genetic damage in cultured mammalian cells was observed in some laboratory tests but not in others.
		Genetic damage in animals was observed in some laboratory tests but not in others. Information given is based on data obtained from similar substances.
		7/12
Safety Data Sheet

🥑 Celanese

PE874

Version 3.1

Issue Date Revision D	ate	:	02/07/2024 03/16/2023	Ref. 130000143959
	Reproductive to:	kicity	/ :	No toxicity to reproduction Animal testing showed no reproductive toxicity.
	Teratogenicity		:	Animal testing showed no developmental toxicity.
Dimethyl glu	tarate Inhalation 4 h Lu	C50	:	> 11 mg/l , Rat
	Dermal LD50		:	> 2,000 mg/kg , Rat Information given is based on data obtained from similar substances.
	Oral LD50		:	> 5,000 mg/kg , Rat Information given is based on data obtained from similar substances.
	Skin irritation		:	Slight or no skin irritation, Rabbit Minimal effects that do not meet the threshold for classification. Information given is based on data obtained from similar substances.
	Eye irritation		:	Slight or no eye irritation, Rabbit Minimal effects that do not meet the threshold for classification.
	Skin sensitizatio	n	:	Does not cause skin sensitisation., Mouse Information given is based on data obtained from similar substances.
	Repeated dose	toxic	sity :	Inhalation Rat - 90 d dust/mistMethod: OECD Test Guideline 413 No toxicological effects warranting significant target organ toxicity classification were seen below the recommended guidance values for classification.
	Mutagenicity		:	Animal testing did not show any mutagenic effects. Tests on bacterial or mammalian cell cultures did not show mutagenic effects. Information given is based on data obtained from similar substances.
	Reproductive to:	xicity	/ :	No toxicity to reproduction Animal testing showed no reproductive toxicity. Information given is based on data obtained from similar substances.
	Teratogenicity		:	Animal testing showed no developmental toxicity.

Safety Data Sh	eet			90	elanese
PE874					
Version 3.1					
Issue Date Revision Date	: 02/07 : 03/16	7/2024 5/2023	Ref. 13000	00143959	
Carcinogenic The carcino HazCom 20 Program (N Internationa	ity ogenicity classificat 012, Appendix A.6. ITP) Report on Car al Agency for Rese	ions for t The clas cinogens arch on (his product and/or its ing ssifications may differ fro s (latest edition) or those Cancer (IARC) Monograp	redients have been c m those listed in the found to be a potenti hs (latest edition).	letermined according to National Toxicology al carcinogen in the
Materia	I	IARC	NTP	OSHA	
Talc (Mg3H2	?(SiO3)4)		Х		
SECTION 12. ECOL		ATION			
Aquatic Toxicity					
Silver powder 96 h L	C50	: F	Pimephales promelas (fat nformation given is based	head minnow) 0.016 d on data obtained fro	mg/l om similar substances.
96 h E	C50	: F II	Pseudokirchneriella subca	apitata (green algae) d on data obtained fro	0.19 mg/l om similar substances.
72 h E	C10	: F II	Pseudokirchneriella subca	apitata (green algae) d on data obtained fro	0.03462 mg/l om similar substances.
48 h E	C50	: C II	Daphnia magna (Water fle	ea) 0.0125 mg/l d on data obtained fro	om similar substances.
32 d		: N II	IOEC Oncorhynchus my	/kiss (rainbow trout) d on data obtained fro	0.0012 mg/l om similar substances.
21 d		: N II	IOEC Daphnia magna (nformation given is based	Water flea) 0.00327 d on data obtained fro	mg/l om similar substances.
Dimethyl glutarate		_			
96 h L	C50	: L	epomis macrochirus (Blu	iegill sunfish) 30.9 m	g/I EPA OTS 797.1400
72 h E	C50	: F C	Pseudokirchneriella subca Guideline 201	apitata (green algae)	> 85 mg/l OECD Test
72 h N	OEC	: F G	Pseudokirchneriella subca Guideline 201	apitata (green algae)	36 mg/I OECD Test
48 h E	C50	: C	Daphnia magna (Water fle	ea) 112 mg/I EPA O	FS 797.1300
			9/12		

Safety Data Sheet

🥑 Celanese

PE874						
Version 3.1						
Issue Date	: 02/07/202	4 Ref. 130000143959				
Revision Date	. 03/10/202					
		Information given is based on data obtained from similar substances.				
Environmental Fa	ate					
Silver powder						
Biodegra	Idability	Not biodegradable Not applicable				
Bioaccur	nulation	Bioaccumulation is unlikely.				
		Information given is based on data obtained from similar substances.				
Dimethyl glutarate						
Bioaccur	nulation	Bloaccumulation is unlikely.				
Additional ecolog	ical information	No data is available on the product itself.				
SECTION 13. DISPO	SAL CONSIDERATIO	NS				
Waste disposal methods -: If recycling is not practicable, dispose of in compliance with local regulations.ProductNever place unused product down any indoor or out door drain.						
 Waste disposal methods - Container Do not reuse empty container. Contaminated/not cleaned containers should be treated/handled like product waste. Dispose of container properly. Refer to applicable Local, State/Provincial, and Federal Regulations, as well 						
	as in	dustry Standards.				
Contaminated pac	ckaging : No a	pplicable data available.				
SECTION 14. TRANSPORT INFORMATION						
IATA_C	UN number	: 3082				
	Proper snipping nam	e : Environmentally hazardous substance, liquid, n.o.s. (Silver)				
	Class	: 9 				
	Labelling No.	: 11 : 9				
IMDG	UN number					
	Proper snipping han	LIQUID, N.O.S. (Silver)				
	Class	: 9				
		10 / 12				

Safety Data Sheet	🥑 Celanese
PE874	
Version 3.1	
Issue Date : Revision Date :	02/07/2024 Ref. 130000143959 03/16/2023
Packing Labelling	group : III g No. : 9
Not regulated as a hazardo Marine Pollutants assigned quantity per single or inner packaging of 5 KG or less 2.10.2.7 of IMDG code, IA	bus material by DOT. I UN number 3077 and 3082 in single or combination packaging containing a net packaging of 5 L or less for liquids or having a net mass per single or inner for solids may be transported as non-dangerous goods as provided in section IA special provision A197, and ADR/RID special provision 375.
SECTION 15. REGULATORY	NFORMATION
TSCA	: In compliance with TSCA-active Inventory requirements for commercial purposes.
SARA 311/312 Hazard classification	: No SARA Hazards
SARA 313 Regulated Chemical(s)	: The following components are subject to reporting levels established by SARA Title III, Section 313: Silver powder
California Prop. 65	: This product can expose you to Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
SECTION 16. OTHER INFORM	ATION
Issue Date Revision Date	: 02/07/2024 : 03/16/2023
Contact person	 DuPont Polymer Products, LLC Building 304, Experimental Station, 200 Powder Mill Rd 11 / 12

Safety Data Sheet

🥑 Celanese

PE874

Version 3.1

Issue Date Revision Date

02/07/2024 : 03/16/2023

1

Ref. 130000143959

Wilmington, DE 19803, USA Product Information: +1 972-443-4000 E-mail address: HazCom@celanese.com

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



DUPONT[™] INTEXAR[™] PE874

STRETCHABLE SILVER CONDUCTOR

PRODUCT DESCRIPTION

DuPont[™] Intexar[™] PE874 is a high recovery stretchable silver conductor paste for printed low-voltage circuitry on elastomeric film and textile substrates. PE874 is a silver-bearing conductor that possesses excellent stretchability, adhesion, and conduction. It is compatible with polyurethane (TPU) film and select synthetic fabrics.

PRODUCT BENEFITS

- High recovery stretchable conductor
- Washable with proper encapsulation
- Compatible with wide variety of fabric and film substrates
- Compatible with lamination

PROCESSING

Screen Printing Equipment

- Automatic reel-to-reel
- Semi-automatic flat-bed
- Rotary screen/cylinder screen

Substrates

- Select synthetic fabrics
- Coated fabrics & membranes
- Thermoplastic polyurethane films

Screens

- 325 200 Wire/inch stainless steel mesh
- 120 77 Thread/cm polyester mesh

Curing

Dry at 130°C for 15 minutes in a well-ventilated oven or conveyor dryer, where the exhaust meets environmental regulations. Drying efficiency and good print quality/thickness control helps ensure best electrical and physical performance.

Table 1-Typical Physical Properties

Test	Properties
Resistivity (mΩsq/25µm) (5µm Dried Print Thickness on ST505 PET Film)	<50
Resistivity After Crease (ASTM F1683, 180deg, 1 cycle, 2kg)	<5%
Abrasion Resistance (ASTM D3363 Pencil Hardness)	1H
Adhesion (Tape Cross Hatch) (ASTM D3359 w/3M Scotch Tape 600)	No Transfer
Clean-Up Solvent	Ethylene Diacetate
Encapsulant	PE773
Color	Metallic

Table 2-Typical Composition Properties

Test	Properties
Solids (%) @ 150°C	63 – 68
Viscosity (PaS) Brookfield RVT, #14 spindle, 10rpm, 25°C	20 - 60
Density (g/cc)	3.4
Dried Print Thickness (microns)	8 - 12
Thinner	DuPont [™] 8260

Printed on Melinex ST505 Polyester Film. This table shows anticipated typical physical properties for DuPont[™] Intexar[™] PE874 based on specific experiments and is not intended to represent the product specifications. Product specifications are available upon request.

SUBSTRATE TYPES

PE874 is appropriate for many types of thermally-stable substrates in wearable electronics applications. Due to the diverse nature of potential fabrics and films that could be considered, it is not always possible to provide detailed performance guidance. For more information, please call your local DuPont representative.



DUPONT[™] INTEXAR[™] PE874 STRETCHABLE SILVER CONDUCTOR

STORAGE AND SHELF LIFE

Containers should be stored, tightly sealed, in a clean, stable environment at room temperature (<25°C). Shelf life of material in unopened containers is six months from date of shipment. Some settling of solids may occur and compositions should be thoroughly mixed prior to use. Thinning with DuPont[™] 8260 may be desired in some cases depending on printing requirements.

SAFETY AND HANDLING

Please inform the DuPont product supplier if you intend to test PE874, alone or in combination with other materials, on human skin. For Safety and Handling information pertaining to this product, read the Material Safety Data Sheet (MSDS).

FOR MORE INFORMATION ON DUPONT[™] INTEXAR[™] PE874 OR OTHER DUPONT MICROCIRCUIT MATERIALS PRODUCTS, PLEASE CONTACT YOUR LOCAL REPRESENTATIVE:

Americas

DuPont Photovoltaic and Advanced Materials 974 Centre Rd. Chestnut Run Plaza 708 Wilmington DE 19805

Europe, Middle East & Africa

Du Pont (UK) Ltd Coldharbour Lane Bristol BS16 1QD UK Tel +44 117 931 3191

Asia

Du Pont Kubushiki Kaisha MCM Technical Lab DuPont Electronics Center KSP R&D B213, 2-1, Sakado 3-chome, Takatsu-ku, Kawasaki-shi, Kanagawa, 213-0012 Japan Tel +81 44 820 7575

DuPont Taiwan Ltd 45, Hsing-Pont Road Taoyuan, 330 Taiwan Tel +886 3 377 3616

DuPont China Holding Company Ltd Bldg. 11, 399 Keyuan Road Zhangjiang Hi-Tech Park Pudong New District Shanghai 201203 Tel +86 21 3862 2888 DuPont Korea Inc. 3-5th Floor, Asia tower #726 Yeoksam-dong, Gangnam-gu Seoul 135-719, Korea Tel +82 2 2222 5275

E.I. DuPont India Private Limited 7th Floor, Tower C, DLF Cyber Greens Sector-25A, DLF City, Phase-III Gurgaon 122 002 Haryana, India Tel +91 124 409 1818

Du Pont Company (Singapore) Pte Ltd 21 Biopolis Road, #06-21, Nucleos, South Tower, Singapore 138567 Tel +65 6586 3022

advancedmaterials.dupont.com

Copyright © 2017 DuPont. All rights reserved. The DuPont Oval Logo, DuPont™, and all DuPont products denoted with ® or ™ are registered trademarks or trademarks of E. I. du Pont de Nemours and Company or its affiliates.

This information corresponds to our current knowledge on the subject. It is offered solely to provide possible suggestions for your own experimentations. It is not intended, however, to substitute for any testing you may need to conduct to determine for yourself the suitability of our products for your particular purposes. This information may be subject to revision as new knowledge and experience becomes available. Since we cannot anticipate all variations in end-use conditions, DuPont makes no warranties, and assumes no liability in connection with any use of this information. Nothing in this publication is to be considered as a license to operate under or a recommendation to infringe any patent right.

CAUTION: Do not use in medical applications involving permanent implantation in the human body. For other medical applications, see "DuPont Medical Caution Statement," H-50102-5. K-29701 (8/17)



Material Safety Data Sheet

Ecoflex Series

MSDS No. 844

Date Of Preparation: February 19, 2010

Revision: 0003

Section 1 - Chemical Product and Company Identification Product/Chemical Name: Ecoflex Series Part A General Use: Silicone Elastomer Manufacturer: Smooth-On Inc., 2000 St. John St., Easton PA 18042 Phone (610) 252-5800, FAX (610) 252-6200 Emergency Contact: Chem-Tel Domestic 800-255-3924 International 813-248-0585 **Section 2- Hazards Identification** Not hazardous according to United States Occupational Safety and Health HMIS Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the H Canadian Workplace Hazardous Materials Information System (WHMIS) and Council F 1 directive 1999/45/EC and its subsequent amendments. 0 R Section 3 - Composition / Information on Ingredients No hazardous ingredients Section 4 - First Aid Measures Inhalation: Remove source(s) of contamination and move victim to fresh air. **Eye Contact:** Flush eyes with plenty of water. If irritation persists, seek medical attention. Skin Contact: In case of skin contact, wash thoroughly with soap and water; remove contaminated clothing and launder before reuse. Ingestion: Do not induce vomiting unless instructed by a physician. Contact physician immediately After first aid, get appropriate in-plant, paramedic, or community medical support. Section 5 - Fire-Fighting Measures Flash Point: >300 °F Flash Point Method: PMCC NFPA **LEL:** Not Established **UEL:** Not Established Flammability Classification: Non-Flammable 0 **Extinguishing Media:** Dry Chemical, Carbon Dioxide, and Foam 0 Unusual Fire or Explosion Hazards: None Fire-Fighting Instructions: Fire fighters should wear self-contained breathing apparatus. Do not release runoff from fire control methods to sewers or waterways. Fire-Fighting Equipment: Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressuredemand or positive-pressure mode.

Section 6 - Accidental Release Measures

Spill /Leak Procedures: Dike and contain spill; absorb or scrape up excess into suitable container for disposal. Stop or reduce discharge if it can be done safely. **Regulatory Requirements:** Follow applicable OSHA regulations (29 CFR 1910.120).

Section 7 - Handling and Storage

Handling Precautions: Use good general housekeeping procedures. Storage Requirements: Store in cool dry, well-ventilated area.

Section 8 - Exposure Controls / Personal Protection

Respiratory Protection: Follow OSHA respirator regulations 29 CFR 1910.134 and European Standard EN 149; wear an MSHA/NIOSH or European Standard EN149 approved respirator.

Protective Clothing/Equipment: Wear chemically protective gloves to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eyeand face-protection regulations 29 CFR 1910.133 and European Standard EN166. Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.



Comments: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

Section 9 - Physical and Chemical Properties

Physical State: Viscous Liquid Appearance : Off White viscous liquid Odor : Sweet odor Vapor Pressure: None (Polymeric Resin) Vapor Density (Air=1): >1 Specific Gravity (H₂O=1, at 4 °C): 1.07 Water Solubility: Insoluble
Boiling Point: None (Polymeric Resin)
Volatile: Nil
Freezing/Melting Point: None (Polymeric Resin)
Viscosity: 100 poise
Evaporation Rate: Not Applicable

Section 10 - Stability and Reactivity

Stability: Stable at room temperature in closed containers under normal storage and handling conditions.

Polymerization: Hazardous polymerization can not occur.

Chemical Incompatibilities: Strong bases, and acids.

Hazardous Decomposition Products: Silica, carbon monoxide and carbon dioxide

Section 11- Toxicological Information

Eye Effects: Irritation Skin Effects: Irritation Carcinogenicity: None Determined Mutagenicity: None Determined Teratogenicity: None Determined

Section 12 - Ecological Information

None Established

Section 13 - Disposal Considerations

Disposal: Must be disposed of in accordance with applicable Federal, state and local regulations.

Section 14 - Transport Information				
DOT	ΙΑΤΑ	IMDG		
Not Regulated	Not Regulated	Not Regulated		

Section 15 - Regulatory Information

United States Regulations

EPA Regulations:

RCRA Hazardous Waste Number: Not listed (40 CFR 261.33)

SARA Toxic Chemical (40 CFR 372.65): None

These products do not contain chemicals that are subject to release reporting requirements under section 313 of SARA Title III.

TSCA Inventory Status (40 CFR710): All components of this formulation are listed in the TSCA Inventory.

<u>California Proposition 65</u>: These products do not intentionally contain any chemicals which have been identified by the state of California to cause cancer, birth defects or other reproductive harm.

CANADA Regulations

WHMIS Identification: **Not controlled** CDSL/NDL (Canadian Domestic Substance List/Non Domestic Substance List): **All are Listed**

Labeling according to EEC Directive

No special packaging or labeling requirements.

Section 16 - Other Information

Disclaimer: The information contained in this MSDS is considered accurate as of the version date. However, no warranty is expressed or implied regarding the accuracy of the data. Since the use of this product is not within the control of Smooth-On Inc., it is the user's obligation to determine the suitability of the product for its intended application and assumes all risk and liability for its safe use.

This Material Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA)Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS), and European Union Directive 1907/2006/EEC (REACH). Hazard symbols and risk phrases are based on maximum listed concentration of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS) or the European Union (EU/EEC) directive 1907/2006/EEC and are considered trade secrets under US Federal Law (29CFR and 40CFR), Canadian Law (Health Canada Legislation), and European Union Directives.



Material Safety Data Sheet

Ecoflex Series

MSDS No. 844

Date Of Preparation: February 17, 2010

Section 1 - Chemical Product and Company Identification

Revision: 0003

Product/Chemical Name: Ecoflex Series Part B General Use: Silicone Elastomer Manufacturer: Smooth-On Inc., 2000 St. John St., Easton PA 18042 Phone (610) 252-5800, FAX (610) 252-6200 Emergency Contact: Chem-Tel Domestic 800-255-3924 International 813-248-0585 **Section 2- Hazards Identification** Not hazardous according to United States Occupational Safety and Health HMIS Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the H Canadian Workplace Hazardous Materials Information System (WHMIS) and Council F 1 directive 1999/45/EC and its subsequent amendments. 0 R Section 3 - Composition / Information on Ingredients No hazardous ingredients Section 4 - First Aid Measures Inhalation: Remove source(s) of contamination and move victim to fresh air. **Eye Contact:** Flush eyes with plenty of water. If irritation persists, seek medical attention. Skin Contact: In case of skin contact, wash thoroughly with soap and water; remove contaminated clothing and launder before reuse. Ingestion: Do not induce vomiting unless instructed by a physician. Contact physician immediately After first aid, get appropriate in-plant, paramedic, or community medical support. Section 5 - Fire-Fighting Measures Flash Point: >300 °F Flash Point Method: PMCC NFPA **LEL:** Not Established **UEL:** Not Established Flammability Classification: Non-Flammable 0 **Extinguishing Media:** Dry Chemical, Carbon Dioxide, and Foam 0 Unusual Fire or Explosion Hazards: None Fire-Fighting Instructions: Fire fighters should wear self-contained breathing apparatus. Do not release runoff from fire control methods to sewers or waterways. Fire-Fighting Equipment: Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressuredemand or positive-pressure mode.

Section 6 - Accidental Release Measures

Spill /Leak Procedures: Dike and contain spill; absorb or scrape up excess into suitable container for disposal. Stop or reduce discharge if it can be done safely. **Regulatory Requirements:** Follow applicable OSHA regulations (29 CFR 1910.120).

Section 7 - Handling and Storage

Handling Precautions: Use good general housekeeping procedures. Storage Requirements: Store in cool dry, well-ventilated area.

Section 8 - Exposure Controls / Personal Protection

Respiratory Protection: Follow OSHA respirator regulations 29 CFR 1910.134 and European Standard EN 149; wear an MSHA/NIOSH or European Standard EN149 approved respirator.

Protective Clothing/Equipment: Wear chemically protective gloves to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eyeand face-protection regulations 29 CFR 1910.133 and European Standard EN166. Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.



Comments: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

Section 9 - Physical and Chemical Properties

Physical State: Viscous Liquid Appearance : Off White viscous liquid Odor : Sweet odor Vapor Pressure: None (Polymeric Resin) Vapor Density (Air=1): >1 Specific Gravity (H₂O=1, at 4 °C): 1.07 Water Solubility: Insoluble
Boiling Point: None (Polymeric Resin)
Volatile: Nil
Freezing/Melting Point: None (Polymeric Resin)
Viscosity: 100 poise
Evaporation Rate: Not Applicable

Section 10 - Stability and Reactivity

Stability: Stable at room temperature in closed containers under normal storage and handling conditions.

Polymerization: Hazardous polymerization can not occur.

Chemical Incompatibilities: Strong bases, and acids.

Hazardous Decomposition Products: Silica, carbon monoxide and carbon dioxide

Section 11- Toxicological Information

Eye Effects: Irritation Skin Effects: Irritation Carcinogenicity: None Determined Mutagenicity: None Determined Teratogenicity: None Determined

Section 12 - Ecological Information

None Established

Section 13 - Disposal Considerations

Disposal: Must be disposed of in accordance with applicable Federal, state and local regulations.

Section 14 - Transport Information					
DOT	ΙΑΤΑ	IMDG			
Not Regulated	Not Regulated	Not Regulated			

Section 15 - Regulatory Information

United States Regulations

EPA Regulations:

RCRA Hazardous Waste Number: Not listed (40 CFR 261.33)

SARA Toxic Chemical (40 CFR 372.65): None

These products do not contain chemicals that are subject to release reporting requirements under section 313 of SARA Title III.

TSCA Inventory Status (40 CFR710): All components of this formulation are listed in the TSCA Inventory.

<u>California Proposition 65</u>: These products do not intentionally contain any chemicals which have been identified by the state of California to cause cancer, birth defects or other reproductive harm.

CANADA Regulations

WHMIS Identification: **Not controlled** CDSL/NDL (Canadian Domestic Substance List/Non Domestic Substance List): **All are Listed**

Labeling according to EEC Directive

No special packaging or labeling requirements.

Section 16 - Other Information

Disclaimer: The information contained in this MSDS is considered accurate as of the version date. However, no warranty is expressed or implied regarding the accuracy of the data. Since the use of this product is not within the control of Smooth-On Inc., it is the user's obligation to determine the suitability of the product for its intended application and assumes all risk and liability for its safe use.

This Material Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA)Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS), and European Union Directive 1907/2006/EEC (REACH). Hazard symbols and risk phrases are based on maximum listed concentration of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS) or the European Union (EU/EEC) directive 1907/2006/EEC and are considered trade secrets under US Federal Law (29CFR and 40CFR), Canadian Law (Health Canada Legislation), and European Union Directives.



Version 6.2 Revision Date 06/15/2022 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

	Product name	:	Erbium(III) acetate hydrate
	Product Number Brand CAS-No.	:	325570 Aldrich 207234-04-6
1.2 Relevant identified use		es (of the substance or mixture and uses advised against
Identified uses :		:	Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	: Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 6310 UNITED STATES	3
Telephone Fax	: +1 314 771-5765 : +1 800 325-5052	

1.4 Emergency telephone

Emergency Phone #

: 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2 GHS Label elements, including precautionary statements

Not a hazardous substance or mixture.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Molecular weight	:	344.39 g/mol
CAS-No.	:	207234-04-6

No components need to be disclosed according to the applicable regulations.

Aldrich - 325570

Page 1 of 8



SECTION 4: First aid measures

4.1 Description of first-aid measures

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

In case of skin contact

Wash off with soap and plenty of water.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- 5.2 Special hazards arising from the substance or mixture Carbon oxides Erbium oxides
- **5.3 Advice for firefighters** Wear self-contained breathing apparatus for firefighting if necessary.
- **5.4 Further information** No data available

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Avoid dust formation. Avoid breathing vapors, mist or gas. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Sweep up and shovel. Keep in suitable, closed containers for disposal.
- **6.4** Reference to other sections For disposal see section 13.

Aldrich - 325570

Page 2 of 8



SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on protection against fire and explosion

Provide appropriate exhaust ventilation at places where dust is formed.Normal measures for preventive fire protection.

Hygiene measures

General industrial hygiene practice. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place.

Hygroscopic.

Storage class

Storage class (TRGS 510): 13: Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

General industrial hygiene practice.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Aldrich - 325570

Page 3 of 8



Control of environmental exposure

Do not let product enter drains.

SECT

9.1 cal properties

ľ	ION 9: Physical and chemical properties							
	Information on basic physical and chemica							
	a)	Appearance	Form: solid					
	b)	Odor	No data available					
	c)	Odor Threshold	No data available					
	d)	рН	No data available					
	e)	Melting point/freezing point	No data available					
	f)	Initial boiling point and boiling range	No data available					
	g)	Flash point	()No data available					
	h)	Evaporation rate	No data available					
	i)	Flammability (solid, gas)	No data available					
	j)	Upper/lower flammability or explosive limits	No data available					
	k)	Vapor pressure	No data available					
	I)	Vapor density	No data available					
	m)	Density	No data available					
		Relative density	No data available					
	n)	Water solubility	No data available					
	o)	Partition coefficient: n-octanol/water	No data available					
	p)	Autoignition temperature	No data available					
	q)	Decomposition temperature	No data available					

- r) Viscosity No data available
- s) Explosive properties No data available
- No data available t) Oxidizing properties

9.2 Other safety information No data available

Aldrich - 325570

Page 4 of 8



SECTION 10: Stability and reactivity

- **10.1 Reactivity** No data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- 10.3 Possibility of hazardous reactions No data available
- **10.4 Conditions to avoid** No data available
- **10.5 Incompatible materials** Strong oxidizing agents
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral: No data available Inhalation: No data available Dermal: No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitization No data available

Germ cell mutagenicity No data available

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Aldrich - 325570

Page 5 of 8



Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity No data available

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties No data available

12.7 Other adverse effects No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

ΙΑΤΑ

Not dangerous goods

Aldrich - 325570

Page 6 of 8



Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

No SARA Hazards

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Erbium(III) acetate hydrate	CAS-No. 207234-04-6	Revision Date
New Jersey Right To Know Components		
Erbium(III) acetate hydrate	CAS-No. 207234-04-6	Revision Date

California Prop. 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

SECTION 16: Other information

Further information

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.2

Revision Date: 06/15/2022

Aldrich - 325570

Print Date: 12/30/2023

Page 7 of 8



Aldrich - 325570

Page 8 of 8





SCIENTIFIC

Page 1/8 Creation Date 26-Sep-2009 Revision Date 04-Oct-2021 Version 4

ACR31514

Erbium(III) nitrate pentahydrate

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明:	五水硝酸铒
Product Description:	Erbium(III) nitrate pentahydrate
Cat No. :	315140000; 315140250; 315141000
Synonyms	Erbium Trinitrate
CAS No	10031-51-3
Molecular Formula	Er N3 O9 . 5 H2 O
Supplier	UK entity/business name Fisher Scientific UK Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom General info; Tel: +44 (0)1509 231166 EU entity/business name Acros Organics BVBA Janssen Pharmaceuticalaan 3a, 2440 Geel, Belgium General Info; Tel: +32-14-57 52 11 (info@acros.com) Technical Support; Tel +32-14-56 56 00 (acros.techsupport@thermofisher.com)
Emergency Telephone Number	For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11 Emergency Number US: 001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US: 001-800-424-9300 / Europe: 001-703-527-3887
E-mail address	begel.sdsdesk@thermofisher.com
Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

SECTION 2. HAZARD IDENTIFICATION

Physical State	Appearance	Odor
Solid	Light red	Odorless

Emergency Overview

May intensify fire; oxidizer. Causes skin irritation. Causes serious eye damage. May cause respiratory irritation. Hygroscopic.

Classification of the substance or mixture

Oxidizing solids	Category 2
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 1
Specific target organ toxicity - (single exposure)	Category 3

Label Elements

Erbium(III) nitrate pentahydrate



Signal Word

Danger

Hazard Statements

H272 - May intensify fire; oxidizer

H315 - Causes skin irritation

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

Precautionary Statements

Prevention

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

- P220 Keep/Store away from clothing/ combustible materials
- P221 Take any precaution to avoid mixing with combustibles
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P271 Use only outdoors or in a well-ventilated area
- P280 Wear protective gloves/protective clothing/eye protection/face protection

Response

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P362 + P364 - Take off contaminated clothing and wash it before reuse

Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Physical and Chemical Hazards

Oxidizing. Contact with combustible material may cause fire. Hygroscopic.

Health Hazards

Causes skin irritation. May cause respiratory irritation.

Environmental hazards

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Will likely be mobile in the environment due to its water solubility. The product is water soluble, and may spread in water systems. No information available

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Erbium (III) nitrate, pentahydrate	10031-51-3	<=100

SECTION 4. FIRST AID MEASURES

General Advice

If symptoms persist, call a physician.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

Erbium(III) nitrate pentahydrate

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.

Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.

Ingestion

Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.

Most important symptoms and effects

Causes severe eye damage.

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Notes to Physician

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

Burning produces obnoxious and toxic fumes. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

Environmental Precautions

Should not be released into the environment.

Methods for Containment and Clean Up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

Refer to protective measures listed in Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

Handling

Ensure adequate ventilation. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation. Keep away from clothing and other combustible materials.

Storage

Do not store near combustible materials. Keep under nitrogen. Store under an inert atmosphere. Protect from moisture. Keep

Erbium(III) nitrate pentahydrate

containers tightly closed in a dry, cool and well-ventilated place.

Specific Use(s)

Use in laboratories

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Exposure Controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

Personal protective equipment

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Natural rubber	See manufacturers	-	EN 374	(minimum requirement)
Nitrile rubber	recommendations			
Neoprene				
PVC				

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure
Respiratory Protection	No protective equipment is needed under normal use conditions.
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced
Small scale/Laboratory use	Maintain adequate ventilation
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	No information available.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Erbium(III) nitrate pentahydrate

Appearance Physical State	Light red Solid	
Odor Odor Threshold pH Melting Point/Range Softening Point Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas) Explosion Limits	Odorless No data available No information available No data available No data available No information available Not applicable No information available No data available	Method - No information available Solid
Vapor Pressure Vapor Density Specific Gravity / Density Bulk Density Water Solubility Solubility in other solvents	No data available Not applicable No data available No data available Soluble	Solid
Partition Coefficient (n-octanol/w Autoignition Temperature Decomposition Temperature Viscosity Explosive Properties Oxidizing Properties	ater) No data available No data available Not applicable No information available Oxidizer	Solid
Molecular Formula Molecular Weight	Er N3 O9 . 5 H2 O 443.35	

SECTION 10. STABILITY AND REACTIVITY

Stability	Hygroscopic. Oxidizer: Contact with combustible/organic material may cause fire.
Hazardous Reactions Hazardous Polymerization	None under normal processing. Hazardous polymerization does not occur.
Conditions to Avoid	Incompatible products. Exposure to moist air or water. Combustible material. Excess heat. Avoid dust formation.
Materials to avoid	Strong acids. Reducing Agent. Finely powdered metals. Strong reducing agents. Combustible material.

Hazardous Decomposition Products Nitrogen oxides (NOx). Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 11. TOXICOLOGICAL INFORMATION

Product Information	No acute toxicity information is available for this product. The toxicological properties have not been fully investigated
(a) acute toxicity;	
(b) skin corrosion/irritation;	Category 2
(c) serious eye damage/irritation;	Category 1

Erbium(III) nitrate pentahydrate

(d) respiratory or skin sensitization; Respiratory Skin	No data available No data available
(e) germ cell mutagenicity;	No data available
(f) carcinogenicity;	No data available
	There are no known carcinogenic chemicals in this product
(g) reproductive toxicity;	No data available
(h) STOT-single exposure;	Category 3
Results / Target organs	Respiratory system
(i) STOT-repeated exposure;	No data available
Target Organs	None known.
(j) aspiration hazard;	Not applicable Solid
Symptoms / effects,both acute and delayed	No information available
	SECTION 12. ECOLOGICAL INFORMATION
Ecotoxicity effects	Do not empty into drains.
Ecotoxicity effects Persistence and Degradability Persistence Degradability	Do not empty into drains. Soluble in water, Persistence is unlikely, based on information available. Not relevant for inorganic substances.
Ecotoxicity effects Persistence and Degradability Persistence Degradability Bioaccumulative Potential	Do not empty into drains. Soluble in water, Persistence is unlikely, based on information available. Not relevant for inorganic substances. Bioaccumulation is unlikely
Ecotoxicity effects Persistence and Degradability Persistence Degradability Bioaccumulative Potential Mobility in soil	Do not empty into drains. Soluble in water, Persistence is unlikely, based on information available. Not relevant for inorganic substances. Bioaccumulation is unlikely The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility Highly mobile in soils
Ecotoxicity effects Persistence and Degradability Persistence Degradability Bioaccumulative Potential Mobility in soil Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential	Do not empty into drains. Soluble in water, Persistence is unlikely, based on information available. Not relevant for inorganic substances. Bioaccumulation is unlikely The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility Highly mobile in soils This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance This product does not contain any known or suspected substance
Ecotoxicity effects Persistence and Degradability Persistence Degradability Bioaccumulative Potential Mobility in soil Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential	Do not empty into drains. Soluble in water, Persistence is unlikely, based on information available. Not relevant for inorganic substances. Bioaccumulation is unlikely The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility Highly mobile in soils This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance This product does not contain any known or suspected substance SECTION 13. DISPOSAL CONSIDERATIONS
Ecotoxicity effects Persistence and Degradability Persistence Degradability Bioaccumulative Potential Mobility in soil Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential Waste from Residues/Unused Products	Do not empty into drains. Soluble in water, Persistence is unlikely, based on information available. Not relevant for inorganic substances. Bioaccumulation is unlikely The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility Highly mobile in soils This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance SECTION 13. DISPOSAL CONSIDERATIONS Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Ecotoxicity effects Persistence and Degradability Persistence Degradability Bioaccumulative Potential Mobility in soil Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential Waste from Residues/Unused Products Contaminated Packaging	Do not empty into drains. Soluble in water, Persistence is unlikely, based on information available. Not relevant for inorganic substances. Bioaccumulation is unlikely The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility Highly mobile in soils This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance This product

Dood and Dail Transport

SAFETY DATA SHEET

Erbium(III) nitrate pentahydrate

SECTION 14. TRANSPORT INFORMATION

UN1477 Nitrates, inorganic, n.o.s Erbium (III) nitrate pentahydrate 5.1 II
UN1477 NITRATES, INORGANIC, N.O.S. Erbium (III) nitrate pentahydrate 5.1 II

UN-No	UN1477
Proper Shipping Name	NITRATES, INORGANIC, N.O.S.
Technical Shipping Name	Erbium (III) nitrate pentahydrate
Hazard Class	5.1
Packing Group	II

Special Precautions for User No special

No special precautions required

SECTION 15. REGULATORY INFORMATION

International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	The Inventory of Hazardous Chemicals (2015 Edition)	List of dangerous goods GB 12268 - 2012	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
Erbium (III) nitrate, pentahydrate	-	-	Х	-	-	-	-	-	-		-	-

National Regulations

SECTION 16. OTHER INFORMATION

Creation Date Revision Date Revision Summary 26-Sep-2009 04-Oct-2021 SDS sections updated.

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Erbium(III) nitrate pentahydrate

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Legend

CAS - Chemical Abstracts Service	TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances	 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIOC - New Zealand Inventory of Chemicals
WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic	 TWA - Time Weighted Average IARC - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC) LD50 - Lethal Dose 50% EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative
ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code OECD - Organisation for Economic Co-operation and Development BCF - Bioconcentration factor	ICAO/IATA - International Civil Aviation Organization/International Air Transport Association MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC (volatile organic compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

Safety Data Sheet (SDS)

Section 1: Chemical Product and Company Identification

Cat# : 200 Proof - 2716, 2716G,2716GEA, 2701, 2701G, 2705, 2705SG,2705HC, 2805M, 2755, 2755M

Part Name: Decon's Ethanol, 200 Proof

Supplier: Decon Laboratories Inc. 460 Glennie Circle King of Prussia, Pa 19406 SDS Telephone # (610) 755-0800 Emergency Telephone Numbers US Chemtrec: (800) 424-9300 Canada: (703) 527-3887

Identified uses: Laboratory use

Section 2: Hazards Identification:

GHS US Classification

Flammable Liquids, Category 2 H225 Eye Irritation, Category 2A H319 Full text of H-phrases: see section 16

Signal Word: DANGER



Hazard and Precautionary Statements

- H225 Highly Flammable liquid and vapor.
- H319 Causes serious eye irritation.
- P210 Keep away from heat, sparks, open flames and hot surfaces no smoking.
- P233 Keep container tightly closed.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P264 Wash thoroughly after handling.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water. P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P337+313: If eye irritation persists get medical advice/attention.

- P403 + P235 Store in a well-ventilated place. Keep cool.
- P243 Take precautionary measures against static discharge.
- P241 Use explosion-proof electrical/ventilating/lighting equipment.

P370 + 378 In case of fire: Use appropriate extinguishing media (See Section 5).

P403 + P235 Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations

Other Hazards

Other Hazards Not Contributing to the Classification: Flammable vapors can accumulate in head space of closed systems.

Unknown Acute Toxicity (GHS-US) Not available

NFPA Rating

Hazard Ratings:

These ratings are Decon Laboratories Inc.'s own assessments of the properties of the material using the ANSI/NFPA 704 Standard. Additional information can be found by consulting in the NFPA published ratings lists (List 325 and list 49).

If no data is listed the information is not available

Health 1 Flammability 3 Reactivity 0

Section 3: Composition/ Information on ingredients

Note: Items listed with a CASRN number have no CAS# available

<u>Mixture</u>

Name	Product identifier	% (w/w)	GHS-US classification
Ethyl alcohol	(CAS No) 64-17-5	>99.2	Flam. Liq. 2, H225
	(EC no) 200-578-6		Eye Irrit. 2A, H319

Section 4: First Aid Measures

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If exposed or concerned: Get medical advice/attention.

Inhalation: When symptoms occur: go into open air and ventilate suspected area.

Skin Contact: Remove contaminated clothing. Rinse immediately with large amounts of water. Call a POISON CENTER or doctor/physician if you feel unwell. Wash contaminated clothing before reuse.

Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

Ingestion: Get medical advice and attention if you feel unwell. Rinse mouth. Do NOT induce vomiting.

Most Important Symptoms and Effects Both Acute and Delayed

General: Causes serious eye irritation.

Inhalation: Prolonged exposure to liquid may cause a mild irritation.

Skin Contact: Repeated or prolonged skin contact may cause dermatitis and defatting.

Eye Contact: Causes serious eye irritation. Symptoms may include: Redness, pain, swelling, itching, burning, tearing, and blurred vision.

Ingestion: Ingestion of this product is extremely harmful to human health. Nausea and vomiting, higher exposure causes unconsciousness.

Chronic Symptoms: None expected under normal conditions of use.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

Section 5: Fire-Fighting Measures

Extinguishing Media

Suitable Extinguishing Media: Alcohol-resistant foam, carbon dioxide, dry chemical, water spray, fog. **Unsuitable Extinguishing Media:** Do not use a heavy water stream. A heavy water stream may spread burning liquid. Water may be ineffective because it may not cool material below its flash point.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Highly flammable liquid and vapor.

Explosion Hazard: May form flammable/explosive vapor-air mixture. When mixed with air and exposed to an ignition source, flammable vapors can burn in the open or explode in confined spaces. Being heavier than air, vapors may travel long distances to an ignition source and flash back. Runoff to sewer may cause fire or explosion hazard.

Reactivity: Reacts violently with (strong) oxidizers: (increased) risk of fire/explosion.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.

Firefighting Instructions: Use water spray or fog for cooling exposed containers. Prevent fire-fighting water from entering environment.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂).

Reference to Other Sections

Refer to section 9 for flammability properties.

Section 6: Accidental Release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Use special care to avoid static electric charges. Keep away from heat, sparks, open flames, hot surfaces. – No smoking. Avoid all eyes and skin contact and do not breathe vapor and mist.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection. Use appropriate personal protection equipment (PPE). **Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. **Environmental Precautions** Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. **Methods for Cleaning Up:** Absorb and/or contain spill with inert material, then

place in suitable container. Do not take up in combustible material such as: saw dust or cellulosic material. Use only non-sparking tools.

Reference to Other Sections

See Heading 8. Exposure controls and personal protection.

Section 7: Handling and Storage

Precautions for Safe Handling

Additional Hazards When Processed: Handle empty containers with care because residual vapors are flammable. Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical, lighting, ventilating equipment.

Storage Conditions: Store in a dry, cool, and well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Keep in fireproof place.

Incompatible Materials: Strong oxidizing agents, acids, alkali metals, ammonia, hydrazine, peroxides, sodium, acid anhydrides, calcium hypochlorite, chromyl chloride, nitrosyl perchlorate, bromine pentafluoride, perchloric acid, silver nitrate, mercuric nitrate, potassium-tert-butoxide, magnesium perchlorate, acid chlorides, platinum, uranium hexafluoride, silver oxide, iodine heptafluoride, acetyl bromide, disulfuryl difluoride, tetrachlorosilane + water, acetyl chloride, permanganic acid, ruthenium (VIII) oxide, uranyl perchlorate, potassium dioxide.

Specific End Use(s)

Solvent.

Section 8: Exposure Controls / Personal Protection

Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.

Ethyl Alcohol (64-17-5)		
Mexico	OEL TWA (mg/m ³)	1900 mg/m ³
Mexico	OEL TWA (ppm)	1000 ppm
USA ACGIH	ACGIH STEL (ppm)	1000 ppm
USA ACGIH	ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to
		Humans
USA OSHA	OSHA PEL (TWA) (mg/m ³)	1900 mg/m ³
USA OSHA	OSHA PEL (TWA) (ppm)	1000 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	1900 mg/m ³
USA NIOSH	NIOSH REL (TWA) (ppm)	1000 ppm
USA IDLH	US IDLH (ppm)	3300 ppm (10% LEL)
Alberta	OEL TWA (mg/m³)	1880 mg/m ³
Alberta	OEL TWA (ppm)	1000 ppm
British Columbia	OEL STEL (ppm)	1000 ppm
Manitoba	OEL STEL (ppm)	1000 ppm
New Brunswick	OEL TWA (mg/m ³)	1880 mg/m ³
New Brunswick	OEL TWA (ppm)	1000 ppm

Safety Data Sheet (SDS)

Newfoundland &	OEL STEL (ppm)	1000 ppm
Nova Scotia	OEL STEL (ppm)	1000 ppm
Nunavut	OEL STEL (mg/m³)	2355 mg/m ³
Nunavut	OEL STEL (ppm)	1250 ppm
Nunavut	OEL TWA (mg/m³)	1884 mg/m ³
Nunavut	OEL TWA (ppm)	1000 ppm
Northwest Territories	OEL STEL (mg/m³)	2355 mg/m ³
Northwest Territories	OEL STEL (ppm)	1250 ppm
Northwest Territories	OEL TWA (mg/m³)	1884 mg/m³
Northwest Territories	OEL TWA (ppm)	1000 ppm
Ontario	OEL STEL (ppm)	1000 ppm
Prince Edward Island	OEL STEL (ppm)	1000 ppm
Québec	VEMP (mg/m ³)	1880 mg/m ³
Québec	VEMP (ppm)	1000 ppm
Saskatchewan	OEL STEL (ppm)	1250 ppm
Saskatchewan	OEL TWA (ppm)	1000 ppm
Yukon	OEL STEL (mg/m ³)	1900 mg/m ³
Yukon	OEL STEL (ppm)	1000 ppm
Yukon	OEL TWA (mg/m³)	1900 mg/m ³
Yukon	OEL TWA (ppm)	1000 ppm

Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide sufficient ventilation to keep vapors below permissible exposure limit. Gas detectors should be used when flammable gases/vapors may be released. Proper grounding procedures to avoid static electricity should be followed.

Ensure all national/local regulations are observed.

Personal Protective Equipment: Protective clothing. Gloves. Protective goggles. Insufficient ventilation: wear respiratory protection.



Materials for Protective Clothing: Not available

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Chemical goggles or safety glasses.

Skin and Body Protection: Use chemically protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.

Other Information: When using, do not eat, drink, or smoke.

Chemical-resistant gloves should be worn whenever this material is handled. The glove material has to be impermeable and resistant to the product. Gloves should be removed and replaced immediately if there is any indication of degradation or chemical breakthrough. Rinse and remove gloves immediately after use. Wash hands with soap and water. All glove recommendations presume that the risk of exposure is through splash and not intentional immersion of the hands into the product. Since glove permeation data does not exist for this material, no recommendation for the glove material can be given for the product. Permiation data must be obtained from the glove manufacturer to determine if the glove is suitable for the task.

Section 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties
Physical state		Liquid
Appearance		Colorless, clear, volatile liquid
Odor		Alcohol
Odor Threshold	:	Not available
рН	:	Not available
Evaporation Rate	:	Not available
Melting Point	:	Not available
Freezing Point	:	-114°C (-173°F)
Boiling Point	:	78 °C (172.4 °F)
Flash Point	:	12.8 °C (55 °F) CC
Auto-ignition Temperature	:	Not available
Decomposition Temperature	:	Not available
Flammability (solid, gas)	:	Not available
Lower Flammable Limit	:	3.3 % for Ethanol
Upper Flammable Limit	:	19 % for Ethanol
Vapor Pressure	:	44.6 mm Hg @ 20°C (68°F)
Relative Vapor Density at 20 °C	:	1.59 for Ethanol
Relative Density	:	0.8140-0.8157
Specific Gravity	:	Not available
Solubility	:	Water: Completely
Partition Coefficient: N-Octanol/Water	:	Not available
Viscosity	:	Not available
Explosion Data – Sensitivity to Mechanical Impact	:	Not expected to present an explosion hazard due to mechanical impact.
Explosion Data – Sensitivity to Static Discharge	:	Static discharge could act as an ignition source.

Section 10: Stability and Reactivity:

Reactivity:	Reacts violently with (strong) oxidizers: (increased) risk of fire/explosion.		
Chemical Stability:	Stable at standard temperature and pressure.		
Possibility of Hazardous Reac	tions:	Hazardous polymerization will not occur.	
Conditions to Avoid:		Direct sunlight. Extremely high or low temperatures. Open flame. Ignition sources.	
Incompatible Materials:		Strong oxidizing agents, acids, alkali metals, ammonia, hydrazine, peroxides, sodium, acid anhydrides, calcium hypochlorite, chromyl chloride, nitrosyl perchlorate, bromine pentafluoride, perchloric acid, silver nitrate, mercuric nitrate, potassium-tert-butoxide, magnesium perchlorate, acid chlorides, platinum, uranium hexafluoride, silver oxide, iodine heptafluoride, acetyl bromide, disulfuryl difluoride, tetrachlorosilane + water, acetyl chloride, permanganic acid, ruthenium (VIII) oxide, uranyl_perchlorate_potassium dioxide	

Hazardous Decomposition Products: Carbon oxides (CO, CO₂).

124.7 mg/l/4h In OSHA Hazard Communication Carcinogen list.			
124.7 mg/l/4h In OSHA Hazard Communication Carcinogen list.			
124.7 mg/l/4h In OSHA Hazard Communication Carcinogen list.			
124.7 mg/l/4h In OSHA Hazard Communication Carcinogen list.			
124.7 mg/l/4h In OSHA Hazard Communication Carcinogen list.			
II OSHA Hazard Communication Carcinogen list.			
In OSHA Hazard Communication Carcinogen list.			
IN OSHA Hazard Communication Carcinogen list.			
•• ••			
itation.			
Specific Target Organ Toxicity (Repeated Exposure): Not classified			
Reproductive Toxicity: Not classified			
Specific Target Organ Toxicity (Single Exposure): Not classified			
are to liquid may cause a mild irritation.			
olonged skin contact may cause dermatitis and defatting.			
eye irritation. Symptoms may include: Redness, pain,			
raduat is automaly barmful, to by man baalth			
ouch is extremely narmini to numan nealth.			
litions of use.			
Ingradiant/a) LDE0 and			
Ingrealent(s) LD50 and			
LC50 Data:			
1			
10470 mg/kg			
20 ml/kg			
124.7 mg/l/4h			
In OSHA Hazard Communication Carcinogen list			

Section 12: Ecological Information

Toxicity

Ecology - General: Readily bioldegrades. Evaporates to moderate extent. Does not bioaccumulate.

Ethyl alcohol (64-17-5)	
LC50 Fish 1	12.0 - 16.0 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	9268 - 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
Persistence and Degradability	
Ethyl Alcohol (64-17-5)	
Persistence and Degradability	Not established. May cause long-term adverse effects in the environment.
Bioaccumulative Potential	
Ethyl Alcohol (64-17-5)	

Ethvl Alcohol (64-17-5)

Log Pow	-0.32
Bioaccumulative Potential	Not established.
Mahilitu in Call Natausilahla	

Mobility in Soil Not available

Other Adverse Effects

Other Information: Avoid release to the environment.

Section 13: Disposal Considerations

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

Additional Information: Handle empty containers with care because residual vapors are flammable

Section 14: Transportation Information

In Accordance with DOT Proper Shipping Name Hazard Class Identification Number Label Codes Packing Group ERG Number In Accordance with IMDG	 ETHYL ALCOHOL 3 UN1170 3 II 127 Note: Exemptions apply for small ack sizes.
Proper Shipping Name	: ETHYL ALCOHOL
Hazard Class	: 3
Identification number Packing Group Label Codes EmS-No. (Fire) EmS-No. (Spillago)	UN1170 : II : 3 : F-E
In Accordance with IATA	ETHYL ALCOHOL
Proper Shipping Name	Il Identification Number : UN1170 Hazard Class: 3
Packing Group	3
Label Codes	3
ERG Code (IATA)	3L

Proper Shipping Name	: ETHYL ALCOHOL
Packing Group	: 11
Hazard Class	: 3
Identification Number	: UN1170
Label Codes	: 3

Section 15: Regulatory Information

Ethyl Alcohol, 200 Proof (64-17-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
SARA Section 311/312 Hazard Classes Fire hazard Immediate (acute) health hazard		
Ethyl alcohol (64-17-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Water (7732-18-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		

US State Regulations:

State or local regulations

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Ethyl alcohol (64-17-5)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Canadian Regulations

Ethyl Alcohol, 200 Proof (64-17-5)

Listed on the Canadian D	DSL (Domestic
Substances List) Listed of	on the Canadian
YesIDL Concentration 0.	1 %
WHMIS Classification	Class B Division 2 - Flammable Liquid
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Ethyl alcohol (64-17-5)	

Listed on the Canadian D	SLomestic
(D Listed on the Canadia	n Substances
IDL Concentration 0.1 %	
WHMIS Classification	Class B Division 2 - Flammable Liquid
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Water (7732-18-5)	
Listed on the Canadian D	SLomestic Substances List)
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

Section 16: Other Information			
Date of Issue: 01/20/2006 Date of Revision: 09/13/2022 Other Information	: This document has been prepared in accordance with the SDS requirements of the OSHA		
GHS Full Text Phrases:			
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A		
Flam. Liq. 2	Flammable liquids, Category 2		
H225	Highly flammable liquid and vapor		
H319	Causes serious eye irritation		

Decon Laboratories, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. Decon Laboratories, Inc. makes no representations or warranties, either expressed or implied of merchantability, fitness for particular purposes with the information refers. Accordingly, Decon Laboratories, Inc. will not be responsible for damages from the use of or reliance upon this information.

End of Safety Data Sheet

Section 1: Chemical Product and Company Identification

Cat # 190 Proof - 2816, 2816G, 2801, 2801G, 2805, 2805HC 2805SG, 2705M, 2855, 2855M

Part Name: Decon's Ethanol, 190 Proof

Supplier: Decon Laboratories Inc. 460 Glennie Circle King of Prussia, Pa 19406 SDS Telephone # (610) 755-0800 <u>Emergency Telephone Numbers</u> US Chemtrec: (800) 424-9300 Canada: (703) 527-3887

Identified uses: Laboratory use

Section 2: Hazards Identification:

GHS Classification

Flammable Liquids, Category 2 H225 Eye Irritation, Category 2A H319 Full text of H-phrases: see section 16

Signal Word: DANGER



Hazard and Precautionary Statements

- H225 Highly Flammable liquid and vapor.
- H319 Causes serious eye irritation.
- P210 Keep away from heat, sparks, open flames and hot surfaces no smoking.
- P233 Keep container tightly closed.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P264 Wash thoroughly after handling.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water. P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P337+313: If eye irritation persists get medical advice/attention.

- P403 + P235 Store in a well-ventilated place. Keep cool.
- P243 Take precautionary measures against static discharge.
- P241 Use explosion-proof electrical/ventilating/lighting equipment.
- P370 + 378 In case of fire: Use appropriate extinguishing media (See Section 5).

P403 + P235 Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations

Other Hazards

Other Hazards Not Contributing to the Classification: Flammable vapors can accumulate in head space of closed systems.

Unknown Acute Toxicity (GHS-US) Not available

NFPA Rating

Hazard Ratings:

These ratings are Decon Laboratories Inc.'s own assessments of the properties of the material using the ANSI/NFPA 704 Standard. Additional information can be found by consulting in the NFPA published ratings lists (List 325 and list 49).

If no data is listed the information is not available

Health 1 Flammability 3 Reactivity 0

Section 3: Composition/ Information on ingredients

Note: Items listed with a CASRN number have no CAS# available

<u>Mixture</u>

Name	Product identifier	% (w/w)	GHS-US classification
Ethyl alcohol	(CAS No) 64-17-5	92.3 - 94.6	Flam. Liq. 2, H225
	(EC no) 200-578-6		Eye Irrit. 2A, H319
Water	(CAS No) 7732-18-5	5.4 - 7.7	Not classified
	(EC no) 231-791-2		

Section 4: First Aid Measures

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If exposed or concerned: Get medical advice/attention.

Inhalation: When symptoms occur: go into open air and ventilate suspected area.

Skin Contact: Remove contaminated clothing. Rinse immediately with large amounts of water. Call a POISON CENTER or doctor/physician if you feel unwell. Wash contaminated clothing before reuse.

Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

Ingestion: Get medical advice and attention if you feel unwell. Rinse mouth. Do NOT induce vomiting.

Most Important Symptoms and Effects Both Acute and Delayed

General: Causes serious eye irritation.

Inhalation: Prolonged exposure to liquid may cause a mild irritation.

Skin Contact: Repeated or prolonged skin contact may cause dermatitis and defatting.

Page 2 of 11

Eye Contact: Causes serious eye irritation. Symptoms may include: Redness, pain, swelling, itching, burning, tearing, and blurred vision.

Ingestion: Ingestion of this product is extremely harmful to human health. Nausea and vomiting, higher exposure causes unconsciousness.

Chronic Symptoms: None expected under normal conditions of use.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

Section 5: Fire-Fighting Measures

Extinguishing Media

Suitable Extinguishing Media: Alcohol-resistant foam, carbon dioxide, dry chemical, water spray, fog. **Unsuitable Extinguishing Media:** Do not use a heavy water stream. A heavy water stream may spread burning liquid. Water may be ineffective because it may not cool material below its flash point.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Highly flammable liquid and vapor.

Explosion Hazard: May form flammable/explosive vapor-air mixture. When mixed with air and exposed to an ignition source, flammable vapors can burn in the open or explode in confined spaces. Being heavier than air, vapors may travel long distances to an ignition source and flash back. Runoff to sewer may cause fire or explosion hazard.

Reactivity: Reacts violently with (strong) oxidizers: (increased) risk of fire/explosion.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.

Firefighting Instructions: Use water spray or fog for cooling exposed containers. Prevent fire-fighting water from entering environment.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂).

Reference to Other Sections

Refer to section 9 for flammability properties.

Section 6: Accidental Release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Use special care to avoid static electric charges. Keep away from heat, sparks, open flames, hot surfaces. – No smoking. Avoid all eyes and skin contact and do not breathe vapor and mist. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection. Use appropriate personal protection equipment (PPE). **Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. **Environmental Precautions** Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. **Methods for Cleaning Up:** Absorb and/or contain spill with inert material, then place in suitable container. Do not take up in combustible material such as: saw dust or cellulosic material. Use only non-sparking tools.

Reference to Other Sections

See Heading 8. Exposure controls and personal protection.

Section 7: Handling and Storage

Precautions for Safe Handling

Additional Hazards When Processed: Handle empty containers with care because residual vapors are flammable. Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical, lighting, ventilating equipment.

Storage Conditions: Store in a dry, cool, and well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Keep in fireproof place.

Incompatible Materials: Strong oxidizing agents, acids, alkali metals, ammonia, hydrazine, peroxides, sodium, acid anhydrides, calcium hypochlorite, chromyl chloride, nitrosyl perchlorate, bromine pentafluoride, perchloric acid, silver nitrate, mercuric nitrate, potassium-tert-butoxide, magnesium perchlorate, acid chlorides, platinum, uranium hexafluoride, silver oxide, iodine heptafluoride, acetyl bromide, disulfuryl difluoride, tetrachlorosilane + water, acetyl chloride, permanganic acid, ruthenium (VIII) oxide, uranyl perchlorate, potassium dioxide.

Specific End Use(s)

Solvent.

Section 8: Exposure Controls / Personal Protection

Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.

Page 4 of 11

Ethyl Alcohol (64-17-5)		
Mexico	OEL TWA (mg/m ³)	1900 mg/m ³
Mexico	OEL TWA (ppm)	1000 ppm
USA ACGIH	ACGIH STEL (ppm)	1000 ppm
USA ACGIH	ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to
		Humans
USA OSHA	OSHA PEL (TWA) (mg/m ³)	1900 mg/m ³
USA OSHA	OSHA PEL (TWA) (ppm)	1000 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	1900 mg/m ³
USA NIOSH	NIOSH REL (TWA) (ppm)	1000 ppm
USA IDLH	US IDLH (ppm)	3300 ppm (10% LEL)
Alberta	OEL TWA (mg/m³)	1880 mg/m ³
Alberta	OEL TWA (ppm)	1000 ppm
British Columbia	OEL STEL (ppm)	1000 ppm
Manitoba	OEL STEL (ppm)	1000 ppm
New Brunswick	OEL TWA (mg/m³)	1880 mg/m ³
New Brunswick	OEL TWA (ppm)	1000 ppm
Newfoundland &	OEL STEL (ppm)	1000 ppm
Nova Scotia	OEL STEL (ppm)	1000 ppm
Nunavut	OEL STEL (mg/m ³)	2355 mg/m ³
Nunavut	OEL STEL (ppm)	1250 ppm
Nunavut	OEL TWA (mg/m ³)	1884 mg/m ³
Nunavut	OEL TWA (ppm)	1000 ppm
Northwest Territories	OEL STEL (mg/m ³)	2355 mg/m ³
Northwest Territories	OEL STEL (ppm)	1250 ppm
Northwest Territories	OEL TWA (mg/m ³)	1884 mg/m ³
Northwest Territories	OEL TWA (ppm)	1000 ppm
Ontario	OEL STEL (ppm)	1000 ppm
Prince Edward Island	OEL STEL (ppm)	1000 ppm
Québec	VEMP (mg/m ³)	1880 mg/m ³
Québec	VEMP (ppm)	1000 ppm
Saskatchewan	OEL STEL (ppm)	1250 ppm
Saskatchewan	OEL TWA (ppm)	1000 ppm
Yukon	OEL STEL (mg/m ³)	1900 mg/m ³
Yukon	OEL STEL (ppm)	1000 ppm
Yukon	OEL TWA (mg/m ³)	1900 mg/m ³
Yukon	OEL TWA (ppm)	1000 ppm

Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide sufficient ventilation to keep vapors below permissible exposure limit. Gas detectors should be used when flammable gases/vapors may be released. Proper grounding procedures to avoid static electricity should be followed.

Ensure all national/local regulations are observed.

Personal Protective Equipment: Protective clothing. Gloves. Protective goggles. Insufficient ventilation: wear respiratory protection.



Materials for Protective Clothing: Not available

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Chemical goggles or safety glasses.

Skin and Body Protection: Use chemically protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.

Other Information: When using, do not eat, drink, or smoke.

Chemical-resistant gloves should be worn whenever this material is handled. The glove material has to be impermeable and resistant to the product. Gloves should be removed and replaced immediately if there is any indication of degradation or chemical breakthrough. Rinse and remove gloves immediately after use. Wash hands with soap and water. All glove recommendations presume that the risk of exposure is through splash and not intentional immersion of the hands into the product. Since glove permeation data does not exist for this material, no recommendation for the glove material can be given for the product. Permeation data must be obtained from the glove manufacturer to determine if the glove is suitable for the task.

Section 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Physical state		Liquid
Appearance		Colorless, clear, volatile liquid
Odor		Alcohol
Odor Threshold	:	Not available
рН	:	Not available
Evaporation Rate	:	Not available
Melting Point	:	Not available
Freezing Point	:	-114°F (-173°F)
Boiling Point	:	78 °C (172.4 °F)
Flash Point	:	12.8 °C (55 °F) CC
Auto-ignition Temperature	:	Not available
Decomposition Temperature	:	Not available
Flammability (solid, gas)	:	Not available
Lower Flammable Limit	:	3.3 % for Ethanol
Upper Flammable Limit	:	19 % for Ethanol
Vapor Pressure	:	44.6 mm Hg @ 20°C (68°F)
Relative Vapor Density at 20 °C	:	1.59 for Ethanol
Relative Density	:	0.8157 - 0.814

Page 6 of 11

Specific Gravity:Not availableSolubility:Water: CompletelyPartition Coefficient: N-Octanol/Water:Not availableViscosity:Not availableExplosion Data – Sensitivity to Mechanical Impact:Not expected to present an explosion hazard due to mechanical impact.Explosion Data – Sensitivity to Static Discharge:Static discharge could act as an ignition source.

Section 10: Stability and Reactivity:

Reactivity:	Reacts violently	y with (strong) oxidizers: (increased) risk of fire/explosion.
Chemical Stability:	Stable at standard	temperature and pressure.
Possibility of Hazardous React	tions:	lazardous polymerization will not occur.
Conditions to Avoid:	[Direct sunlight. Extremely high or low temperatures. Open flame. gnition sources.
Incompatible Materials:		Strong oxidizing agents, acids, alkali metals, ammonia, hydrazine, peroxides, sodium, acid anhydrides, calcium hypochlorite, chromyl chloride, nitrosyl perchlorate, bromine pentafluoride, perchloric acid, silver nitrate, mercuric nitrate, potassium-tert-butoxide, magnesium perchlorate, acid chlorides, platinum, uranium hexafluoride, silver oxide, iodine heptafluoride, acetyl bromide, disulfuryl difluoride, tetrachlorosilane + water, acetyl chloride, permanganic acid, ruthenium (VIII) oxide, uranyl perchlorate, potassium dioxide.

Hazardous Decomposition Products: Carbon oxides (CO, CO₂).

Section 11: Toxicological Information

Information on Toxicological Effects - Product

Acute Toxicity: Not classified

LD50 and LC50 Data:

Ethyl Alcohol, 200 Proof (64-17-5)	
LC50 Inhalation Rat	124.7 mg/l/4h
Ethyl Alcohol, 200 Proof (64-17-5)	
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.

Skin Corrosion/Irritation: Not classified

Serious Eye Damage/Irritation: Causes serious eye irritation.

Respiratory or Skin	
Sensitization: Not	
classified Germ Cell	
Mutagenicity: Not	
classified Teratogenicity:	
Not classified	
Carcinogenicity: Not classified	
Specific Target Organ Toxicity (Repeated Exposure): Not of Reproductive Toxicity: Not classified	classified
Specific Target Organ Toxicity (Single Exposure): Not class	sified
Aspiration Hazard: Not classified	
Symptoms/Injuries After Inhalation: Prolonged exposure to	o liquid may cause a mild irritation.
Symptoms/Injuries After Skin Contact: Repeated or prolong	ged skin contact may cause dermatitis and defatting.
Symptoms/Injuries After Eye Contact: Causes serious eye ir	ritation. Symptoms may include: Redness, pain,
swelling, itching, burning, tearing, and blurred vision.	at is outromoly bormful, to hymon boolth
nauses and vomiting, higher exposure causes unconscious	cuis extremely harmun to human health.
Chronic Symptoms: None expected under normal condition	is of use.
Information on	
Toxicological Effects -	
Ingredient(s) LD50 and	
LC50 Data:	
Ethyl alcohol (64-17-5)	
LD50 Oral Rat	10470 mg/kg
LD50 Dermal Rat	20 ml/kg
LC50 Inhalation Rat	124.7 mg/l/4h
Ethyl alcohol (64-17-5)	
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.

Section 12: Ecological Information

<u>Toxicity</u>

Ecology - General: Readily bioldegrades. Evaporates to moderate extent. Does not bioaccumulate.

Ethyl alcohol (64-17-5)	
LC50 Fish 1	12.0 - 16.0 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	9268 - 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
Persistence and Degradability	

Ethyl Alcohol (64-17-5)

Page 8 of 11

Persistence and Degradability	Not established. May cause long-term adverse effects in the environment.
Bioaccumulative Potential	
Ethyl Alcohol (64-17-5)	
Log Pow	-0.32
Bioaccumulative Potential	Not established.
Mobility in Soil Not available	

Other Adverse Effects

Other Information: Avoid release to the environment.

Section 13: Disposal Considerations

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

Additional Information: Handle empty containers with care because residual vapors are flammable

Section 14: Transportation Information

In Accordance with DOT	Na	
Proper Shipping Name	: ETHYL ALCOHOL SOLUTIONS	comptions apply for small
Hazard Class	: 3	
Identification Number	: UN1170	ich 51285.
Label Codes	: 3	
Packing Group	: 11	
ERG Number	: 127	
In Accordance with IMDG		
Proper Shipping Name	ETHYL ALCOHOL SOLUTIONS	
Hazard Class	: 3	
Identification number	UN1170	
Packing Group	: 11	
Label Codes	: 3	
EmS-No. (Fire)	: F-E	
EmS-No. (Spillage)	: S-D 3	
In Accordance with IATA		
Proper Shipping Name	: ETHYL ALCOHOL SOLUTIONS	
Packing Group	: II Identification Number : UN1	170 Hazard Class: 3
Label Codes	: 3	
ERG Code (IATA)	: 3L	
In Accordance with TDG	3	
Proper Shipping Name	: ETHYL ALCOHOL SOLUTIONS	
Packing Group	: 11	
Hazard Class	: 3	
	3	Page 9 of 11

Identification Number	:	UN1170
Label Codes	:	3

Section 15: Regulatory Information

Ethyl Alcohol, 200 Proof (64-17-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard	
Ethyl alcohol (64-17-5) Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Water (7732-18-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		

US State Regulations:

State or local regulations

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Ethyl alcohol (64-17-5)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Canadian Regulations

Ethyl Alcohol, 200 Proof (64-17-5)

Listed on the Canadian DSL Substances List) Listed on t	(Domestic he Canadian
YesIDL Concentration 0.1 %	
WHMIS Classification	Class B Division 2 - Flammable Liquid Class D Division 2 Subdivision B - Toxic material causing other toxic effects

Page 10 of 11

Ethyl alcohol (64	4-17-5)	
Listed on the Car	nadian DSLomestic	
(D Listed on the	Canadian Substances	
IDL Concentratio	on 0.1 %	
WHMIS Classifica	ation Class B Division 2 - Flammable Liquid	
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects	
Water (7732-18-	-5)	
Listed on the Car	nadian DSLomestic Substances List)	
WHMIS Classifica	ation Uncontrolled product according to WHMIS classification criteria	

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

Section 16: Other Information

Date of Issue: 01/20/2006 Date of Revision: 09/13/2022

Other Information	: This document has been prepared in accordance with the SDS requirements of the
	OSHA

GHS Full Text Phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapor	
H319	Causes serious eye irritation	

Decon Laboratories, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. Decon Laboratories, Inc. makes no representations or warranties, either expressed or implied of merchantability, fitness for particular purposes with the information set forth herein or to which the information refers. Accordingly, Decon Laboratories, Inc. will not be responsible for damages from the use of or reliance upon this information.

End of Safety Data Sheet

Page 11 of 11

Section 1: Chemical Product and Company Identification

Cat # 190 Proof –V1116, V1116G, V1101, V1101G, V1105, V1105HC, V1105M, V1105SG, V1155, V1155M

Part Name: Koptec Ethanol, 190 Proof

Supplier: DLI

460 Glennie Circle King of Prussia, Pa 19406 SDS Telephone # (610) 755-0800 <u>Emergency Telephone Numbers</u> US Chemtrec: (800) 424-9300 Canada: (703) 527-3887

Identified uses: Laboratory use

Section 2: Hazards Identification:

GHS Classification

Flammable Liquids, Category 2 H225 Eye Irritation, Category 2A H319 Full text of H-phrases: see section 16

Signal Word: DANGER



Hazard and Precautionary Statements

- H225 Highly Flammable liquid and vapor.
- H319 Causes serious eye irritation.
- P210 Keep away from heat, sparks, open flames and hot surfaces no smoking.
- P233 Keep container tightly closed.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P264 Wash thoroughly after handling.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water. P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P337+313: If eye irritation persists get medical advice/attention.

- P403 + P235 Store in a well-ventilated place. Keep cool.
- P243 Take precautionary measures against static discharge.

P241 Use explosion-proof electrical/ventilating/lighting equipment.
 P370 + 378 In case of fire: Use appropriate extinguishing media (See Section 5).
 P403 + P235 Store in a well-ventilated place. Keep cool.
 P501 - Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations

Other Hazards

Other Hazards Not Contributing to the Classification: Flammable vapors can accumulate in head space of closed systems. **Unknown Acute Toxicity (GHS-US)** Not available

NFPA Rating

Hazard Ratings:

These ratings are DLI's own assessments of the properties of the material using the ANSI/NFPA 704 Standard. Additional information can be found by consulting in the NFPA published ratings lists (List 325 and list 49).

If no data is listed the information is not available

Health 1 Flammability 3 Reactivity 0

Section 3: Composition/ Information on ingredients

Note: Items listed with a CASRN number have no CAS# available

Mixture

Name	Product identifier	% (w/w)	GHS-US classification
Ethyl alcohol	(CAS No) 64-17-5	92.3 - 94.6	Flam.
	(EC no) 200-578-6		Liq. 2,
Water (CAS No) 7732-1		5.4 - 7.7	Not classified
	(EC no) 231-791-2		

Section 4: First Aid Measures

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If exposed or concerned: Get medical advice/attention.

Inhalation: When symptoms occur: go into open air and ventilate suspected area.

Page 2 of 13

Skin Contact: Remove contaminated clothing. Rinse immediately with large amounts of water. Call a POISON CENTER or doctor/physician if you feel unwell. Wash contaminated clothing before reuse.

Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

Ingestion: Get medical advice and attention if you feel unwell. Rinse mouth. Do NOT induce vomiting.

Most Important Symptoms and Effects Both Acute and Delayed

General: Causes serious eye irritation.

Inhalation: Prolonged exposure to liquid may cause a mild irritation.

Skin Contact: Repeated or prolonged skin contact may cause dermatitis and defatting.

Eye Contact: Causes serious eye irritation. Symptoms may include: Redness, pain, swelling, itching, burning, tearing, and blurred vision.

Ingestion: Ingestion of this product is extremely harmful to human health. Nausea and vomiting, higher exposure causes unconsciousness.

Chronic Symptoms: None expected under normal conditions of use.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

Section 5: Fire-Fighting Measures

Extinguishing Media

Suitable Extinguishing Media: Alcohol-resistant foam, carbon dioxide, dry chemical, water spray, fog. **Unsuitable Extinguishing Media:** Do not use a heavy water stream. A heavy water stream may spread burning liquid. Water may be ineffective because it may not cool material below its flash point.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Highly flammable liquid and vapor.

Explosion Hazard: May form flammable/explosive vapor-air mixture. When mixed with air and exposed to an ignition source, flammable vapors can burn in the open or explode in confined spaces. Being heavier than air, vapors may travel long distances to an ignition source and flash back. Runoff to sewer may cause fire or explosion hazard.

Reactivity: Reacts violently with (strong) oxidizers: (increased) risk of fire/explosion.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.

Firefighting Instructions: Use water spray or fog for cooling exposed containers. Prevent fire-fighting water from entering environment.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂).

Page **3** of **13**

Reference to Other Sections

Refer to section 9 for flammability properties.

Section 6: Accidental Release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Use special care to avoid static electric charges. Keep away from heat, sparks, open flames, hot surfaces. – No smoking. Avoid all eyes and skin contact and do not breathe vapor and mist. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection. Use appropriate personal protection equipment (PPE). **Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. **Environmental Precautions** Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. **Methods for Cleaning Up:** Absorb and/or contain spill with inert material, then place in suitable container. Do not take up in combustible material such as: saw dust or cellulosic material. Use only non-sparking tools.

Reference to Other Sections

See Heading 8. Exposure controls and personal protection.

Section 7: Handling and Storage

Precautions for Safe Handling

Additional Hazards When Processed: Handle empty containers with care because residual vapors are flammable. Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical, lighting, ventilating equipment.

Storage Conditions: Store in a dry, cool, and well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Keep

Page 4 of 13

in fireproof place.

Incompatible Materials: Strong oxidizing agents, acids, alkali metals, ammonia, hydrazine, peroxides, sodium, acid anhydrides, calcium hypochlorite, chromyl chloride, nitrosyl perchlorate, bromine pentafluoride, perchloric acid, silver nitrate, mercuric nitrate, potassium-tert-butoxide, magnesium perchlorate, acid chlorides, platinum, uranium hexafluoride, silver oxide, iodine heptafluoride, acetyl bromide, disulfuryl difluoride, tetrachlorosilane + water, acetyl chloride, permanganic acid, ruthenium (VIII) oxide, uranyl perchlorate, potassium dioxide.

Specific End Use(s)

Solvent.

Section 8: Exposure Controls / Personal Protection

Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.

Ethyl Alcohol (64-17-5)		
Mexico	OEL TWA (mg/m³)	1900 mg/m ³
Mexico	OEL TWA (ppm)	1000 ppm
USA ACGIH	ACGIH STEL (ppm)	1000 ppm
USA ACGIH	ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to
		Humans
USA OSHA	OSHA PEL (TWA) (mg/m ³)	1900 mg/m ³
USA OSHA	OSHA PEL (TWA) (ppm)	1000 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	1900 mg/m ³
USA NIOSH	NIOSH REL (TWA) (ppm)	1000 ppm
USA IDLH	US IDLH (ppm)	3300 ppm (10% LEL)
Alberta	OEL TWA (mg/m³)	1880 mg/m ³
Alberta	OEL TWA (ppm)	1000 ppm
British Columbia	OEL STEL (ppm)	1000 ppm
Manitoba	OEL STEL (ppm)	1000 ppm
New Brunswick	OEL TWA (mg/m³)	1880 mg/m ³
New Brunswick	OEL TWA (ppm)	1000 ppm
Newfoundland &	OEL STEL (ppm)	1000 ppm
Nova Scotia	OEL STEL (ppm)	1000 ppm
Nunavut	OEL STEL (mg/m ³)	2355 mg/m ³
Nunavut	OEL STEL (ppm)	1250 ppm
Nunavut	OEL TWA (mg/m³)	1884 mg/m ³
Nunavut	OEL TWA (ppm)	1000 ppm
Northwest Territories	OEL STEL (mg/m ³)	2355 mg/m ³
Northwest Territories	OEL STEL (ppm)	1250 ppm

Northwest Territories	OEL TWA (mg/m³)	1884 mg/m ³
Northwest Territories	OEL TWA (ppm)	1000 ppm
Ontario	OEL STEL (ppm)	1000 ppm
Prince Edward Island	OEL STEL (ppm)	1000 ppm
Québec	VEMP (mg/m ³)	1880 mg/m ³
Québec	VEMP (ppm)	1000 ppm
Saskatchewan	OEL STEL (ppm)	1250 ppm
Saskatchewan	OEL TWA (ppm)	1000 ppm
Yukon	OEL STEL (mg/m ³)	1900 mg/m ³
Yukon	OEL STEL (ppm)	1000 ppm
Yukon	OEL TWA (mg/m³)	1900 mg/m ³
Yukon	OEL TWA (ppm)	1000 ppm

Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide sufficient ventilation to keep vapors below permissible exposure limit. Gas detectors should be used when flammable gases/vapors may be released. Proper grounding procedures to avoid static electricity should be followed.

Ensure all national/local regulations are observed.

Personal Protective Equipment: Protective clothing. Gloves. Protective goggles. Insufficient ventilation: wear respiratory protection.



Materials for Protective Clothing: Not available

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Chemical goggles or safety glasses.

Skin and Body Protection: Use chemically protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.

Other Information: When using, do not eat, drink, or smoke.

Chemical-resistant gloves should be worn whenever this material is handled. The glove material has to be impermeable and resistant to the product. Gloves should be removed and replaced immediately if there is any indication of degradation or chemical breakthrough. Rinse and remove gloves immediately after use. Wash hands with soap and water. All glove recommendations presume that the risk of exposure is through splash and not intentional immersion of the hands into the product. Since glove permeation data does not exist for this material, no recommendation for the glove material can be given for the product. Permiation data must be obtained from the glove manufacturer to determine if the glove is suitable for the task.

Section 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Physical state		Liquid
Appearance		Colorless, clear, volatile liquid
Odor		Alcohol
Odor Threshold	:	Not available
рН	:	Not available
Evaporation Rate	:	Not available
Melting Point	:	Not available
Freezing Point	:	-114°C (-173°F)
Boiling Point	:	78 °C (172.4 °F)
Flash Point	:	12.8 °C (55 °F) CC
Auto-ignition Temperature	:	Not available
Decomposition Temperature	:	Not available
Flammability (solid, gas)	:	Not available
Lower Flammable Limit	:	3.3 % for Ethanol
Upper Flammable Limit	:	19 % for Ethanol
Vapor Pressure	:	44.6 mm Hg @ 20°C (68°F)
Relative Vapor Density at 20 °C	:	1.59 for Ethanol
Relative Density	:	0.8140-0.8157
Specific Gravity	:	Not available
Solubility	:	Water: Completely
Partition Coefficient: N-Octanol/Water	:	Not available
Viscosity	:	Not available
Explosion Data – Sensitivity to Mechanical Impact	:	Not expected to present an explosion hazard due to mechanical impact.
Explosion Data – Sensitivity to Static Discharge	:	Static discharge could act as an ignition source.

Section 10: Stability and Reactivity:

Reactivity:Reacts violently with (strong) oxidizers: (increased) risk of fire/explosion.Chemical Stability:Stable at standard temperature and pressure.

Page 7 of 13

Possibility of Hazardous Reactions:	Hazardous polymerization will not occur.
Conditions to Avoid:	Direct sunlight. Extremely high or low temperatures. Open flame. Ignition sources.
Incompatible Materials:	Strong oxidizing agents, acids, alkali metals, ammonia, hydrazine, peroxides, sodium, acid anhydrides, calcium hypochlorite, chromyl chloride, nitrosyl perchlorate, bromine pentafluoride, perchloric acid, silver nitrate, mercuric nitrate, potassium-tert-butoxide, magnesium perchlorate, acid chlorides, platinum, uranium hexafluoride, silver oxide, iodine heptafluoride, acetyl bromide, disulfuryl difluoride, tetrachlorosilane + water, acetyl chloride, permanganic acid, ruthenium (VIII) oxide, uranyl perchlorate, potassium dioxide.

Hazardous Decomposition Products: Carbon oxides (CO, CO₂).

Section 11: Toxicological Information

Information on Toxicological Effects - Product

Acute Toxicity: Not classified

LD50 and LC50 Data:

Ethyl Alcohol, 200 Proof (64-17-5)	
LC50 Inhalation Rat	124.7 mg/l/4h
Ethyl Alcohol, 200 Proof (64-17-5)	
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.
Skin Corrosion/Irritation: Not classified	
Serious Eye Damage/Irritation: Causes serious eye irritatio	n.
Respiratory or Skin	
Sensitization: Not	
classified Germ Cell	
Mutagenicity: Not	
classified Teratogenicity:	
Not classified	
Carcinogenicity: Not classified	
Specific Target Organ Toxicity (Repeated Exposure): Not cl	lassified
Reproductive Toxicity: Not classified	
Specific Target Organ Toxicity (Single Exposure): Not classi	ified
Aspiration Hazard: Not classified	

Symptoms/Injuries After Inhalation: Prolonged exposure to liquid may cause a mild irritation. Symptoms/Injuries After Skin Contact: Repeated or prolonged skin contact may cause dermatitis and defatting. Symptoms/Injuries After Eye Contact: Causes serious eye irritation. Symptoms may include: Redness, pain, swelling, itching, burning, tearing, and blurred vision.

Symptoms/Injuries After Ingestion: Ingestion of this product is extremely harmful to human health. nausea and vomiting, higher exposure causes unconsciousness.

Chronic Symptoms: None expected under normal conditions of use.

Information on

Toxicological Effects -

Ingredient(s) LD50 and

LC50 Data:

Ethyl alcohol (64-17-5)	
LD50 Oral Rat	10470 mg/kg
LD50 Dermal Rat	20 ml/kg
LC50 Inhalation Rat	124.7 mg/l/4h
Ethylalachal (64 17 E)	
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.

Section 12: Ecological Information

<u>Toxicity</u>

Ecology - General: Readily bioldegrades. Evaporates to moderate extent. Does not bioaccumulate.

Ethyl alcohol (64-17-5)	
LC50 Fish 1	12.0 - 16.0 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	9268 - 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
Persistence and Degradability	
Ethyl Alcohol (64-17-5)	
Persistence and Degradability	Not established. May cause long-term adverse effects in the environment.
Bioaccumulative Potential	

Ethvl Alcohol (64-17-5) Log Pow -0.32 Bioaccumulative Potential Not established.

Mobility in Soil Not available

Page 9 of 13

Other Adverse Effects

Other Information: Avoid release to the environment.

Section 13: Disposal Considerations

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

Additional Information: Handle empty containers with care because residual vapors are flammable



Section 14: Transportation Information

Label Codes

: 3

Section 15: Regulatory Information

Ethyl Alcohol, 200 Proof (64-17-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
SARA Section 311/312 Hazard Classes Fire hazard Immediate (acute) health hazard		
Ethyl alcohol (64-17-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Water (7732-18-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		

US State Regulations:

State or local regulations

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Ethyl alcohol (64-17-5)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Canadian Regulations

Ethyl Alcohol, 200 Proof (64-17-5)

Page 11 of 13

Listed on the Canad	dian DSL (Domestic
Substances List) Lis	sted on the Canadian
YesIDL Concentrati	on 0.1 %
WHMIS Classification	on Class B Division 2 - Flammable Liquid
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Ethyl alcohol (64-1	7-5)
Listed on the Canad	dian DSLomestic
(D Listed on the Ca	nadian Substances
IDL Concentration	0.1 %
WHMIS Classification	on Class B Division 2 - Flammable Liquid
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Water (7732-18-5)	
Listed on the Canad	dian DSLomestic Substances List)
WHMIS Classification	on Uncontrolled product according to WHMIS classification criteria
· · · · · · · · · · · · · · · · · · ·	

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

Section 16: Other Information				
Other Information	: This document has been prepared in accordance with the SDS requirements of the OSHA			
GHS Full Text Phrases:				
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A			
Flam. Liq. 2	Flammable liquids, Category 2			
H225	Highly flammable liquid and vapor			
H319	Causes serious eye irritation			

Date of Issue: 01/20/2006 Date of Revision: 09/13/2022

Decon Laboratories, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. Decon Laboratories, Inc. makes no representations or warranties, either expressed or implied of merchantability, fitness for particular purposes with the information set forth herein or to which the information refers. Accordingly, Decon Laboratories, Inc. will not be responsible for damages from the use of or reliance upon this information.

End of Safety Data Sheet

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	:	Ethanol absolute for analysis EMSURE®
		ACS,ISO,Reag. Ph Eur

Product Number	:	1.00983
Brand	:	Millipore
Index-No.	:	603-002-00-5
CAS-No.	:	64-17-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis, Chemical production

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	:	+1 314 771-5765 +1 800 325-5052
Emergency telephone		
Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703-

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Eye irritation (Category 2A), H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

Hours/day; 7 Days/week

2.2 GHS Label elements, including precautionary statements

Pictogram

1.4



Danger

Signal Word Hazard statement(s) H225 H319

Highly flammable liquid and vapor. Causes serious eye irritation.

527-3887 CHEMTREC (International) 24

Millipore - 1.00983

Page 1 of 12

Precautionary statement(s)	
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P264	Wash skin thoroughly after handling.
P280	Wear protective gloves/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Substances		
Formula	:	C2H6O
Molecular weight	:	46.07 g/mol
CAS-No.	:	64-17-5
EC-No.	:	200-578-6
Index-No.	:	603-002-00-5

Component	Classification	Concentration
ethanol		
	Flam. Liq. 2; Eye Irrit. 2A; H225, H319 Concentration limits: >= 50 %: Eye Irrit. 2A, H319;	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

Millipore - 1.00983

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture Carbon oxides

Carbon oxides Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols, Avoid subst

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

Millipore - 1.00983

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Recommended storage temperature see product label.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated
		TWA	1,000 ppm 1,900 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		STEL	1,000 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Confirmed humans	animal carcinoge	en with unknown relevance to

Millipore - 1.00983

Page 4 of 12

TWA	1,000 ppm 1,900 mg/m3	USA. NIOSH Recommended Exposure Limits
PEL	1,000 ppm 1,900 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: butyl-rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 120 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

Millipore - 1.00983

SECTION 9: Physical and chemical properties

9.1	Inf	Information on basic physical and chemical properties						
	a)	Appearance	Form: liquid Color: colorless					
	b)	Odor	alcohol-like					
	c)	Odor Threshold	0.1 ppm					
	d)	рН	7.0 at 10 g/l at 20 °C (68 °F)					
	e)	Melting point/freezing point	Melting point/freezing point: -114.0 °C (-173.2 °F) at 1,013.25 hPa					
	f)	Initial boiling point and boiling range	78.29 °C 172.92 °F at 1,013 hPa					
	g)	Flash point	13 °C (55 °F) - closed cup					
	h)	Evaporation rate	No data available					
	i)	Flammability (solid, gas)	No data available					
	j)	Upper/lower flammability or explosive limits	Upper explosion limit: 27.7 %(V) Lower explosion limit: 3.1 %(V)					
	k)	Vapor pressure	57.26 hPa at 19.6 °C (67.3 °F)					
	I)	Vapor density	1.6					
	m)	Density	0.79 g/cm3 at 20 °C (68 °F)					
		Relative density	No data available					
	n)	Water solubility	1,000 g/l at 20 °C (68 °F) - completely miscible					
	o)	Partition coefficient: n-octanol/water	log Pow: -0.35 at 24 °C (75 °F) - Bioaccumulation is not expected.					
	p)	Autoignition temperature	363 - 425 °C (685 - 797 °F) at 1,013 hPa					
	q)	Decomposition temperature	Distillable in an undecomposed state at normal pressure.					
	r)	Viscosity	No data available					
	s)	Explosive properties	No data available					
	t)	Oxidizing properties	none					
9.2	Oth	ner safety informatio	n					
		Conductivity	< 1 45 /cm					

Conductivity	< 1 µ5/cm
Surface tension	22.31 mN/m at 20 °C (68 °F) - similar to water
Relative vapor density	1.6

Millipore - 1.00983

Page 6 of 12

SECTION 10: Stability and reactivity

10.1 Reactivity

Vapors may form explosive mixture with air.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of explosion/exothermic reaction with: hydrogen peroxide perchlorates perchloric acid Nitric acid mercury(II) nitrate permanganic acid Nitriles peroxi compounds Strong oxidizing agents nitrosyl compounds Peroxides sodium Potassium halogen oxides calcium hypochlorite nitrogen dioxide metallic oxides uranium hexafluoride iodides Chlorine Alkali metals Alkaline earth metals alkali oxides Ethylene oxide silver with Nitric acid silver compounds with Ammonia potassium permanganate with conc. sulfuric acid Risk of ignition or formation of inflammable gases or vapours with: halogen-halogen compounds chromium(VI) oxide chromyl chloride Fluorine hydrides Oxides of phosphorus platinum

Millipore - 1.00983
Nitric acid with potassium permanganate

10.4 Conditions to avoid Warming.

Warming.

- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 10,470 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - male and female - 4 h - 124.7 mg/l - vapor

(OECD Test Guideline 403) Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 24 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes serious eye irritation. (OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Methanol

Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative

Millipore - 1.00983

Test Type: dominant lethal test Species: Mouse

Application Route: Oral Method: OECD Test Guideline 478 Result: Positive results were obtained in some in vivo tests.

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

Repeated dose toxicity - Rat - male - Oral - NOAEL (No observed adverse effect level) - 1,730 mg/kg - LOAEL (Lowest observed adverse effect level) - 3,200 mg/kg

irritant effects, respiratory paralysis, Dizziness, narcosis, inebriation, euphoria, Nausea, Vomiting

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

	Toxicity to fish	flow-through test LC50 - Pimephales promelas (fathead minnow) - 15,300 mg/l - 96 h (US-EPA)
	Toxicity to daphnia and other aquatic invertebrates	static test LC50 - Ceriodaphnia dubia (water flea) - 5,012 mg/l - 48 h Remarks: (ECHA)
	Toxicity to algae	static test ErC50 - Chlorella vulgaris (Fresh water algae) - 275 mg/l
Millipo	re - 1.00983	

Page 9 of 12

	- 72 h (OECD Test Guideline 201)
Toxicity to bacteria	static test IC50 - activated sludge - > 1,000 mg/l - 3 h (OECD Test Guideline 209)
Toxicity to fish(Chronic toxicity)	semi-static test NOEC - Danio rerio (zebra fish) - 250 mg/l - 120 h Remarks: (ECHA)
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	semi-static test NOEC - Daphnia magna (Water flea) - 9.6 mg/l - 9 d Remarks: (ECHA)

12.2 Persistence and degradability

Biodegradability	aerobic - Exposure time 15 d Result: ca.95 % - Readily biodegradable. (OECD Test Guideline 301E)	
Biochemical Oxygen Demand (BOD)	930 - 1,670 mg/g Remarks: (Lit.)	

Theoretical oxygen2,100 mg/gdemandRemarks: (Lit.)

12.3 Bioaccumulative potential

Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties No data available

12.7 Other adverse effects

No interference with wastewater treatment plants are to be expected when used properly. Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

Millipore - 1.00983

SECTION 14: Transport information			
DOT (US) UN number: 1170 Class: 3 Proper shipping name: Ethanol Reportable Quantity (RQ): Poison Inhalation Hazard: No	Packing group: II		
IMDG UN number: 1170 Class: 3 Proper shipping name: ETHANOL	Packing group: II	EMS-No: F-E, S-D	
IATA UN number: 1170 Class: 3 Proper shipping name: Ethanol	Packing group: II		

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Massachusetts Right To Know Components	CAS-No	Pavision Data
ethanol	64-17-5	1993-04-24
Pennsylvania Right To Know Components ethanol	CAS-No. 64-17-5	Revision Date 1993-04-24
California Prop. 65 Components , which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.ethanol	CAS-No. 64-17-5	Revision Date 2011-05-20

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See

Millipore - 1.00983

Page 11 of 12

www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies

for internal use only. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact misbranding@sial.com. Version: 8.11 Revision Date: 08/09/2023 Print Date: 12/30/2023



SAFETY DATA SHEET

Creation Date 25-Jul-2014

Revision Date 21-Nov-2022

Revision Number 6

1. Identification

Product Name

70% Denatured Ethanol, Molecular Biology Grade

Cat No. :	BP8203-1GAL	
Synonyms	No information available	

Recommended UseLaboratory chemicals.Uses advised againstFood, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number

Chemtrec US: (800) 424-9300 Chemtrec EU: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 2
Acute oral toxicity	Category 4
Acute Inhalation Toxicity - Vapors	Category 4
Serious Eye Damage/Eye Irritation	Category 2
Specific target organ toxicity (single exposure)	Category 2 Category 3
Target Organs - Respiratory system, Central nervous sy	vstem (CNS), Optic nerve.

Label Elements

Signal Word Danger

Hazard Statements

Highly flammable liquid and vapor Causes serious eye irritation May cause drowsiness or dizziness May cause damage to organs Harmful if swallowed or if inhaled



Precautionary Statements Prevention

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/protective clothing/eye protection/face protection

Response

If exposed or you feel unwell: Call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep cool

Disposal

Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC)

Other hazards

Poison, may be fatal or cause blindness if swallowed. Vapor harmful. CANNOT BE MADE NON-POISONOUS. WARNING. Cancer and Reproductive Harm - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Ethyl alcohol	64-17-5	70
Water	7732-18-5	20
Methyl alcohol	67-56-1	5
Isopropyl alcohol	67-63-0	5

4. First-aid measures		
General Advice	If symptoms persist, call a physician.	
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.	
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.	
Inhalation	If not breathing, give artificial respiration. Remove to fresh air. Get medical attention if symptoms occur.	
Ingestion	Clean mouth with water and drink afterwards plenty of water.	
Most important symptoms and effects Notes to Physician	Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting Treat symptomatically	

5. Fire-fighting measures

Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.	
Unsuitable Extinguishing Media	Water may be ineffective	
Flash Point	15 - 27 °C / 59 - 80.6 °F	
Method -	Tag Closed Cup (ASTM D56)	
Autoignition Temperature	363 °C / 685.4 °F	
Explosion Limits		
Upper	19 vol %	
Lower	3.3 vol %	
Sensitivity to Mechanical Impact No information available		

Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Health 2	Flammability 3	Instability 0	Physical hazards N/A
	6. Accidental rel	ease measures	
Personal Precautions	Ensure adequate ventilation sources of ignition. Take pr	n. Use personal protective eque ecautionary measures agains	uipment as required. Remove all t static discharges.
Environmental Precautions Do not flush into surface water or sanitary sewer system.		0	

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

Up	Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.
	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.
Storage.	Keep in properly labeled containers. Keep away from heat, sparks and flame. Keep container tightly closed in a dry and well-ventilated place. Flammables area. Incompatible Materials. Strong oxidizing agents. Strong acids. Acid anhydrides. Acid chlorides.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Ethyl alcohol	STEL: 1000 ppm	(Vacated) TWA: 1000 ppm	IDLH: 3300 ppm	STEL: 1000 ppm
-		(Vacated) TWA: 1900 mg/m ³	TWA: 1000 ppm	
		TWA: 1000 ppm	TWA: 1900 mg/m ³	
		TWA: 1900 mg/m ³		
Methyl alcohol	TWA: 200 ppm	(Vacated) TWA: 200 ppm	IDLH: 6000 ppm	TWA: 200 ppm
	STEL: 250 ppm	(Vacated) TWA: 260 mg/m ³	TWA: 200 ppm	STEL: 250 ppm
	Skin	(Vacated) STEL: 250 ppm	TWA: 260 mg/m ³	
		(Vacated) STEL: 325 mg/m ³	STEL: 250 ppm	
		Skin	STEL: 325 mg/m ³	
		TWA: 200 ppm		
		TWA: 260 mg/m ³		
Isopropyl alcohol	TWA: 200 ppm	(Vacated) TWA: 400 ppm	IDLH: 2000 ppm	TWA: 200 ppm
	STEL: 400 ppm	(Vacated) TWA: 980 mg/m ³	TWA: 400 ppm	STEL: 400 ppm
		(Vacated) STEL: 500 ppm	TWA: 980 mg/m ³	
		(Vacated) STEL: 1225	STEL: 500 ppm	
		mg/m ³	STEL: 1225 mg/m ³	
		TWA: 400 ppm		
		TWA: 980 mg/m ³		

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Tight sealing safety goggles. Face protection shield.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure. Apron. Impervious gloves.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Recommended Filter type:	Organic gases and vapours filter. Type A. Brown. conforming to EN14387.

Hygiene Measures

When using do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

	9. Physical and chemical properties			
Physical State	Liquid			
Appearance	Clear Colorless			
Odor	sweet Alcohol-like			
Odor Threshold	No information available			
рН	Not applicable			
Melting Point/Range	-144 °C / -227.2 °F			
Boiling Point/Range	78.4 °C / 173.1 °F			
Flash Point	15 - 27 °C / 59 - 80.6 °F			
Method -	Tag Closed Cup (ASTM D56)			
Evaporation Rate	No information available			
Flammability (solid,gas)	Not applicable			
Flammability or explosive limits				
Upper	19 vol %			
Lower	3.3 vol %			
Vapor Pressure	44.6 mm Hg @ 20 °C (68 °F)			
Vapor Density	1.59			
Specific Gravity	0.83 – 0.84 @ 20 °C (68 °F)			
Solubility	miscible			
Partition coefficient; n-octanol/wa	ter No data available			
Autoignition Temperature	363 °C / 685.4 °F			
Decomposition Temperature	No information available			
Viscosity	No information available			

10. Stability and reactivity

None known, based on information available		
der normal conditions.		
ay from open flames, hot surfaces and sources of ignition. Incompatible products. nes and sparks.		
idizing agents, Strong acids, Acid anhydrides, Acid chlorides		
nonoxide (CO), Carbon dioxide (CO2)		
is polymerization does not occur.		
ler normal processing.		

11. Toxicological information

Acute Toxicity

Product Information Oral LD50 Dermal LD50 Vapor LC50 Component Information	Category 4. ATE = 300 - 2000 mg/kg. Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. Category 4. ATE = 10 - 20 mg/l.					
Component	LD50 Oral	LD50 Oral LD50 Dermal LC50 Inhalation				
Ethyl alcohol	LD50 = 10470 mg/kg OECD 401 (Rat) 3450 mg/kg (Mouse)	Not listed	LC50 = 117-125 mg/l (4h) OECD 403 (rat) 20000 ppm/10H (rat)			
Water	-	-	-			
Methyl alcohol	LD50 = 1187 – 2769 mg/kg (Rat)	LD50 = 17100 mg/kg (Rabbit)	LC50 = 128.2 mg/L (Rat) 4 h			

Isopropyl alco	hol	5045 mg/kg (Rat) 12800 mg/kg (Rat) 72.6 mg/L (3600 mg/kg (Mouse)				L(Rat)4 h
Toxicologically Synergistic		No information available				
Products						
Delayed and immed	iate effects as w	ell as chronic effe	cts from short ar	d long-term expo	sure	
Irritation		Irritating to eyes				
Sensitization		No information ava	ilable			
Carcinogenicity		The table below inc	dicates whether e	ach agency has lis	ted any ingredient a	as a carcinogen.
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Ethyl alcohol	64-17-5	Not listed	Known	A3	Not listed	A3
Water	7732-18-5	Not listed	Not listed	Not listed	Not listed	Not listed
Methyl alcohol	67-56-1	Not listed	Not listed	Not listed	Not listed	Not listed
Isopropyl alcohol	67-63-0	Not listed	Not listed	Not listed	Not listed	Not listed
NTP: (National Toxicity Program) NTP: (National Toxicity Program) NTP: (National Toxicity Program) NTP: (National Toxicity Program) ACGIH: (American Conference of Governmental Industrial Hygienists) Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen ACGIH: (American Conference of Governmental Industrial Hygienists) A1 - Known Human Carcinogen OSHA: (Occupational Safety & Health Administration) A2 - Suspected Human Carcinogen Mexico - Occupational Exposure Limits - Carcinogens ACGIH: (American Conference of Governmental Industrial Hygient) Mexico - Occupational Exposure Limits - Carcinogens Mexico - Occupational Exposure Limits - Carcinogens A1 - Confirmed Human Carcinogen A2 - Suspected Human Carcinogen A2 - Suspected Human Carcinogen A2 - Suspected Human Carcinogen A3 - Animal Carcinogen A2 - Suspected Human Carcinogen A3 - Confirmed Human Carcinogen A3 - Confirmed Animal Carcinogen				be a Human ustrial Hygienists)		
Mutagenic Effects		A5 - Not Suspected as a Human Carcinogen Mutagenic effects have occurred in humans.				
Reproductive Effect	productive Effects No information available.					
Developmental Effe	cts	Substances known	to cause develop	mental toxicity in h	numans.	
Teratogenicity		Teratogenic effects	s have occurred in	humans.		
STOT - single expos STOT - repeated exp	sure posure	Respiratory system Central nervous system (CNS) Optic nerve None known				
Aspiration hazard		No information available				
Symptoms / effects delayed	,both acute and	Id Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting				
Endocrine Disrupto	r Information	No information available				
Other Adverse Effect	cts	Tumorigenic effects have been reported in experimental animals.				
		12. Ecolo	ogical infor	mation		

<u>Ecotoxicity</u> Contains a substance which is:. Toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea

Ethyl alcohol	EC50 (72h) = 275 mg/l (Chlorella vulgaris)	Fathead minnow (Pimephales promelas) LC50 = 14200 mg/l/96h	Photobacterium phosphoreum:EC50 = 34634 mg/L/30 min Photobacterium phosphoreum:EC50 = 35470 mg/L/5 min	EC50 = 9268 mg/L/48h EC50 = 10800 mg/L/24h
Methyl alcohol	Not listed	Pimephales promelas: LC50 > 10000 mg/L 96h	EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min	EC50 > 10000 mg/L 24h
Isopropyl alcohol	EC50: > 1000 mg/L, 72h (Desmodesmus subspicatus) EC50: > 1000 mg/L, 96h (Desmodesmus subspicatus)	LC50: = 9640 mg/L, 96h flow-through (Pimephales promelas) LC50: > 1400000 µg/L, 96h (Lepomis macrochirus) LC50: = 11130 mg/L, 96h static (Pimephales promelas) LC50: = 10000000 µg/L, 96h (Daphnia)	= 35390 mg/L EC50 Photobacterium phosphoreum 5 min	13299 mg/L EC50 = 48 h 9714 mg/L EC50 = 24 h

Persistence and Degradability

Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation

No information available.

Mobility

Will likely be mobile in the environment due to its volatility.

Component	log Pow
Ethyl alcohol	-0.32
Methyl alcohol	-0.74
Isopropyl alcohol	0.05

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes	
Methyl alcohol - 67-56-1	U154	-	

14. Transport information

DOT	
UN-No	UN1170
Proper Shipping Name	Ethanol solution
Hazard Class	3
Packing Group	II
TDG	
UN-No	UN1170
Proper Shipping Name	Ethanol solution
Hazard Class	3
Packing Group	II
UN-No	UN1170
Proper Shipping Name	Ethanol solution
Hazard Class	3
Packing Group	II
IMDG/IMO	
UN-No	UN1170
Proper Shipping Name	Ethanol solution
Hazard Class	3
Packing Group	
	15 Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Ethyl alcohol	64-17-5	Х	ACTIVE	-
Water	7732-18-5	Х	ACTIVE	-
Methyl alcohol	67-56-1	Х	ACTIVE	-
Isopropyl alcohol	67-63-0	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Not applicable Substances & Mixtures, Under TSCA Section 6(h) (PBT)

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Ethyl alcohol	64-17-5	Х	-	200-578-6	Х	Х	Х	Х	Х	KE-13217
Water	7732-18-5	Х	-	231-791-2	Х	Х		Х	Х	KE-35400
Methyl alcohol	67-56-1	Х	-	200-659-6	Х	Х	Х	Х	Х	KE-23193
Isopropyl alcohol	67-63-0	Х	-	200-661-7	Х	Х	Х	Х	Х	KE-29363

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Methyl alcohol	67-56-1	5	1.0
Isopropyl alcohol	67-63-0	5	1.0

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Methyl alcohol	Х		-

OSHA - Occupational Safety and Not applicable Health Administration

CERCLA

Component	Hazardous Substances RQs	CERCLA EHS RQs	
Methyl alcohol	5000 lb	-	

California Proposition 65 This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Ethyl alcohol	64-17-5	Development (alcoholic	-	Developmental

		beverages only) Carcinogen		Carcinogen
Methyl alcohol	67-56-1	Developmental	-	Developmental

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Ethyl alcohol	Х	Х	Х	Х	Х
Water	-	-	Х	-	-
Methyl alcohol	Х	Х	Х	Х	Х
Isopropyl alcohol	X	X	X	-	Х

U.S. Department of Transportation

Reportable Quantity (RQ):	Y
DOT Marine Pollutant	N
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland This product does not contain any DHS chemicals. Security

Other International Regulations

Mexico - Grade

Serious risk, Grade 3

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Ethyl alcohol	64-17-5	-	-	-
Water	7732-18-5	-	-	-
Methyl alcohol	67-56-1	-	Use restricted. See item 69. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	-
Isopropyl alcohol	67-63-0	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Ethyl alcohol	64-17-5	Listed	Not applicable	Not applicable	Not applicable
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Methyl alcohol	67-56-1	Listed	Not applicable	Not applicable	Not applicable
Isopropyl alcohol	67-63-0	Listed	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention
		(2012/16/EC) -	(2012/16/EC) - Qualifying Quantities	Convention (PIC)	(nazardous waste)
		for Major Accident	for Safety Report		
		Notification	Requirements		

Ethyl alcohol	64-17-5	Not applicable	Not applicable	Not applicable	Annex I - Y42
Water	7732-18-5	Not applicable	Not applicable	Not applicable	Not applicable
Methyl alcohol	67-56-1	500 tonne	5000 tonne	Not applicable	Not applicable
Isopropyl alcohol	67-63-0	Not applicable	Not applicable	Not applicable	Annex I - Y42

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date Revision Date Print Date Revision Summary	25-Jul-2014 21-Nov-2022 21-Nov-2022 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS



SAFETY DATA SHEET

Version 6.7 Revision Date 03/18/2023 Print Date 01/06/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	[:] Ethanolamine
Product Number	: 398136
Dialiu	Signa-Alunch
Index-No.	: 603-030-00-8
CAS-No.	: 141-43-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	: Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone	: +1 314 771-5765
Fax	: +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703-
		527-3887 CHEMIREC (International) 24
		Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 4), H312 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 Short-term (acute) aquatic hazard (Category 2), H401 Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Sigma-Aldrich - 398136

Page 1 of 11



Pictogram	
Signal Word	Danger
Hazard statement(s) H227 H302 + H312 + H332 H314 H335 H401 H412	Combustible liquid. Harmful if swallowed, in contact with skin or if inhaled. Causes severe skin burns and eye damage. May cause respiratory irritation. Toxic to aquatic life. Harmful to aquatic life with long lasting effects.
Precautionary statement(s) P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No
P261 P264 P270 P271 P273 P280	Avoid breathing mist or vapors. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P301 + P330 + P331 P303 + P361 + P353	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P363 P370 + P378	Wash contaminated clothing before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P233 P403 + P235 P405	Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.
2501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1	Substances Synonyms	:	Monoethanolamine 2-Aminoethyl alcohol 2-Aminoethanol	
	Formula Molecular weight CAS-No.	:	C ₂ H ₇ NO 61.08 g/mol 141-43-5	

Sigma-Aldrich - 398136

Page 2 of 11



EC-No.	:	205-483-3
Index-No.	:	603-030-00-8

Component	Classification	Concentration
ethanolamine		
	Flam. Liq. 4; Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; STOT SE 3; Aquatic Acute 2; Aquatic Chronic 3; H227, H302, H332, H312, H314, H318, H335, H401, H412 Concentration limits: >= 5 %: STOT SE 3, H335;	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Sigma-Aldrich - 398136

Page 3 of 11



Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® OH⁻, Merck Art. No. 101596). Dispose of properly. Clean up affected area.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

Sigma-Aldrich - 398136

Page 4 of 11



7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed.

hygroscopic Handle and store under inert gas.

Storage class

Storage class (TRGS 510): 8A: Combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
ethanolamine	141-43-5	TWA	3 ppm	USA. ACGIH Threshold Limit Values (TLV)
		STEL	6 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	3 ppm 6 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	3 ppm 8 mg/m3	USA. NIOSH Recommended Exposure Limits
		ST	6 ppm 15 mg/m3	USA. NIOSH Recommended Exposure Limits
		PEL	3 ppm 8 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		STEL	6 ppm 15 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please

Sigma-Aldrich - 398136

Page 5 of 11



contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Latex gloves Minimum layer thickness: 0.6 mm Break through time: 480 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 10 min Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid, clear Color: colorless
b)	Odor	amine-like
c)	Odor Threshold	No data available
d)	рН	12.1 at 100 g/l at 20 °C (68 °F)
e)	Melting point/freezing point	Melting point/range: 10 - 11 °C (50 - 52 °F) - lit.
f)	Initial boiling point and boiling range	170 °C 338 °F - lit. 69 - 70 °C (156 - 158 °F) at 13 hPa
g)	Flash point	91 °C (196 °F) at ca.1,013 hPa - Pensky-Martens closed cup - ISO 2719
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 17 %(V) Lower explosion limit: 2.5 %(V)
Sigma-Aldr	ich - 398136	



Page 6 of 11

k)	Vapor pressure	0.5 hPa at 20 °C (68 °F) - (calculated)
I)	Vapor density	2.11 - (Air = 1.0)
m)	Density	1.012 g/cm3 at 25 °C (77 °F) - lit.
	Relative density	No data available
n)	Water solubility	1,000 g/l at 20 °C (68 °F) - completely miscible
o)	Partition coefficient: n-octanol/water	log Pow: -2.3 at 25 °C (77 °F) - Bioaccumulation is not expected.
p)	Autoignition temperature	424 °C (795 °F) at 1,013 hPa - ASTM E-659
q)	Decomposition temperature	No data available
r)	Viscosity	23.5 mm2/s at 20 °C (68 °F) - 9.8 mm2/s at 40 °C (104 °F) -
s)	Explosive properties	No data available
t)	Oxidizing properties	none
Oth	er safety informatio	n

Relative vapor 2.11 - (Air = 1.0)density

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature). Absorbs carbon dioxide (CO2) from air.

10.3 Possibility of hazardous reactions No data available

10.4 Conditions to avoid Exposure to moisture.

Strong heating.

10.5 Incompatible materials No data available

10.6 Hazardous decomposition products In the event of fire: see section 5

Sigma-Aldrich - 398136

Page 7 of 11



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 1,089 mg/kg (OECD Test Guideline 401) Acute toxicity estimate Inhalation - 11.1 mg/l - vapor

(Expert judgment) LD50 Dermal - Rabbit - 1,015 mg/kg Remarks: (RTECS)

Skin corrosion/irritation

Skin - Rabbit Result: Corrosive - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Corrosive (OECD Test Guideline 405) Remarks: Causes serious eye damage.

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative Remarks: (ECHA)

Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 **Result:** negative Test Type: Chromosome aberration test in vitro Test system: rat hepatocytes Metabolic activation: without metabolic activation Method: OECD Test Guideline 473 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster fibroblasts Metabolic activation: without metabolic activation **Result:** negative Remarks: (ECHA)

Test Type: In vivo micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Oral Method: OECD Test Guideline 474 Result: negative

Sigma-Aldrich - 398136

Page 8 of 11



Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure May cause respiratory irritation.

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - > 75 Days - NOAEL (No observed adverse effect level) - 300 mg/kg Remarks: (ECHA)

RTECS: KJ5775000 Liver - Irregularities - Based on Human Evidence

Liver - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	semi-static test LC50 - Cyprinus carpio (Carp) - 349 mg/l - 96 h (Tested according to Directive 92/69/EEC.)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 65 mg/l - 48 h (Regulation (EC) No. 440/2008, Annex, C.2)
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 2.8 mg/l - 72 h (OECD Test Guideline 201)
	static test NOEC - Pseudokirchneriella subcapitata (green algae) - 1 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	static test EC10 - activated sludge - > 1,000 mg/l - 30 min (OECD Test Guideline 209)
Toxicity to fish(Chronic toxicity)	flow-through test NOEC - Oryzias latipes - 1.24 mg/l - 41 d (OECD Test Guideline 210)
Toxicity to daphnia	semi-static test NOEC - Daphnia magna (Water flea) - 0.85 mg/l $$ -

Sigma-Aldrich - 398136

Page 9 of 11



and other aquatic 21 d invertebrates(Chronic (OECD Test Guideline 202) toxicity)

12.2 Persistence and degradability

aerobic - Exposure time 21 d
Result: $> 90 \%$ - Readily biodegradable.
(OECD Test Guideline 301A)
Result: 90 - 100 % - Readily biodegradable.
(OECD Test Guideline 301F)

Biochemical Oxygen	800 mg/g
Demand (BOD)	Remarks: (IUCLID)
Theoretical oxygen	1,310 mg/g
demand	Remarks: (IUCLID)

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties No data available

12.7 Other adverse effects

Additional ecological Toxic to aquatic life. information

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

DOT (US)

UN number: 2491 Class: 8 Packing group: III Proper shipping name: Ethanolamine Reportable Quantity (RQ): Poison Inhalation Hazard: No

IMDG

Sigma-Aldrich - 398136

Page 10 of 11



IATA

UN number: 2491 Class: 8 Proper shipping name: Ethanolamine Packing group: III

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components		
ethanolamine	CAS-No. 141-43-5	Revision Date 2007-03-01
Pennsylvania Right To Know Components		
ethanolamine	CAS-No. 141-43-5	Revision Date 2007-03-01

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.7

Revision Date: 03/18/2023

Print Date: 01/06/2024

Sigma-Aldrich - 398136

Page 11 of 11



SDS

SAFETY DATA SHEET

Oakwood Products, Inc 730 Columbia HWY N Estill, SC 29918 www.oakwoodchemical.com

Phone Numbers:

Product Information	803-739-8800
Transportation Emergency	800-451-8346
Outside the USA	760-602-8700

MATERIAL IDENTIFICATION

NAME: Ethoxynonafluorobutane mixture of two isomers

CAS#: [163702-05-4] CAT#: 098595 For R&D use only.

HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity, oral (Category 4) Skin corrosion/irritation (Category 2) Serious eye damage/eye irritation (Category 2A) Respiratory tract irritation (Category 3)

GHS Label elements, including precautionary statements

Pictograms

$\langle \mathbf{i} \rangle$

Signal Word

Warning

Hazard Statement(s)	
H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

Precautionary Stater	ment(s)
P233	Keep container tightly closed.
P235	Keep cool.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P312	IF SWALLOWED: call a POISON CENTER or doctor/physician IF you feel unwell.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN: wash with plenty of soap and water.
IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF exposed or if you feel unwell: call a POISON CENTER or doctor/physician.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.

COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms	: Ethyl nonafluoroisobutyl ether, Ethyl nonafluorobutyl ether, 2- (Ethoxydifluoromethyl)-1,1,1,2,3,3,3-heptafluoropropane, Ethyl perfluoroisobutyl ether, 1-Ethoxy-1,1,2,2,3,3,4,4,4-nonafluorobutane
Formula	: C6H5F9O
Molecular Weight	: 264.09 g/mol

CAS	Description	Concentration
163702-06-5	Ethyl perfluoroisobutyl ether	79-90%
163702-05-4	Ethyl nonafluorobutyl ether	79-90%

FIRST AID MEASURES

In case of eye contact

Immediately flush eyes with running water for at least 15 minutes while keeping eyes open. Seek medical attention.

In case of skin contact

Wash thoroughly with soap and plenty of water. Seek medical attention.

If inhaled

Remove victim from source of exposure to fresh air. If breathing is difficult, administer oxygen. Seek medical attention.

If swallowed

Do not induce vomiting. Give water to victim to drink. Seek medical attention.

FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use carbon dioxide, dry chemical powder, alcohol-resistant or polymer foam.

Special protective equipment for fire-fighters

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

Unusual fire and explosion hazards/decomposition of product

emits toxic fumes under fire conditions.

ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid breathing fumes, vapors, mists or gas. Ventilate area. Remove all sources of ignition. Evacuate personnel.

Environmental precautions

Prevent further leakage if safe to do so.

Methods and materials for containment and clean up

Absorb spills on sand or vermiculite and place in closed container for disposal.

HANDLING AND STORAGE

Precautions for safe handling

Avoid prolonged use. Avoid all direct contact with material. Do not breathe dust or vapor. Wash thoroughly after handling.

Precautions for safe storage

Keep container tightly closed. Store in a cool, dry, well-ventilated area. Keep cold.

EXPOSURE CONTROL/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

Personal protective equipment

Eye/face protection

Wear protective safety goggles or face shields tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

Hand/skin protection

Avoid all direct contact with product. Wear chemical-resistant gloves. Wear protective clothing and boots. After contact with skin, wash immediately.

Respiratory protection

Ensure adequate ventilation during use. Approved respiratory equipment must be used when airborne concentrations are unknown or exceed the exposure limits.

PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Liquid
Odour	no data available
Odour Threshold	no data available
Melting point/Freezing Point	no data available
Boiling Point	76°C
Flash Point	no data available
Evaporation Rate	no data available
Flammability (solid, gas)	no data available
Upper/Lower Flammability or Explosive limits	no data available

- Vapour pressure Relative Density Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature Decomposition temperature Viscosity Refractive Index
 - no data available 1.043 no data available 1.282

STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions no data available

Conditions to avoid no data available

Incompatible materials Strong oxidizing agents, strong acids, and strong bases.

Hazardous decomposition products

May evolve carbon monoxide, carbon dioxide, and hydrogen fluoride.

TOXICOLOGICAL INFORMATION

Acute toxicity no data available

Skin corrosion/irritation Causes skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation

Respiratory or skin sensitization no data available

Germ cell mutagenicity no data available

Carcinogenicity no data available

Reproductive toxicity no data available

STOT-single exposure May cause respiratory irritation

STOT-repeated exposure no data available

Aspiration hazard

no data available

Exposure Routes

May be harmful to skin, eyes, and respiratory system. May have harmful effects if inhaled or swallowed.

To the best of our knowledge, the health hazards of this material have not been fully investigated.

ECOLOGICAL INFORMATION

Toxicity no data available

Persistence and degradability no data available

Bioaccumulative potential no data available

Mobility in soil no data available

PBT and vPvB assessment no data available

Other adverse effects no data available

DISPOSAL CONSIDERATIONS

Dissolve in or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all Federal, State and local laws.

TRANSPORT INFORMATION

DOT

Classed non-hazardous for shipping.

IMDG

Classed non-hazardous for shipping.

IATA

Classed non-hazardous for shipping.

REGULATORY INFORMATION

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: No chemicals in this material are subject to the reporting requirements of SARA Title III,

Section 313.

New Jersey Right to Know Components

This product may contain a chemical on the New Jersey Right to Know Components List.

	CAS
Ethyl perfluoroisobutyl ether	163702-06-5
Ethyl nonafluorobutyl ether	163702-05-4

California Prop. 65 Components

This product does not contain a chemical known to the State of California to cause cancer, birth defects, or other reproductive harm.

OTHER INFORMATION

Version : 1.4

Revision Date : 7/14/2021

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. Oakwood shall not be held liable for any damage resulting from handling or from contact with the above product.



SAFETY DATA SHEET

Version 6.8 Revision Date 10/29/2022 Print Date 01/14/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name: Ethylene glycolProduct Number: 324558Brand: Sigma-AldrichIndex-No.: 603-027-00-1CAS-No.: 107-21-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	: Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone	: +1 314 771-5765
Fax	: +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Specific target organ toxicity - repeated exposure, Oral (Category 2), Kidney, H373

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word



Warning

ent(s)

Hazard statement(s) H302

Harmful if swallowed.

Sigma-Aldrich - 324558

Page 1 of 11



H373	May cause damage to organs (Kidney) through prolonged or repeated exposure if swallowed.
Precautionary statement(s)	
P260	Do not breathe mist or vapors.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P314	Get medical advice/ attention if you feel unwell.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

.1	Substances Synonyms	:	1,2-Ethanediol		
	Formula Molecular weight CAS-No. EC-No. Index-No.		C ₂ H ₆ O ₂ 62.07 g/mol 107-21-1 203-473-3 603-027-00-1		
	Component			Classification	Concentration
	ethylene glycol				
				Acute Tox. 4; STOT RE 2; H302, H373	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Sigma-Aldrich - 324558

Page 2 of 11



- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
- **6.4** Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling For precautions see section 2.2.

Sigma-Aldrich - 324558

Page 3 of 11



7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed.

Hygroscopic.

Storage class

Storage class (TRGS 510): 10: Combustible liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Predicted No Effect Concentration (PNEC)

Compartment	Value
Soil	1.53 mg/kg
Sea water	1 mg/l
Fresh water	10 mg/l
Sea sediment	3.7 mg/kg
Fresh water sediment	37 mg/kg
Sewage treatment plant	199.5 mg/l
Aquatic intermittent release	10 mg/l

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please

Sigma-Aldrich - 324558

Page 4 of 11


contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	a)	Appearance	Form: liquid Color: colorless
	b)	Odor	odorless
	c)	Odor Threshold	Not applicable
	d)	рН	No data available
	e)	Melting point/freezing point	Melting point/range: -13 °C (9 °F)
	f)	Initial boiling point and boiling range	196 - 198 °C 385 - 388 °F
	g)	Flash point	115 °C (239 °F) - open cup
	h)	Evaporation rate	1
	i)	Flammability (solid, gas)	No data available
	j)	Upper/lower flammability or explosive limits	Upper explosion limit: 15.3 %(V) Lower explosion limit: 3.2 %(V)
	k)	Vapor pressure	1 hPa at 51.1 °C (124.0 °F)
	I)	Vapor density	2.14 - (Air = 1.0)
	m)	Density	1.113 g/mL at 25 °C (77 °F)
		Relative density	No data available
	n)	Water solubility	completely miscible
	o)	Partition coefficient: n-octanol/water	log Pow: -1.36 - Bioaccumulation is not expected.
	p)	Autoignition	412 °C (774 °F) at 1,013 hPa
Sigma	Aldric	ch - 324558	

Page 5 of 11



temperature

- q) Decomposition No data available temperature
- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties none

9.2 Other safety information

Surface tension	48.4 mN/m at 20 °C (68 °F)
Relative vapor	2.14 - (Air = 1.0)
density	

SECTION 10: Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of explosion with: Aluminum perchloric acid Risk of ignition or formation of inflammable gases or vapours with: chromyl chloride Strong oxidizing agents chlorates Peroxides potassium permanganate Exothermic reaction with: chlorosulfonic acid Sodium hydroxide fuming sulfuric acid sulfuric acid

10.4 Conditions to avoid

Strong heating.

- **10.5 Incompatible materials** various plastics, Strong oxidizing agents
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

Sigma-Aldrich - 324558

Page 6 of 11



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - 500.1 mg/kg Oral: (Regulation (EC) No 1272/2008, Annex VI) LC50 Inhalation - Rat - male and female - 6 h - > 2.5 mg/l - aerosol

Remarks: (ECHA) LD50 Dermal - Mouse - male and female - > 3,500 mg/kg Remarks: (ECHA) No data available

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 20 h Remarks: (ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation - 24 h Remarks: (ECHA)

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative

Test Type: dominant lethal test Species: Rat

Application Route: Oral

Result: negative

Carcinogenicity

This product is or contains a component that is probably not carcinogenic based on its IARC, ACGIH, NTP, or EPA classification.

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

Laboratory experiments have shown teratogenic effects. Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

Sigma-Aldrich - 324558

Page 7 of 11



Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Oral - May cause damage to organs through prolonged or repeated exposure. - Kidney

Aspiration hazard

No data available

11.2 Additional Information

RTECS: KW2975000

When ingested early symptoms mimic alcohol inebriation and are followed by nausea, vomiting, abdominal pain, weakness, muscle tenderness, respiratory failure, convulsions, cardiovascular collapse, pulmonary edema, hypocalcemic tetany, and severe metabolic acidosis. Without treatment, death may occur in 8 to 24 hours. Victims who survive the initial toxicity period usually develop renal failure along with brain and liver damage., Exposure to and/or consumption of alcohol may increase toxic effects.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption:

agitation CNS disorders

Systemic effects:

After a latency period:

Tiredness ataxia (impaired locomotor coordination) Unconsciousness

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Central nervous system - Irregularities - Based on Human Evidence

Central nervous system - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

	Toxicity to fish	static test LC50 - Pimephales promelas (fathead minnow) - > 72,860 mg/l - 96 h (US-EPA)
	Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - > 100 mg/l $$ - 48 h (OECD Test Guideline 202)
Ciama	Toxicity to algae	IC5 - Scenedesmus quadricauda (Green algae) - > 10,000 mg/l - 7
Sigma	-AIUFICH - 324558	Page 8 of 1



d
Remarks: (Lit.)Toxicity to bacteriastatic test EC20 - activated sludge - > 1,995 mg/l - 30 min
(ISO 8192)Toxicity to
fish(Chronic toxicity)flow-through test LC50 - Menidia peninsulae (tidewater silverside) -
> 1,500 mg/l - 28 d
Remarks: (in analogy to similar products)
(ECHA)
The value is given in analogy to the following substances: triethylene
glycol

12.2 Persistence and degradability

aerobic - Exposure time 10 d Result: 90 - 100 % - Readily biodegradable. (OECD Test Guideline 301A)
780 mg/g Remarks: (IUCLID)
1,190 mg/g Remarks: (IUCLID)
1,290 mg/g Remarks: (IUCLID)
60 % Remarks: (IUCLID)

12.3 Bioaccumulative potential

Does not bioaccumulate.

12.4 Mobility in soil No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties No data available

12.7 Other adverse effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

Sigma-Aldrich - 324558

Page 9 of 11



SECTION 14: Transport information

DOT (US)

UN number: 3082 Class: 9 Packing group: III Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (ethylene glycol) Reportable Quantity (RQ): Poison Inhalation Hazard: No

IMDG

Not dangerous goods

ΙΑΤΑ

Not dangerous goods

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the

Sigma-Aldrich - 324558

Page 10 of 11



information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.8 Revision Date: 10/29/2022 Print Date: 01/14/2023

Sigma-Aldrich - 324558

Page 11 of 11





SAFETY DATA SHEET

Version 6.6 Revision Date 03/29/2023 Print Date 10/07/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking **Product identifiers** 1.1 Product name Ethylenediaminetetraacetic acid disodium salt dihydrate Product Number : E4884 Brand : Sigma-Aldrich CAS-No. : 6381-92-6 Relevant identified uses of the substance or mixture and uses advised against 1.2 Identified uses : Laboratory chemicals, Synthesis of substances Details of the supplier of the safety data sheet 1.3 Company : Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES Telephone : +1 314 771-5765 +1 800 325-5052 Fax : 1.4 **Emergency telephone** Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (USA) +1-703 527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Inhalation (Category 4), H332 Specific target organ toxicity - repeated exposure, Inhalation (Category 2), Respiratory Tract, H373

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word

Warning

Sigma-Aldrich - E4884

Page 1 of 10



Hazard statement(s)	
H332	Harmful if inhaled.
H373	May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure if inhaled.
Precautionary statement(s)	
P260	Do not breathe dust.
P271	Use only outdoors or in a well-ventilated area.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P314	Get medical advice/ attention if you feel unwell.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SEC	FION 3: Composition	/info	rmation on ingredie	nts			
3.1	Substances Synonyms : Sequestrene Na2 Disodium ethylenediaminetetraacetatedihydrate Edetatedisodium saltdihydrate Edathamil EDTAdisodium salt						
	Formula Molecular weight CAS-No. EC-No.	:	C ₁₀ H ₁₄ N ₂ Na ₂ O ₈ · 2H ₂ 372.24 g/mol 6381-92-6 205-358-3	0			
	Component			Classification	Concentration		
	Edetate disodium dihydrate						
		•		Acute Tox. 4; STOT RE 2; H332, H373	<= 100 %		

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses. Sigma-Aldrich - E4884

Page 2 of 10



If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Sodium oxides Combustible. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

Sigma-Aldrich - E4884

Page 3 of 10



SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Tightly closed. Dry.

Storage class Storage class (TRGS 510): 11: Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Sigma-Aldrich - E4884

Page 4 of 10



Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

required when dusts/vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	a)	Appearance	Form: crystals Color: white
	b)	Odor	odorless
	c)	Odor Threshold	Not applicable
	d)	рН	No data available
	e)	Melting point/freezing point	Melting point/range: 248 °C (478 °F)
	f)	Initial boiling point and boiling range	No data available
	g)	Flash point	()Not applicable
	h)	Evaporation rate	No data available
	i)	Flammability (solid, gas)	No data available
	j)	Upper/lower flammability or explosive limits	No data available
	k)	Vapor pressure	No data available
	I)	Vapor density	No data available
	m)	Density	No data available
		Relative density	No data available
	n)	Water solubility	No data available
	o)	Partition coefficient: n-octanol/water	No data available
	p)	Autoignition temperature	No data available
	q)	Decomposition	255 °C (491 °F) -
Sigma-	Aldri	ch - E4884	

Page 5 of 10



temperature

- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties none
- 9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions Violent reactions possible with: Strong oxidizing agents

10.4 Conditions to avoid

no information available

- **10.5 Incompatible materials** Aluminum, Copper, Copper alloys, Nickel, Zinc
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 2,800 mg/kg (OECD Test Guideline 401) Remarks: The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt Inhalation: No data available Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation (OECD Test Guideline 404) Remarks: (ECHA) The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt

Sigma-Aldrich - E4884

Page 6 of 10



Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405) Remarks: (ECHA) The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406) Remarks: (ECHA) The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt

Germ cell mutagenicity

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Result: negative Remarks: (ECHA) The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid trisodium saltTest Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Remarks: (ECHA) The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium saltThe value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid trisodium saltTest Type: Ames test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Remarks: (ECHA) The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid trisodium salt Test Type: In vivo micronucleus test Species: Mouse

Application Route: Oral Method: OECD Test Guideline 474 Remarks: (ECHA) The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Sigma-Aldrich - E4884

Page 7 of 10



Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure

Inhalation - May cause damage to organs through prolonged or repeated exposure. - Respiratory Tract

Aspiration hazard

No data available

11.2 Additional Information

RTECS: AH4410000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - > 100 mg/l - 96 h (OECD Test Guideline 203) Remarks: (ECHA) The value is given in analogy to the following substances: Sodium feredetate
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 140 mg/l - 48 h (DIN 38412) Remarks: (ECHA) The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt NOEC - Daphnia magna (Water flea) - 25 mg/l - 21 d Remarks: (ECHA) The value is given in analogy to the following substances:
	Ethylenedinitrilotetraacetic acid disodium salt
Toxicity to algae	static test - Pseudokirchneriella subcapitata (green algae) - > 60 mg/l - 72 h (OECD Test Guideline 201) Remarks: (ECHA) The value is given in analogy to the following substances: Sodium feredetate
Toxicity to bacteria	NOEC - activated sludge - > 640 mg/l - 3 h (OECD Test Guideline 209) Remarks: (ECHA) The value is given in analogy to the following substances: Sodium feredetate

Sigma-Aldrich - E4884

Page 8 of 10



12.2 Persistence and degradability

Biodegradability Result: 2 % - Not readily biodegradable. (OECD Test Guideline 301D) Remarks: The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt

12.3 Bioaccumulative potential

Bioaccumulation Lepomis macrochirus (Bluegill sunfish) - 28 d at 21 °C - 0.08 mg/l(Edetate disodium dihydrate)

> Bioconcentration factor (BCF): 1.8 (OECD Test Guideline 305)

Remarks: The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid,Tetrasodiumsalt

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

- **12.6 Endocrine disrupting properties** No data available
- 12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG Not dangerous goods

IATA Not dangerous goods

Further information

Not classified as dangerous in the meaning of transport regulations.

Sigma-Aldrich - E4884

Page 9 of 10



SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.6

Revision Date: 03/29/2023

Print Date: 10/07/2023

Sigma-Aldrich - E4884

Page 10 of 10





SAFETY DATA SHEET

Version 6.6 Revision Date 05/25/2023 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Ferrocene Product Number : F408

Product Number		F408
Brand	:	Aldrich
CAS-No.	:	102-54-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	:	+1 314 771-5765 +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable solids (Category 1), H228 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Reproductive toxicity (Category 1B), H360 Specific target organ toxicity - repeated exposure, Inhalation (Category 2), Liver, H373 Short-term (acute) aquatic hazard (Category 2), H401 Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Aldrich - F408

Page 1 of 11



Pictogram	
Signal Word	Danger
Hazard statement(s) H228	Flammable solid.
H302 + H332 H360 H373	Harmful if swallowed or if inhaled. May damage fertility or the unborn child. May cause damage to organs (Liver) through prolonged or repeated expecting if inhaled
H401 H410	Toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P201 P202	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P260	Do not breathe dust.
P204	Wash skin thoroughly after handling.
P270 P271	Use only outdoors or in a well-ventilated area
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1	Substances Synonyms	: Bis(cyclopentadienyl)iron Di(cyclopentadienyl)iron
	Formula Molecular weight CAS-No.	: C10H10Fe : 186.03 g/mol : 102-54-5

Aldrich - F408

Page 2 of 11



EC-No.

: 203-039-3

Component	Classification	Concentration
ferrocene		
	Flam. Sol. 1; Acute Tox. 4; Repr. 1B; STOT RE 2; Aquatic Acute 2; Aquatic Chronic 1; H228, H302, H332, H360, H373, H401, H410 M-Factor - Aquatic Chronic: 10	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

water Foarr Carbon dioxide (CO2) Dry powe

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given. Aldrich - F408

Page 3 of 11



5.2 Special hazards arising from the substance or mixture

Carbon oxides Iron oxides Combustible. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains. Risk of explosion.
- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- **6.4** Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Aldrich - F408

Page 4 of 11



Heat sensitive.

Storage class

Storage class (TRGS 510): 4.1B: Flammable solid hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
ferrocene	102-54-5	TWA	10 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		TWA	5 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	10 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	15 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	5 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		PEL	10 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		PEL	5 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Aldrich - F408

Page 5 of 11



Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: crystalline Color: orange
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 172 - 174 °C (342 - 345 °F) - lit.
f)	Initial boiling point and boiling range	249 °C 480 °F - lit.
g)	Flash point	()No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	The substance or mixture is a flammable solid with the category 1 Regulation (EC) No. 440/2008, Annex, A.10
j)	Upper/lower flammability or explosive limits	No data available

Aldrich - F408

Page 6 of 11



k)	Vapor pressure	< 0.1 hPa at 40 °C (104 °F)
I)	Vapor density	No data available
m)	Density	1.49 g/cm3 at 20 °C (68 °F)
	Relative density	No data available
n)	Water solubility	0.0001 g/l at 20 °C (68 °F) - slightly soluble
o)	Partition coefficient: n-octanol/water	log Pow: 3.711 at 22 °C (72 °F) - Bioaccumulation is not expected.
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	none
Oth	er safety information	n

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with: perchlorates Strong oxidizing agents

10.4 Conditions to avoid

no information available

10.5 Incompatible materials No data available

10.6 Hazardous decomposition products In the event of fire: see section 5

Aldrich - F408

Page 7 of 11



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 1,320 mg/kg Remarks: (RTECS) Inhalation: Harmful by inhalation. LD50 Dermal - Rat - > 3,000 mg/kg (OECD Test Guideline 402) No data available

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation - 72 h (OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: Does not cause skin sensitization. (OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative

Test Type: Micronucleus test Species: Mouse

Method: Regulation (EC) No. 440/2008, Annex, B.12 Result: negative

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

May damage the unborn child. May damage fertility.

Specific target organ toxicity - single exposure

No data available

Aldrich - F408

Page 8 of 11



Specific target organ toxicity - repeated exposure

Inhalation - May cause damage to organs through prolonged or repeated exposure. - Liver

Aspiration hazard No data available

11.2 Additional Information

RTECS: LK0700000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	NOEC - Leuciscus idus (Golden orfe) - 20 mg/l - 48 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 1.17 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test EC50 - Desmodesmus subspicatus (green algae) - 1.03 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	static test NOEC - Pseudomonas putida - > 87.6 mg/l - 6 h Remarks: (ECHA)
Toxicity to fish(Chronic toxicity)	semi-static test NOEC - Leuciscus idus (Golden orfe) - 1.5 mg/l - 14 d (OECD Test Guideline 204)
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	NOEC - Daphnia magna (Water flea) - 0.0015 mg/l (OECD Test Guideline 211)
Persistence and deg	radability

Biodegradability aerobic - Exposure time 41 d Result: 73 % - Inherently biodegradable. (OECD Test Guideline 301B)

12.3 Bioaccumulative potential

No bioaccumulation is to be expected (log Pow ≤ 4).

12.4 Mobility in soil

No data available

Aldrich - F408

12.2

Page 9 of 11



12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties No data available

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

UN number: 1325 Class: 4.1 Packing group: II Proper shipping name: Flammable solids, organic, n.o.s. (ferrocene) Reportable Quantity (RQ): Poison Inhalation Hazard: No

IMDG

UN number: 1325 Class: 4.1 Packing group: II EMS-No: F-A, S-G Proper shipping name: FLAMMABLE SOLID, ORGANIC, N.O.S. (ferrocene) Marine pollutant : yes

ΙΑΤΑ

UN number: 1325 Class: 4.1 Packing group: II Proper shipping name: Flammable solid, organic, n.o.s. (ferrocene)

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Aldrich - F408

Page 10 of 11



ferrocene	CAS-No. 102-54-5	Revision Date 1993-02-16
Pennsylvania Right To Know Components	CAS-No.	Revision Date
ferrocene	102-54-5	1993-02-16

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies

for internal use only. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our pranding. However, all of the product ordered. For further information please contact misbranding@sial.com. Version: 6.6 Revision Date: 05/25/2023 Print Date: 12/30/2023

Aldrich - F408

Page 11 of 11





SAFETY DATA SHEET

Version 6.2 Revision Date 10/02/2022 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

	Product name	:	Gadolinium(III) oxide
	Product Number Brand CAS-No.	::	48220 Aldrich 12064-62-9
1.2	Relevant identified us	es	of the substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

1.4	Fax Emergency telephone	:	+1 800 325-5052
	Telephone	:	+1 314 771-5765
	Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Eye irritation (Category 2A), H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



	Signal Word	Warning
	Hazard statement(s) H319	Causes serious eye irritation.
	Precautionary statement(s) P264	Wash skin thoroughly after handling.
Aldrich	- 48220	

Page 1 of 8



P280	Wear protective gloves/ eye protection/ face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue
	rinsing.
P337 + P313	If eye irritation persists: Get medical advice/ attention.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula Molecular weight CAS-No. FC-No.	: Gd ₂ O ₃ : 362.50 g/mol : 12064-62-9 : 235-060-9	
EC-NO.	: 235-060-9	
Component		

Component	Classification	Concentration			
digadolinium trioxide					
	Eye Irrit. 2A; H319	<= 100 %			

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

Aldrich - 48220

Page 2 of 8



SECTION 5: Firefighting measures

5.1 Extinguishing media

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

- **5.2** Special hazards arising from the substance or mixture gadolinium oxides
- **5.3** Advice for firefighters In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.
- 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Tightly closed. Dry.

Keep in a dry place.

Storage class

Storage class (TRGS 510): 13: Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Aldrich - 48220

Page 3 of 8



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

protective clothing

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

Aldrich - 48220

Page 4 of 8



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: powder Color: beige	
b)	Odor	No data available	
c)	Odor Threshold	No data available	
d)	рН	No data available	
e)	Melting point/freezing point	Melting point/range: 2,330 °C (4,226 °F)	
f)	Initial boiling point and boiling range	No data available	
g)	Flash point	()Not applicable	
h)	Evaporation rate	No data available	
i)	Flammability (solid, gas)	No data available	
j)	Upper/lower flammability or explosive limits	No data available	
k)	Vapor pressure	No data available	
I)	Vapor density	No data available	
m)	Density	7.407 g/mL at 20 °C (68 °F)	
	Relative density	No data available	
n)	Water solubility	No data available	
o)	Partition coefficient: n-octanol/water	No data available	
p)	Autoignition temperature	No data available	
q)	Decomposition temperature	No data available	
r)	Viscosity	No data available	
s)	Explosive properties	No data available	
t)	Oxidizing properties	No data available	
Other safety information			

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

Aldrich - 48220

9.2

Page 5 of 8



10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

- 10.3 Possibility of hazardous reactions No data available
- **10.4 Conditions to avoid** no information available
- **10.5 Incompatible materials** Strong acids
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - > 5,000 mg/kg Inhalation: No data available Dermal: No data available No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation

Eyes - Rabbit Result: Mild eye irritation

Respiratory or skin sensitization No data available

Germ cell mutagenicity No data available

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aldrich - 48220

Page 6 of 8



Aspiration hazard

No data available

11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability No data available

- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- **12.5 Results of PBT and vPvB assessment** PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Endocrine disrupting properties** No data available
- 12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

ΙΑΤΑ

Not dangerous goods

Further information

Not classified as dangerous in the meaning of transport regulations.

Aldrich - 48220

Page 7 of 8



SECTION 15: Regulatory information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components digadolinium trioxide	CAS-No. 12064-62-9	Revision Date
New Jersey Right To Know Components digadolinium trioxide	CAS-No. 12064-62-9	Revision Date

California Prop. 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.2

Revision Date: 10/02/2022

Print Date: 12/30/2023

Aldrich - 48220

Page 8 of 8




SAFETY DATA SHEET

Revision Date 18-Feb-2020

Revision Number 2

1. Identification		
Product Name	Gallium(III) 2,4-pentanedionate	
Cat No. :	42086	
CAS-No Synonyms	14405-43-7 No information available	
Recommended UseLaboratory chemicals.Uses advised againstFood, drug, pesticide or biocidal product use.Details of the supplier of the safety data sheet		
Company Alfa Aesar Thermo Fisher Scientific Chemicals, I 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com	nc.	
Emergency Telephone Number During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.		

2. Hazard(s) identification

Classification

Γ

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity	Category 4
Acute dermal toxicity	Category 4
Acute Inhalation Toxicity - Dusts and Mists	Category 4
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Respiratory system.	5 7

Label Elements

Signal Word Warning

Hazard Statements Causes skin irritation Causes serious eye irritation May cause respiratory irritation Suspected of causing cancer Harmful if swallowed, in contact with skin or if inhaled



Precautionary Statements Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Wear eye/face protection Response IF exposed or concerned: Get medical attention/advice Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Skin IF ON SKIN: Wash with plenty of soap and water Call a POISON CENTER or doctor/physician if you feel unwell If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse Eves IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention Ingestion IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth Storage Store locked up Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Tris(pentane-2,4-dionato-O,O')gallium	14405-43-7	<=100

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
Most important symptoms and effects	None reasonably foreseeable.
Notes to Physician	Treat symptomatically

5. Fire-fighting measures

Unsuitable Extinguishing Media	No information available
Flash Point Method -	No information available No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact Sensitivity to Static Discharge	No information available No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Gallium oxide.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health 2	Flammability 1	Instability 0	Physical hazards -
	6. Accidental re	lease measures	
Personal Precautions	Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.		
Environmental Precautions	Should not be released into the environment. See Section 12 for additional Ecological Information. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.		
Methods for Containment and 0 Up	Clean Sweep up and shovel into containers for disposal.	suitable containers for disposa	II. Keep in suitable, closed
	7. Handling	and storage	

Handling	Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation. Avoid dust formation. Do not get in eyes, on skin, or on clothing.
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place.

8. E2	xposure controls / personal protection
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.
Engineering Measures	None under normal use conditions. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	No protective equipment is needed under normal use conditions.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Ph	vsical	and	chemical	propertie	S
2 - 1 1	ysicar	and	Chemicar	propertie	i

Solid
No information available
Odorless
No information available
No information available
196 - 198 °C / 384.8 - 388.4 °F
No information available
No information available
Not applicable
No information available
No data available
No data available
No information available
Not applicable
1.42 g/cm3
No information available
No data available
No information available
No information available
Not applicable
C15 H21 O6 Ga
367.05

10. Stability and reactivity

Reactive Hazard	None known, based on information available	
Stability	Stable under normal conditions.	
Conditions to Avoid	Incompatible products.	
Incompatible Materials	Strong oxidizing agents	
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO ₂), Gallium oxide		

|--|

Hazardous Reactions

None under normal processing.

Acute Toxicity

Product Information Component Information Toxicologically Synergistic Products Delayed and immediate effects as w	No information available ell as chronic effects from short and long-term exposure_
Irritation	No information available
Sensitization	No information available

11. Toxicological information

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico	
Tris(pentane-2,4-diona to-O,O')gallium	14405-43-7	Not listed	Not listed	Not listed	Not listed	Not listed	
Mutagenic Effects		No information ava	ailable				
Reproductive Effects	6	No information available.					
Developmental Effect	ets	No information ava	ailable.				
Teratogenicity		No information ava	ailable.				
STOT - single expos STOT - repeated exp	ure osure	Respiratory system None known					
Aspiration hazard		No information available					
Symptoms / effects, delayed	both acute and	No information available					
Endocrine Disruptor	Information	No information available					
Other Adverse Effec	ts	The toxicological properties have not been fully investigated.					

12. Ecological information

Ecotoxicity

May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Persistence and Degradability	May persist		
Bioaccumulation/ Accumulation	No information available.		
Mobility	No information available.		
	13. Disposal considerations		
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.		

DOT	Not regulated
TDG	Not regulated
ΙΑΤΑ	Not regulated
IMDG/IMO	Not regulated

15. Regulatory information

United States of America Inventory

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
Tris(pentane-2,4-dionato-O,O')galli um	14405-43-7	-	-	-

Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
Tris(pentane-2,4-dionato-O,O')galli	14405-43-7	-	-	238-377-0	-	-	-	-	-
um									

U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable
CERCLA	Not applicable
California Proposition 65	This product does not contain any Proposition 65 chemicals
U.S. State Right-to-Know Regulations	Not applicable
U.S. Department of Transportation Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.
Other International Regulations	
Mexico - Grade	No information available

	16. Other information
Prepared By	Health, Safety and Environmental Department Email: tech@alfa.com www.alfa.com
Revision Date Print Date Revision Summary	18-Feb-2020 18-Feb-2020 SDS authoring systems update, replaces ChemGes SDS No. 14405-43-7.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS



SAFETY DATA SHEET

Version 6.4 Revision Date 09/27/2022 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

	Product name	:	Germanium(II) bromide
	Product Number Brand CAS-No.	:	572659 Aldrich 24415-00-7
1.2	Relevant identified us	es	of the substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Synthesis of substances
1.3	Details of the supplier	of	the safety data sheet
	_		

Company	: Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone	: +1 314 771-5765
Fax	: +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #

: 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Danger

Signal Word Hazard statement(s) H314

Causes severe skin burns and eye damage.

Aldrich - 572659

Page 1 of 8



Precautionary statement(s)	
P260	Do not breathe dust.
P264	Wash skin thoroughly after handling.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 +	IF IN EYES: Rinse cautiously with water for several minutes.
P310	Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS Lachrymator.

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula	:	Br ₂ Ge
Molecular weight	:	232.45 g/mol
CAS-No.	:	24415-00-7

Component	Classification	Concentration
Germanium(II) bromide		
	Skin Corr. 1B; Eye Dam.	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

Aldrich - 572659

Page 2 of 8



If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Hydrogen bromide gas Germanium oxides Combustible. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

Aldrich - 572659

Page 3 of 8



SECTION 7: Handling and storage

7.1 Precautions for safe handling For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Tightly closed. Dry.

Air and moisture sensitive.

Storage class

Storage class (TRGS 510): 8A: Combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

Handle with impervious gloves.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Aldrich - 572659

Page 4 of 8





Body Protection

protective clothing

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: powder
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 120 - 125 °C (248 - 257 °F) - lit.
f)	Initial boiling point and boiling range	No data available
g)	Flash point	()Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Density	No data available
	Relative density	No data available
n)	Water solubility	No data available
o)	Partition coefficient: n-octanol/water	No data available
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available

Aldrich - 572659

Page 5 of 8



SECTION 10: Stability and reactivity

10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions No data available

10.4 Conditions to avoid

Air Avoid moisture. no information available

10.5 Incompatible materials Strong oxidizing agents, Strong bases

10.6 Hazardous decomposition products In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral: No data available Inhalation: No data available Dermal: No data available No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitization No data available

Germ cell mutagenicity No data available

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Aldrich - 572659

Page 6 of 8



Reproductive toxicity

No data available No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

Cough, Shortness of breath, Headache, Nausea, Vomiting

SECTION 12: Ecological information

12.1 Toxicity

No data available

- **12.2 Persistence and degradability** No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- **12.5 Results of PBT and vPvB assessment** PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- 12.6 Endocrine disrupting properties No data available
- 12.7 Other adverse effects No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

UN number: 3260 Class: 8 Packing group: II Proper shipping name: Corrosive solid, acidic, inorganic, n.o.s. (Germanium(II) bromide) Reportable Quantity (RQ):

Aldrich - 572659

Page 7 of 8



IMDG

UN number: 3260 Class: 8 Packing group: II EMS-No: F-A, S-B Proper shipping name: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Germanium(II) bromide)

ΙΑΤΑ

UN number: 3260 Class: 8 Packing group: II Proper shipping name: Corrosive solid, acidic, inorganic, n.o.s. (Germanium(II) bromide)

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.4

Revision Date: 09/27/2022

Print Date: 12/30/2023

Aldrich - 572659

Page 8 of 8





Printing date 07/20/2021

CHEMICALS, INC

Reviewed on 07/20/2021

1 Identification

- · Product name
- · Trade name: Germanium(II) iodide (99.99+%-Ge) PURATREM
- Item number: 93-3205
- · CAS Number:
- 13573-08-5
- *EC number:* 236-998-1
- Details of the supplier of the safety data sheet • Manufacturer/Supplier:
- Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com
- · Information department: Technical Department
- Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

· Label elements

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Warning

• Hazard-determin	ing components of labeling:	
Germanium(II) io	dide (99.99+%-Ge) PURATREM	
· Hazard statement	ts	
H315 Causes skir	irritation.	
H319 Causes seri	ous eye irritation.	
H335 May cause	respiratory irritation.	
· Precautionary sta	itements	
P231	Handle under inert gas.	
P262	Do not get in eyes, on skin, or on clothing.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
		(Contd. o

(Contd. on page 2)

Printing date 07/20/2021

Reviewed on 07/20/2021



3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 13573-08-5 Germanium(II) iodide (99.99+%-Ge) PURATREM
- · Identification number(s)
- · EC number: 236-998-1

4 First-aid measures

- · Description of first aid measures
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Germanium(II) iodide (99.99+%-Ge) PURATREM

- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: No special measures required.
- *Methods and material for containment and cleaning up:* Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

· PAC-3:

Substance is not listed.

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

(Contd. on page 4)



(Contd. of page 2)

Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Germanium(II) iodide (99.99+%-Ge) PURATREM



 Information on basic physical and chemical properties General Information Appearance: 				
Color:	Yellow			
Odor:	undistinguishable			
Odor threshold:	Not determined.			
pH-value:	Not applicable.			
Change in condition				
Melting point/Melting range:	Undetermined.			
Boiling point/Boiling range:	Undetermined.			
Flash point:	Not applicable.			
Flammability (solid, gaseous):	Not determined.			
Ignition temperature:				
Decomposition temperature:	Not determined.			
Auto igniting:	Not determined.			
Danger of explosion:	Product does not present an explosion hazard.			
Explosion limits:				
Lower:	Not determined.			
Upper:	Not determined.			
Vapor pressure:	Not applicable.			





Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Germanium(II) iodide (99.99+%-Ge) PURATREM

		(Contd. of page 4
• Density at 20 •C (68 •F):	5.73 g/cm ³ (47.81685 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Insoluble.	
· Partition coefficient (n-octanol/v	vater): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
Solids content:	100.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

- · OSHA-Ca (Occupational Safety & Health Administration)
- Substance is not listed.

(Contd. on page 6)

Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Germanium(II) iodide (99.99+%-Ge) PURATREM

(Contd. of page 5)

12 Ecological information

· Toxicity

CHEMICALS, INC

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

4 Transport information	
· UN-Number · DOT, ADN, IMDG, IATA	not regulated
· UN proper shipping name · DOT, ADN, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	not regulated
· Packing group · DOT, IMDG, IATA	not regulated
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex . MARPOL73/78 and the IBC Code	II of Not applicable.
· UN ''Model Regulation'':	not regulated

(Contd. on page 7)

Printing date 07/20/2021

CHEMICALS.

Reviewed on 07/20/2021

Trade name: Germanium(II) iodide (99.99+%-Ge) PURATREM

(Contd. of page 6)

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

Substance is not listed.

• Section 313 (Specific toxic chemical listings):

Substance is not listed.

• TSCA (Toxic Substances Control Act):

Substance is listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

• TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

 \cdot NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Warning

· Hazard-determin	ing components of labeling:		
Germanium(II) io	dide (99.99+%-Ge) PURATREM		
· Hazard statement	S		
H315 Causes skin	irritation.		
H319 Causes seri	ous eye irritation.		
H335 May cause	respiratory irritation.		
· Precautionary sta	tements		
P231	Handle under inert gas.		
P262	Do not get in eyes, on skin, or on clothing.		
P280	Wear protective gloves/protective clothing/eye protection/face protection.		
		(0 11	c

(Contd. on page 8)

US

Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Germanium(II) iodide (99.99+%-Ge) PURATREM

(Contd. of page 7)

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present
and easy to do. Continue rinsing.P403+P233Store in a well-ventilated place. Keep container tightly closed.P501Dispose of contents/container in accordance with local/regional/national/international

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

regulations.

- · Contact: Technical Director
- · Date of preparation / last revision 07/20/2021 / -
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3



Safety Data Sheet

1.	IDENTIFICATION					
	Product Identifier	GL1405, GL1409, GL1410, GL1640, GL1698, GL1712, GL1751, GL1819,				
		GL1839, GL1846, GL1853 Glass				
	Other Means of Identification					
	SDS Number	Borate Glass				
	Product Code	GL1405, GL1409, GL1410, GL1640, GL1698, GL1712, GL1751, GL1819,				
		GL1839, GL1846, GL1853 Glass				
	Recommended Use	Not available.				
	Recommended Restrictions	None known.				
	Manufacturer/Importers/Supplier/Distribu	utor Information				
	Manufacturer/Supplier	Mo-Sci Corporation, Mo-Sci Health Care, LLC, and Mo-Sci Specialty				
		Products LLC				
	Address	4040 Hypoint North Rolla, MO, USA 65401				
	Telephone Number	573-364-2338				
	e-mail	mo-sci@mo-sci.com				
	Contact Person	Krista Grayson				
	Emergency Telephone Number	573-364-2338				
2.	HAZARD IDENTIFICATION					
	Physical hazards	Not classified				
	Health hazards	Not classified				
	OSHA defined hazards	Not classified				
	Label elements	None				
	Hazard symbols	None				
	Signal word	None				
	Hazard statement	None				
	Precautionary statement	May irritate skin, eyes, mucous membranes.				
	Prevention	Observe good industrial hygiene practices.				
	Response	Wash hands after handling.				
	Storage	Store away from incompatible materials.				
	Disposal	Dispose of in accordance with local regulations.				
	Hazard(s) not otherwise Classified (HNO	C) None known				
	Glass is an amorphous fusion of materials whose constituents are tightly bound together and are in a specific chemical					

environment, totally different from the initial state (in raw materials) and from that occurring in simple compounds (metals or oxides). Under normal conditions, glass never gives metal or oxide as direct dissociation products. Under extreme conditions, only a tiny fraction of glass constituents could leach from the glass matrix into aqueous solutions.

3. COMPOSITION/INFORMATION ON INGREDIENTS Mixtures

IVII ALUI 65				
Chemical I	Name		CAS number	%
Glass, Oxide,	Chemicals		65997-17-3	100
Constituents				
Chemical I	Name		CAS number	%
Proprietary				
Compositio	on comments	Concentrations ar	e in percent by weight unless ingredient	is a gas.
orate Glass	Issue Date	· 20-March-2018	Revision Date: 14-May-2019	Revision: 3

Revision Date: 14-May-2019

Gas concentrations are in percent by volume.

4.	FIRST-AID MEASURES	
	Inhalation	If symptomatic, move to fresh air. Get medical attention if symptoms persist.
	Skin Contact	Wash with soap and water. Get medical attention if symptoms occur.
	Eve Contact	Material that contacts the eye should be washed out immediately with water. If easy
		to do, remove contact lenses. Get medical attention if symptoms persist.
	Ingestion	Seek medical advice
	Most Important Symptoms/Effect	s Acute and Delayed
		Direct contact with eves may cause temporary irritation
	Indication of Immodiate Medical	Attention and Special Treatment Needed
		Treat symptomatically
E		Teat symptomatically.
э.	FIRE-FIGHTING MEASURES	Water Water for Form Dry chamical and Carbon diavide (CO)
	Suitable Extinguishing Media	water, water log, Foam, Dry chemical, and Carbon dioxide (CO_2)
	Unsuitable Extinguishing Media	None known
	Specific Hazards Arising from the	Chemical None known
	Special Protective Equipment and	d Precautions for Firefighters
	Selection of respiratory protection	on for firefighting: follow the general fire precautions indicated in the workplace.
	Fire-fighting Equipment/Instruction	ons
	Self-contained breathing appara	atus and full protective clothing must be worn in case of fire.
-		
6.	ACCIDENTAL RELEASE MEAS	SURES
	Personal Precautions, Protective	Equipment and Emergency Procedures
		Wear protective clothing as described in Section 8 of this SDS
	Methods and Materials for Contai	nment and Cleaning Up
		Sweep or scoop up and remove.
		For waste disposal, see Section 13 of the SDS
	Environmental Precautions	Avoid discharge into drains, water courses or onto the ground.
_		
7.	HANDLING AND STORAGE	
	Precautions for Safe Handling	Wear appropriate personal protective equipment (See Section 8).
		Wash thoroughly after handling.
		Observe good industrial hygiene practices.
		Dust or powder: Use only with adequate ventilation.
		Avoid breathing dust.
	Conditions for Safe Storage, incl	uding any Incompatibilities
		Store in a cool dry environment.
		Store away from incompatible materials (See Section 10).
8.	EXPOSURE CONTROLS/PERS	ONAL PROTECTION
	Occupational Exposure Limits	
	US OSHA Table z-1 Limits for	Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form		
Dust (CAS-)	PEL	5 mg/m ³	Respirable fraction.		
		15 mg/m ³	Total dust.		

US OSHA Table Z-3 (29 CFR 1910.1000)

Components	Туре	Value	Form
Dust (CAS-)	TWA	5 mg/m ³	Respirable fraction.
		15 mg/m ³	Total dust.
		50 millions of particles	Total dust.
		15 millions of particles	Respirable fraction.

US ACGIH Threshold Limit Values

Components	Туре	Value	Form
Dust (CAS-)	TWA	3 mg/m ³	Respirable particles.
		10 mg/m ³	Total dust.

Biological Limit Values No biological exposure limits noted for the ingredient(s). **Appropriate Engineering Controls** Ensure adequate ventilation, especially in confined areas. **Individual Protection Measures, such as Personal Protective Equipment**

Eye/Face Protection	Normal eye protection practices should be used. If dusty conditions exist, chemical goggles are recommended.
Skin Protection	
Hand Protection	Regular work gloves.
Other	Wear apron or protective clothing in case of contact. If contact with forearms is likely wear gauntlet style gloves.
Respiratory Protection	
 If engineering contro applicable) or to an 	ols do not maintain airborne concentrations below recommended exposure limits (where acceptable level (in countries where exposure limits have not been established), an approved
 respirator must be w 	vorn.
 In the United States OSHA 29 CFR 1910 	of America, if respirators are used, a program should be instituted to assure compliance with 0.134.
 Respirator type: Air- purifying filter, cartrid information. 	purifying respirator with an appropriate, government approved (where applicable), air- dge or canister. Contact health and safety professional or manufacturer for specific
Thermal Hazard	Wear appropriate thermal protective clothing, when necessary.

General Hygiene

Wear appropriate thermal protective clothing, when necessary. Always observe good personal hygiene measures, such as washing after handling

the material and before eating, drinking, or/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Solid. **Physical State** Solid. Form Solid. Glass. Lavender. Yellow. Grey. Color White. Black. Odor Odorless. **Odor Threshold** Not available. pH (in water @25C) Not available. Melting Point/Freezing Point Not available. Softening Temperature Not measured. **Initial Boiling Point and Boiling Range** Not applicable. **Flash Point** Not applicable. Not available. **Evaporation Rate** Flammability (solid, gas) Not applicable. Upper/Lower Flammability or Explosive Limits Flammability Limit-Lower (%) Not applicable. Not applicable. Flammability Limit-Upper (%) Vapor Pressure Not available. Vapor Density Not applicable. **Relative Density** Not available. Solubility Solubility (water) Not measured. **Partition Coefficient** No data available. **Auto-ignition Temperature** Not applicable. Not applicable. **Decomposition Temperature** Not applicable. Viscosity Specific Gravity Not measured. **Refractive Index** Not measured.

10. STABILITY AND REACTIVITY Reactivity

Chemical Stability

Conditions to Avoid

Incompatible Materials

The product is stable and non-reactive under normal conditions of use, storage and transportation. Stable under the prescribed storage conditions. Hazardous polymerization will not occur. Contact with incompatible materials. Strong acids. Strong bases. Metal oxides.

11. TOXICOLOGICAL INFORMATION

Possibility of Hazardous Reactions

Hazardous Decomposition Products

Information on Likely Routes of Exposure Ingestion

No harmful effects expected in amounts likely to be ingested by accident.

innalation No in Conta	nalation hazard under normal conditions. Inct with dust: May cause irritation to the respiratory system.
Skin contact May o	ause skin sensitization in hypersensitive individuals.
Eye contact Direct	t contact with eyes may cause temporary irritation.
Symptoms Related to the Physical, Chemical a	nd Toxicological Characteristics
Direct	contact with eyes may cause temporary irritation.
Information on Toxicological Effects	
Acute Toxicity May of	ause discomfort if swallowed.
Skin Corrosion/Irritation Dust	may irritate skin.
Serious Eye Damage/Eye Irritation	Direct contact with eyes may cause temporary irritation.
Respiratory or Skin Sensitization	
Respiratory Sensitization No da	ita available.
Skin Sensitization Prolo	nged skin contact may cause dermatitis
Carcinogenicity This r	na available.
OSHA	
IARC Mongraphs, Overall Evaluation of Car	cinogenicity
Glass	oxide, chemicals (CAS 65997-17-3)
3 not	classifiable as to carcinogenicity to humans
NTP Report on Carcinogens Glass	, oxide, chemicals (CAS 65997-17-3)
Rease	onably anticipated to be a Human Carcinogen.
Reproductive Toxicity	No data available.
Specific Target Organ Toxicity - Single Exposu	re No data available.
Specific Target Organ Toxicity - Repeated Expo	osure No data available.
Aspiration Hazard	
Ecotoxicity Not expected	to be barmful to aquatic organisms
Persistence and Degradability No data availa	able
Bioaccumulative Potential No data availa	able
Mobility in Soil The product is	s not mobile in soil.
Other Adverse Effects None known.	
13. DISPOSAL CONSIDERATIONS	
Disposal Instructions Do not discha	rge into drains, water courses or onto the ground.
Local Disposal Regulations Dispose in ac	cordance with all applicable regulations.
Hazardous Waste Code Not regulated	. The waste code should be assigned in discussion between the user,
the producer a	and the waste disposal company.
Waste Holli Residues/Offused Floducts	recycle if practical
Contaminated packaging Dispose of in	accordance with local regulations
14. TRANSPORT INFORMATION	
DOT Not regulated	as dangerous goods.
IATA Not regulated	as dangerous goods.
IMDG Not regulated	as dangerous goods.
Transport in Bulk According to Annex II of MAR	RPOL 73-78 and IBC Code
Not applicable	2.
IIS Federal Regulations This product i	s not bazardous according to OSHA 20CER 1010-1200
TSCA Section 12(b) Export Notification (40	CER 707 Subpt D) Not regulated
US OSHA Specifically Regulated Substance	es (29 CFR 1910.1001-1050) Not listed.
CERCLA Hazardous Substance List (40CFF	R 302.4) Not listed.
Superfund Amendments and Reauthorization A	act of 1986 (SARA)
Hazardous Categories	
Immediate Hazard No	
Delayed Hazard No	
Fire Hazard No	
Pressure Hazard No	
Reactivity Hazard NO	

SARA 302 Extremely Hazardou	us Substance Not listed.	
SARA 311/312 Hazardous Che	mical No	
SARA 313 (TRI reporting)	No	
Other Federal Regulations		
Clean Air Act (CAA) Section 1	12 Hazardous Air Pollutants (HAPs) List	Not regulated.
Clean Air Act (CAA) Section 1	12(r) Accidental Release Prevention (40 CFR 68.130)	Not regulated.
Safe Drinking Water Act (SDW	/A)	Not Regulated.
US State Regulations	Warning: This product contains chemical(s) known to the	State of California to ca

ause cancer and birth defects or other reproductive harm.

Internal Inventories

Countries or Region	Inventory Name	On Inventory *
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substance control Act (TSCA) Inventory	Yes

*A "yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "no" indicates that one or more components of the products are not listed or except from listing on the inventory administered by the governing country(s).

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Issue Date	20-March-2018
Revision Date	14-May-2019
Version	03
Further Information	The classification for health and environmental hazards is derived by a combination
	of calculation methods and test data, if available.

NFPA Ratings



Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available.



Appearance

Low temperature sealing glass with gray color in powder form.

Chemical Composition

Zinc oxide (ZnO) Bismuth oxide (Bi₂O₃) Boron oxide (B₂O₃)

Physical Properties

Specific Gravity	4.5 (g/cm ³)
Glass Transition Temperature (by dilatometry)	478 ± 10 °C
Softening Temperature (T _d)	505 ± 10 °C
Coefficient of Thermal Expansion	6.3 - 7.5 x 10 ⁻⁶ /°C (50 - 400 °C)
Interfacial Bond Strength (Shear)	20.5 MPa
Interfacial Bond Strength (Tensile)	14.3 MPa
Dielectric Constant (1kHz, RT)	11.05
Loss Tangent (1kHz, RT)	0.0454

Recommended Firing Conditions

Ramp to 560 - 590 °C and hold for 1 - 2 hours. Heating or cooling rate: 3 to 10 °C/min

Applications

Operational Temperature: up to 400 °C

The typical application of GL1819 sealing glass is to seal ceramics and metals at high temperatures. Common applications of sealing glass include: solid oxide fuel cells (SOFCs), solar cells, sodium ion batteries, high-temperature sensors, and other sealing, bonding, or coating applications.



SAFETY DATA SHEET

Version 6.7 Revision Date 09/05/2023 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

1.2	Relevant identified us	es	of the substance or mixture and uses advised against
	CAS-No.	:	2530-83-8
	Brand	:	Aldrich
	Product Number	:	440167
	Product name	:	(3-Glycidyloxypropyl)trimethoxysilane

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	:	+1 314 771-5765 +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Serious eye damage (Category 1), H318 Short-term (acute) aquatic hazard (Category 3), H402 Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Danger

Signal Word

Aldrich - 440167

Page 1 of 10



Hazard statement(s) H318 H412	Causes serious eye damage. Harmful to aquatic life with long lasting effects.
Precautionary statement(s)	
P273	Avoid release to the environment.
P280	Wear eye protection/ face protection.
P305 + P351 + P338 +	IF IN EYES: Rinse cautiously with water for several minutes.
P310	Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula	:	$C_9H_{20}O_5Si$
Molecular weight	:	236.34 g/mol
CAS-No.	:	2530-83-8
EC-No.	:	219-784-2

Component	Classification	Concentration	
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane			
	Eye Dam. 1; Aquatic Acute	<= 100 %	
	3; Aquatic Chronic 3;		
	H318, H402, H412		

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Aldrich - 440167

Page 2 of 10



- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide (CO2) Foam Dry powder

Unsuitable extinguishing media Water

5.2 Special hazards arising from the substance or mixture

Nature of decomposition products not known. Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
- **6.4** Reference to other sections For disposal see section 13.

Aldrich - 440167

Page 3 of 10



SECTION 7: Handling and storage

7.1 Precautions for safe handling For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Tightly closed.

Storage class Storage class (TRGS 510): 10: Combustible liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: butyl-rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 30 min

Aldrich - 440167

Page 4 of 10



Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Color: colorless
b)	Odor	weakly aromatic
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/freezing point: < -70 °C (< -94 °F)
f)	Initial boiling point and boiling range	120 °C 248 °F at 3 hPa - lit.
g)	Flash point	113 °C (235 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Lower explosion limit: 0.43 %(V) - DIN 51649
k)	Vapor pressure	< 0.1 hPa at 20 °C (68 °F)
I)	Vapor density	No data available
m)	Density	1.07 g/cm3 at 25 °C (77 °F) - lit.
	Relative density	1.07120 °C - OECD Test Guideline 109
n)	Water solubility	immiscible, (External MSDS)
o)	Partition coefficient: n-octanol/water	No data available

Aldrich - 440167

Page 5 of 10



- p) Autoignition 236 °C (457 °F) at 977 984 hPa temperature
- q) Decomposition No data available temperature
- r) Viscosity 3.43 mm2/s at 20 °C (68 °F) -
- s) Explosive properties No data available
- t) Oxidizing properties none
- 9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with: Oxidizing agents Peroxides Water Hydrolysis

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials No data available

10.6 Hazardous decomposition products

Hazardous decomposition products - Carbon oxides, silicon oxides, Methanol is given off during processing and by reaction with water. In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 8,025 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - male and female - 4 h - > 5.3 mg/l - Aerosol

Aldrich - 440167

Page 6 of 10



(OECD Test Guideline 403) LD50 Dermal - Rabbit - male - 4,248 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Irreversible effects on the eye - 4 h (OECD Test Guideline 405)

Respiratory or skin sensitization

Buehler Test - Guinea pig Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: positive Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: Positive results were obtained in some in vitro tests.

Test Type: In vivo mammalian alkaline comet assay Species: Rat Cell type: Liver cells Application Route: Oral Method: OECD Test Guideline 489 Result: positive

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aldrich - 440167

Page 7 of 10


Aspiration hazard

No data available

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 90 d - NOAEL (No observed adverse effect level) - >= 1,000 mg/kg

RTECS: VV4025000

Material may form a siloxane polymer on the skin, eyes, or in the lungs. In the event of direct contact of the liquid with these tissues, seek medical attention., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	semi-static test LC50 - Cyprinus carpio (Carp) - 55 mg/l - 96 h (Regulation (EC) No. 440/2008, Annex, C.1)
Toxicity to daphnia and other aquatic invertebrates	static test LC50 - Simocephalus vetulus - 324 mg/l - 48 h (US-EPA)
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 350 mg/l - 96 h (OECD Test Guideline 201)
Toxicity to bacteria	static test EC50 - activated sludge - > 100 mg/l - 3 h (OECD Test Guideline 209)
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	semi-static test NOEC - Daphnia magna (Water flea) - >= 100 mg/l - 21 d (OECD Test Guideline 211)

12.2 Persistence and degradability

aerobic - Exposure time 28 d Result: 37 % - Not readily biodegradable. (Regulation (EC) No. 440/2008, Annex, C.4-A)

Biochemical Oxygen 370 mg/g Demand (BOD)

12.3 Bioaccumulative potential

No data available

Biodegradability

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties No data available

Aldrich - 440167

Page 8 of 10



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG Not dangerous goods

IATA

Not dangerous goods

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Aldrich - 440167

Page 9 of 10



SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies

for internal use only. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact misbranding@sial.com. Print Date: 12/30/2023 Version: 6.7 Revision Date: 09/05/2023

Aldrich - 440167

Page 10 of 10





SAFETY DATA SHEET

Version 6.4 Revision Date 10/30/2021 Print Date 01/11/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	[:] Gold
Product Number	: 265799
Brand	: Aldrich
CAS-No.	: 7440-57-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	:	+1 314 771-5765 +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #

: 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2 GHS Label elements, including precautionary statements

Not a hazardous substance or mixture.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1	Substances		
	Formula	:	Au
	Molecular weight	:	196.97 g/mol
	CAS-No.	:	7440-57-5
	EC-No.	:	231-165-9
Aldric	h - 265799		

Page 1 of 8



No components need to be disclosed according to the applicable regulations.

SECTION 4: First aid measures

4.1 Description of first-aid measures

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section
 - 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

- 5.2 Special hazards arising from the substance or mixture Nature of decomposition products not known. Not combustible. Ambient fire may liberate hazardous vapours.
- 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information none

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

Aldrich - 265799

Page 2 of 8



6.2 Environmental precautions

No special precautionary measures necessary.

- **6.3 Methods and materials for containment and cleaning up** Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- **6.4** Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Tightly closed. Dry.

Storage class

Storage class (TRGS 510): 11: Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls Change contaminated clothing. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

Handle with impervious gloves.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Aldrich - 265799

Page 3 of 8



Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Respiratory protection

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

No special precautionary measures necessary.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: Wire
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 1,063 °C (1,945 °F) - lit.
f)	Initial boiling point and boiling range	2,808 °C 5,086 °F - lit.
g)	Flash point	()Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Density	19.3 g/mL at 25 °C (77 °F) - lit.
	Relative density	No data available
n)	Water solubility	No data available
o)	Partition coefficient: n-octanol/water	Not applicable for inorganic substances
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available

Aldrich - 265799

Page 4 of 8



- s) Explosive properties No data available
- t) Oxidizing properties none
- 9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

- **10.2 Chemical stability** The product is chemically stable under standard ambient conditions (room temperature) .
- 10.3 Possibility of hazardous reactions No data available
- **10.4 Conditions to avoid** no information available
- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral: No data available Inhalation: No data available Dermal: No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: reverse mutation assay Test system: S. typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Aldrich - 265799

Page 5 of 8



- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

- **12.1 Toxicity** No data available
- **12.2 Persistence and degradability** Not applicable for inorganic substances
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Endocrine disrupting properties** No data available
- **12.7 Other adverse effects**

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

Aldrich - 265799

Page 6 of 8



SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

ΙΑΤΑ

Not dangerous goods

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components Gold

	7440-57-5	
New Jersey Right To Know Components		
Gold	CAS-No. 7440-57-5	Revision Date

CAS-No.

Aldrich - 265799

Page 7 of 8



Revision Date

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.4

Revision Date: 10/30/2021

Print Date: 01/11/2024

Aldrich - 265799

Page 8 of 8







Creation Date 15-Oct-2010

Revision Date 27-Dec-2020

Revision Number 2

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Cat No. : CAS-No Molecular Formula <u>Gold powder, spherical, <5 micron</u> 00765 7440-57-5 Au

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

1.3. Details of the supplier of the safety data sheet

Company	Alfa Aesar
. ,	Avocado Research Chemicals, Ltd.
	Shore Road
	Port of Heysham Industrial Park
	Heysham, Lancashire LA3 2XY
	United Kingdom
	Office Tel: +44 (0) 1524 850506
	Office Fax: +44 (0) 1524 850608
E-mail address	uktech@alfa.com
	www.alfa.com
	Product Safety Department
1.4. Emergency telephone number	

Call Carechem 24 at +44 (0) 1865 407333 (English only); +44 (0) 1235 239670 (Multi-language)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Based on available data, the classification criteria are not met

<u>Health hazards</u>

Based on available data, the classification criteria are not met

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements

Hazard Statements

Precautionary Statements

2.3. Other hazards

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Gold	7440-57-5	EEC No. 231-165-9	>95	-

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.
Ingestion	Do NOT induce vomiting. Get medical attention.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur. If not breathing, give artificial respiration.
Self-Protection of the First Aider	No special precautions required.
4.2. Most important symptoms and	effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

None under normal use conditions.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation. Avoid dust formation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before

SAFETY DATA SHEET

Class 13

re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Derived No Effect Level (DNEL) No information available

Route of exposure	Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
Oral				
Dermal				
Inhalation				

Predicted No Effect Concentration No information available. **(PNEC)**

8.2. Exposure controls

Engineering Measures None under normal use conditions.

Personal protective equipment Wear safety glasses with side shields (or goggles) (European standard - EN 166) Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Natural rubber Nitrile rubber Neoprene	See manufacturers recommendations		EN 374	(minimum requirement)

SAFETY DATA SHEET

Gold powder, spherical, <5 micron

PVC

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection	No protective equipment is needed under normal use conditions.
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particle filter 2
Small scale/Laboratory use	Maintain adequate ventilation

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Solid	
Appearance Odor Odor Threshold Melting Point/Range Softening Point Boiling Point/Range Flammability (liquid) Flammability (solid,gas) Explosion Limits	Amber Odorless No data available 1065 °C / 1949 °F No data available 2800 °C / 5072 °F Not applicable No information available No data available	Solid
Flash Point Autoignition Temperature Decomposition Temperature	No information available No data available No data available	Method - No information available
pH Viscosity Water Solubility Solubility in other solvents	No information available Not applicable Insoluble No information available	Solid
Partition Coefficient (n-octanol/wate Vapor Pressure Density / Specific Gravity Bulk Density	er) No data available No data available No data available	
Vapor Density Particle characteristics	Not applicable No data available	Solid
9.2. Other information		
Molecular Formula	Au	

196.97

Not applicable - Solid

Molecular Weight Evaporation Rate

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity	None known, based on information available
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous rea	actions
Hazardous Polymerization Hazardous Reactions	Hazardous polymerization does not occur. None under normal processing.
10.4. Conditions to avoid	Incompatible products. Excess heat. Avoid dust formation.
10.5. Incompatible materials	Strong oxidizing agents.

10.6. Hazardous decomposition products

None under normal use conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information	No acute toxicity information is available for this product
(a) acute toxicity; Oral Dermal Inhalation	No data available No data available No data available
(b) skin corrosion/irritation;	No data available
(c) serious eye damage/irritation;	No data available
(d) respiratory or skin sensitization; Respiratory Skin	No data available No data available
(e) germ cell mutagenicity;	No data available
(f) carcinogenicity;	No data available There are no known carcinogenic chemicals in this product
(g) reproductive toxicity;	No data available
(h) STOT-single exposure;	No data available

(i) STOT-repeated exposure;	No data available
Target Organs	No information available.
(j) aspiration hazard;	Not applicable Solid
Other Adverse Effects	The toxicological properties have not been fully investigated.
Symptoms / effects,both acute and delayed	No information available.

.

11.2. Information on other hazards

Endocrine Disrupting Properties	Assess endocrine disrupting properties for human health.	This product does not contain any
	known or suspected endocrine disruptors.	

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity effects

12.2. Persistence and degradability Persistence Degradability	Insoluble in water. Not relevant for inorganic substances.
12.3. Bioaccumulative potential	May have some potential to bioaccumulate
12.4. Mobility in soil	Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water solubility.
12.5. Results of PBT and vPvB assessment	In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment.
<u>12.6. Endocrine disrupting</u> properties Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors
12.7. Other adverse effects Persistent Organic Pollutant Ozone Depletion Potential	This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused	Chemical waste generators must determine whether a discarded chemical is classified as a
Products	hazardous waste. Consult local, regional, and national hazardous waste regulations to

ALFAA00765

SAFETY DATA SHEET

	ensure complete and accurate classification.				
Contaminated Packaging	Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use empty containers.				
European Waste Catalogue (EWC)	According to the European Waste Catalog, Waste Codes are not product specific, but application specific.				
Other Information	Waste codes should be assigned by the user based on the application for which the product was used.				
S	ECTION 14: TRANSPORT INFORMATION				
IMDG/IMO	Not regulated				
<u>14.1. UN number</u>					
14.2. UN proper shipping name					
14.3. Transport hazard class(es)					

14.4. Packing group

ADR

ΙΑΤΑ

Gold powder, spherical, <5 micron

Not regulated

Not regulated

14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class(es) 14.4. Packing group

14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class(es) 14.4. Packing group

No hazards identified 14.5. Environmental hazards No special precautions required 14.6. Special precautions for user Not applicable, packaged goods

14.7. Maritime transport in bulk according to IMO instruments

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

X = listed, Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), China (IECSC), Japan (ENCS), Australia (AICS), Korea (ECL).

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
Gold	231-165-9	-		Х	Х	-	Х	Х	Х	Х	KE-1808
											3

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

SAFETY DATA SHEET

Gold powder, spherical, <5 micron

National Regulations

WGK Classification

See table for values

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Gold	nwg	

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

Legend

CAS - Chemical Abstracts Service	TSCA - United States Toxic Substances Control Act Section 8(b)
EINECS/ELINCS - European Inventory of Existing Commercial Chemica Substances/EU List of Notified Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances	I DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIOC - New Zealand Inventory of Chemicals
WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic	 TWA - Time Weighted Average IARC - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC) LD50 - Lethal Dose 50% EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative
ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code OECD - Organisation for Economic Co-operation and Development BCF - Bioconcentration factor Key literature references and sources for data https://echa.europa.eu/information-on-chemicals	ICAO/IATA - International Civil Aviation Organization/International Air Transport Association MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC (volatile organic compound)

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Prepared By	Health, Safety and Environmental Department
Creation Date	15-Oct-2010
Revision Date	27-Dec-2020
Revision Summary	Initial Release.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

Version: 1.1 / EN Revision Date: 01/31/2023

SECTION 1: IDENTIFICATION OF THE PRODUCT AND OF THE COMPANY

1.1 Product identifiers

Product Name	:	ACS Material Low-Defect Graphene Oxide
Brand	:	ACS Material LLC
CAS-No.	:	7782-42-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacturing of substances

1.3 Details of the supplier of the safety data sheet

Company	: ACS MATERIAL LLC			
		959 E Walnut St. Suite 100		
		Pasadena, CA 91106		
		USA		
Telephone	:	+1 (866)-227-0656		
Fax	:	+1 (781)-518-0284		

1.4 Emergency telephone number

Emergency Phone #: +1 (866)-227-0656

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008. This substance is not classified as dangerous according to Directive 67/548/EEC.

Label elements

The product does not need to be labelled in accordance with EC directives or respective national laws.

2.2 Other Hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS



3.1 Substances

Substance name:ACS Material Low-Defect Graphene OxideCAS-No:7782-42-5Molecular weight:12,01g/moleNo components need to be disclosed according to the applicable regulations

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

- **4.2** Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- 5.2 Special hazards arising from the substance or mixture Carbon dioxide
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- 5.4 Further information No data available



SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

No special environmental precautions required.

- **6.3** Methods and materials for containment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.
- 6.4 Reference to other sections For disposal see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Suitable extinguishing media

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters Contains no substances with occupational exposure limit values.

8.2 Exposure controls Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

8.3 Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested



and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Impervious clothing recommended. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

1) Appearance Form: Powder Colour: Brownish grey 2) Odour odourless 3) Odour Threshold No data available 4) pH ~2.73 (1mg/mL) 5) Melting point/freezing point No data available 6) Initial boiling point and boiling range No data available 7) Flash point Not applicable 8) Evaporation rate No data available 9) Flammability (solid, gas) No data available 10) Upper/lower flammability or explosive No data available limits 11) Vapour pressure No data available 12) Vapour density No data available No data available 13) Relative density Soluble 14) Water solubility 15) Partition coefficient: n- octanol/water No data available 16) Auto-ignition temperature No data available No data available 17) Decomposition temperature



Safety Data Sheet – Low-Defect Graphene Oxide ACS Material LLC

- 18) Viscosity
- 19) Explosive properties
- 20) Oxidizing properties

No data available No data available No data available

9.2 Other safety information No data available

SECTION 10: STABILITY AND REACTIVITY

- **10.1 Reactivity** No data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** No data available
- **10.5 Incompatible materials** Strong oxidizing agents
- **10.6 Hazardous decomposition products** Other decomposition products - No data available

In the event of fire: see section 5.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - > 2.000 mg/kg (OECD Test Guideline 423) LC50 Inhalation - Rat: Not available.

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405)



Respiratory or skin sensitisation

Mouse
 Did not cause sensitisation on laboratory animals.
 (OECD Test Guideline 429)

Germ cell mutagenicity

in vitro assay S. typhimurium Result: negative

Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

Additional Information

Repeated dose toxicity - Rat - male - Feed - No observed adverse effect level - 813 mg/kg RTECS: Not available To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

See section 11.

- **12.2 Persistence and degradability** No data available
- **12.3 Bioaccumulative potential** No data available
- 12.4 Mobility in soil



No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

No data available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

- 14.1 DOT (US) Not dangerous goods
- 14.2 IMDG Not dangerous goods
- 14.3 IATA

Not dangerous goods

SECTION 15: REGULATORY INFORMATION

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards



Acute Health Hazard

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

SECTION 16: OTHER INFORMATION

HMIS Rating Health hazard:	0
Chronic Health Hazard:	
Flammability:	0
Physical Hazard:	0
NFPA Rating	
Health hazard:	0
Fire Hazard:	0
Reactivity Hazard:	0

Disclaimer: ACS Material, LLC believes that the information in this Safety Data Sheet is accurate and represents the best and most current information available to us. ACS Material makes no representations or warranties either express or implied, regarding the suitability of the material for any purpose or the accuracy of the information contained within this document. Accordingly, ACS Material will not be responsible for damages resulting from use of or reliance upon this information.





SAFETY DATA SHEET

Version 6.4 Revision Date 05/04/2021 Print Date 01/14/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking **Product identifiers** 1.1 Product name ¹ Graphene oxide, flakes, 15-20 sheets, 4-10% edge-oxidized : 796034 Product Number Brand Aldrich 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses : Laboratory chemicals, Synthesis of substances 1.3 Details of the supplier of the safety data sheet Company : Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES Telephone : +1 314 771-5765 Fax • +1 800 325-5052 **1.4 Emergency telephone** : 800-424-9300 CHEMTREC (USA) +1-703-Emergency Phone # 527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2 GHS Label elements, including precautionary statements

Not a hazardous substance or mixture.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Molecular weight : 4,239.48 g/mol

No components need to be disclosed according to the applicable regulations.

Aldrich - 796034

Page 1 of 8



SECTION 4: First aid measures

4.1 Description of first-aid measures

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Nature of decomposition products not known. Combustible. Risk of dust explosion. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

Aldrich - 796034

Page 2 of 8



6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Storage class (TRGS 510): 11: Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

Handle with impervious gloves.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Splash contact

Aldrich - 796034

Page 3 of 8



Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Respiratory protection

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: powder Color: brown, black
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	()Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Relative density	No data available
n)	Water solubility	No data available
o)	Partition coefficient: n-octanol/water	No data available
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available

Aldrich - 796034

Page 4 of 8



- t) Oxidizing properties No data available
- 9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions No data available

10.4 Conditions to avoid no information available

- **10.5 Incompatible materials** Strong oxidizing agents
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral: No data available Inhalation: No data available Dermal: No data available No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitization No data available

Germ cell mutagenicity

No data available

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Aldrich - 796034

Page 5 of 8



Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

.

Aspiration hazard

No data available

11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

No data available

- **12.2 Persistence and degradability** No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- **12.5 Results of PBT and vPvB assessment** PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- 12.6 Other adverse effects No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

Aldrich - 796034

Page 6 of 8



IATA Not dangerous goods

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components Graphene oxide, anhydrous sheets	CAS-No.	Revision Date
	-	
New Jersey Right To Know Components		Povision Data
Graphene oxide, annydrous sneets	- CAS-NO.	Revision Date

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.4

Revision Date: 05/04/2021

Aldrich - 796034

05/04/2021 Print Date: 01/14/2023

ate: 01/14/2025

Page 7 of 8


Aldrich - 796034

Page 8 of 8





SAFETY DATA SHEET

Version 6.8 Revision Date 05/24/2023 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	:	Heptadecanoic acid
Product Number	:	H3500
Brand	:	Sigma
CAS-No.	:	506-12-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	: L	_aboratory	chemicals,	Synthesis	of substances
-----------------	-----	------------	------------	-----------	---------------

1.3 Details of the supplier of the safety data sheet

Company	: Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 6310 UNITED STATES)3
Telephone Fax	: +1 314 771-5765 : +1 800 325-5052	

1.4 Emergency telephone

Emergency Phone #

: 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2 GHS Label elements, including precautionary statements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms Sigma - H3500 : Margaric acid

Page 1 of 8



Formula	:	C17H34O2
Molecular weight	:	270.45 g/mol
CAS-No.	:	506-12-7
EC-No.	:	208-027-1

No components need to be disclosed according to the applicable regulations.

SECTION 4: First aid measures

4.1 Description of first-aid measures

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide (CO2) Foam Dry powder

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

- 5.2 Special hazards arising from the substance or mixture Carbon oxides Combustible.
 Development of hazardous combustion gases or vapours possible in the event of fire.
- **5.3** Advice for firefighters In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

Sigma - H3500

Page 2 of 8



SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures 6.1 Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 **Environmental precautions**

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 **Reference to other sections** For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Tightly closed. Dry.

Storage class Storage class (TRGS 510): 11: Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact

Sigma - H3500

Page 3 of 8



with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Respiratory protection

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: solid
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 59 - 61 °C (138 - 142 °F) - lit.
f)	Initial boiling point and boiling range	227 °C 441 °F at 133 hPa - lit.
g)	Flash point	No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available

Sigma - H3500

Page 4 of 8



j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Density	0.85 g/cm3 at 60 °C (140 °F)
	Relative density	No data available
n)	Water solubility	No data available
o)	Partition coefficient: n-octanol/water	No data available
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	none

9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions no information available

10.4 Conditions to avoid

Heat. Light. no information available

10.5 Incompatible materials No data available

10.6 Hazardous decomposition products In the event of fire: see section 5

Sigma - H3500

Page 5 of 8



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral: No data available Inhalation: No data available Dermal: No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity No data available

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

RTECS: MI3850000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability No data available

Sigma - H3500

Page 6 of 8



12.3 Bioaccumulative potential No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

- 12.6 Endocrine disrupting properties No data available
- 12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Sigma - H3500

Page 7 of 8



SARA 311/312 Hazards

No SARA Hazards

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies

for internal use only. The branding on the h match the product pur information in the doc product ordered. For f header and/or footer of this document may temporarily not visually irchased as we transition our branding. However, all of the cument regarding the product remains unchanged and matches the further information please contact misbranding@sial.com. Version: 6.8 Revision Date: 05/24/2023 Print Date: 12/30/2023

Sigma - H3500

Page 8 of 8





SAFETY DATA SHEET

Version 6.5 Revision Date 07/11/2023 Print Date 12/16/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	:	1,2-Hexadecanediol
Product Number	:	213748
Brand	:	Aldrich
CAS-No.	:	6920-24-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

```
Identified uses : Laboratory chemicals, Synthesis of substances
```

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	:	+1 314 771-5765 +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #

: 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2 GHS Label elements, including precautionary statements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula Aldrich - 213748 : C₁₆H₃₄O₂

Page 1 of 8



Molecular weight	:	258.44 g/mol
CAS-No.	:	6920-24-7
EC-No.	:	230-030-1

No components need to be disclosed according to the applicable regulations.

SECTION 4: First aid measures

4.1 Description of first-aid measures

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

Aldrich - 213748

Page 2 of 8



SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures 6.1 Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 **Environmental precautions**

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 **Reference to other sections** For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Tightly closed. Dry.

Storage class Storage class (TRGS 510): 11: Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm

Aldrich - 213748

Page 3 of 8



Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Respiratory protection

Recommended Filter type: Filter type P1 The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: powder Color: beige
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 68 - 72 °C (154 - 162 °F) - lit.
f)	Initial boiling point and boiling range	No data available
g)	Flash point	183 °C (361 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Density	No data available
	Relative density	No data available

Aldrich - 213748

Page 4 of 8



- n) Water solubility No data available
- o) Partition coefficient: No data available n-octanol/water
- p) Autoignition No data available temperature
- q) Decomposition No data available temperature
- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties No data available
- **9.2 Other safety information** No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** Strong heating.
- **10.5 Incompatible materials** Strong oxidizing agents, Strong bases
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral: No data available Inhalation: No data available Dermal: No data available No data available

Skin corrosion/irritation

Remarks: No data available

Aldrich - 213748

Page 5 of 8



Serious eye damage/eye irritation

Remarks: No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity No data available

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

No data available

SECTION 12: Ecological information

12.1 Toxicity

No data available

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not

conducted

- **12.6 Endocrine disrupting properties** No data available
- **12.7 Other adverse effects**

No data available

Aldrich - 213748

Page 6 of 8



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

ΙΑΤΑ

Not dangerous goods

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

No SARA Hazards

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to

Aldrich - 213748

Page 7 of 8



appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains. However, all of the product ordered. For further information please contact misbranding@sial.com. Version: 6.5 Revision Date: 07/11/2023 Print Date: 12/16/2023

Aldrich - 213748

Page 8 of 8





SAFETY DATA SHEET

Version 6.5 Revision Date 09/07/2023 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : 1-Hexadecanol
Product Number : 258741

Brand : Aldrich CAS-No. : 36653-82-	Product Number	: 258/41	
CAS-No. : 36653-82-	Brand	: Aldrich	
	CAS-No.	: 36653-82-	4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	: Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES	
Telephone	: +1 314 771-5765	
Fax	: +1 800 325-5052	

1.4 Emergency telephone

Emergency Phone #

: 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2 GHS Label elements, including precautionary statements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms Aldrich - 258741 : Palmityl alcohol

Page 1 of 9



Cetyl alcohol

Formula	:	$C_{16}H_{34}O$
Molecular weight	:	242.44 g/mol
CAS-No.	:	36653-82-4
EC-No.	:	253-149-0

No components need to be disclosed according to the applicable regulations.

SECTION 4: First aid measures

4.1 Description of first-aid measures

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of eye contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide (CO2) Foam Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information none

Aldrich - 258741

Page 2 of 9



SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** No special precautionary measures necessary.
- **6.3 Methods and materials for containment and cleaning up** Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- **6.4 Reference to other sections** For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Storage class Storage class (TRGS 510): 11: Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please

Aldrich - 258741

Page 3 of 9



contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Respiratory protection

Recommended Filter type: Filter type P1 The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

No special precautionary measures necessary.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: powder, flakes, pellets, Chunks Color: white
b)	Odor	odorless
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 48 - 50 °C (118 - 122 °F) - lit.
f)	Initial boiling point and boiling range	179 - 181 °C 354 - 358 °F at 13 hPa - lit.
g)	Flash point	()Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid,	No data available

Aldrich - 258741

Page 4 of 9



	gas)	
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 8 %(V) Lower explosion limit: 1 %(V)
k)	Vapor pressure	< 0.01 hPa at 43 °C (109 °F)
I)	Vapor density	8.37 - (Air = 1.0)
m)	Density	0.818 g/mL at 25 °C (77 °F) - lit.
	Relative density	No data available
n)	Water solubility	insoluble
o)	Partition coefficient: n-octanol/water	log Pow: 6.73 at 25 °C (77 °F)
p)	Autoignition temperature	does not ignite
q)	Decomposition temperature	No data available
r)	Viscosity	3.394 mm2/s at 100 °C (212 °F) - ASTM D 445 -
s)	Explosive properties	No data available
t)	Oxidizing properties	none
Oth	er safety informatio	n
	Relative vapor	8.37 - (Air = 1.0)

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

density

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Violent reactions possible with: Strong oxidizing agents

10.4 Conditions to avoid

no information available

- **10.5 Incompatible materials** Strong oxidizing agents
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

Aldrich - 258741

Page 5 of 9



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 2,000 mg/kg (OECD Test Guideline 401) Inhalation: No data available Dermal: No data available No data available

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation - 72 h (OECD Test Guideline 405) Remarks: After eye contact: Slight irritations.

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Ames test Test system: S. typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

Aldrich - 258741

Page 6 of 9



11.2 Additional Information

RTECS: MM0225000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

The following applies to aliphatic alcohols in general: effect when product is not handled and used properly: mucosal irritations; after absorption of large quantities: narcosis.

Further data:

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - > 0.4
	mg/l - 96 h
	(OECD Test Guideline 203)
	Remarks: Aquatic toxicity is unlikely due to low solubility.

12.2 Persistence and degradability

Biodegradability

aerobic - Exposure time 28 d Result: 82.4 % - Readily biodegradable. (OECD Test Guideline 301B)

- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Endocrine disrupting properties** No data available
- 12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

Aldrich - 258741

Page 7 of 9



SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

ΙΑΤΑ

Not dangerous goods

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

No SARA Hazards

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The branding on the header and/or footer of this document may temporarily not visually information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact misbranding@sial.com. Version: 6.5 Revision Date: 09/07/2023 Print Date: 12/30/2023

Aldrich - 258741

Page 8 of 9



Aldrich - 258741

Page 9 of 9





SAFETY DATA SHEET

Version 6.7 Revision Date 08/23/2023 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

	Product name	:	Hexadecyltrimethylammonium bromide
	Product Number Brand CAS-No.	:	H5882 Sigma 57-09-0
1.2	Relevant identified us	es	of the substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Emergency telephone		
Telephone Fax	:	+1 314 771-5765 +1 800 325-5052
Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

1.4 Emergency telephone

: 800-424-9300 CHEMTREC (USA) +1-703-Emergency Phone # 527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Skin irritation (Category 2), H315 Serious eye damage (Category 1), H318 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 Specific target organ toxicity - repeated exposure, Oral (Category 2), Gastrointestinal tract, H373 Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Sigma - H5882

Page 1 of 11



Pictogram	
Signal Word	Danger
Hazard statement(s) H302 H315 H318 H335 H373	Harmful if swallowed. Causes skin irritation. Causes serious eye damage. May cause respiratory irritation. May cause damage to organs (Gastrointestinal tract) through prolonged or repeated exposure if swallowed.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary statement(s) P260 P264 P270	Do not breathe dust. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product.
P271 P273 P280	Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/ eye protection/ face protection.
P301 + P312 + P330	unwell. Rinse mouth.
P302 + P352 P304 + P340 + P312	IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P314 P332 + P313 P362 P391	Get medical advice/ attention if you feel unwell. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. Collect spillage.
P403 + P233 P405 P501	Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1	Substances		
	Synonyms	:	Cetrimonium bromide
			Palmityltrimethylammonium bromide
			СТАВ
			Cetyltrimethylammonium bromide
	Formula	:	C19H42N.Br
	Molecular weight	:	364.45 g/mol
	CAS-No.	:	57-09-0
	EC-No.	:	200-311-3

Sigma - H5882

Page 2 of 11



Component	Classification	Concentration
N-Cetyl-N'N'N-trimethylammonium bromide		
	Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; STOT SE 3; STOT RE 2; Aquatic Acute 1; Aquatic Chronic 1; H302, H315, H318, H335, H373, H400, H410 M-Factor - Aquatic Acute: 100 - Aquatic Chronic: 10	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Sigma - H5882

Page 3 of 11



5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Hydrogen bromide gas Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Tightly closed. Dry.

Storage class

Storage class (TRGS 510): 11: Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Sigma - H5882

Page 4 of 11



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

Sigma - H5882

Page 5 of 11



SECTION 9: Physical and chemical properties

9.1

Information on basic physical and chemical properties Form: solid a) Appearance Color: white b) Odor weak c) Odor Threshold No data available 5.0 - 7 at 36.4 g/l at 25 °C (77 °F) d) pH e) Melting Melting point/range: 248 - 251 °C (478 - 484 °F) point/freezing point Initial boiling point No data available f) and boiling range g) Flash point 244 °C (471 °F) - closed cup h) Evaporation rate No data available Flammability (solid, No data available i) gas) Upper/lower No data available j) flammability or explosive limits k) Vapor pressure No data available Vapor density No data available 1) m) Density 2.30 g/cm3 Relative density No data available n) Water solubility 36.4 g/l at 20 °C (68 °F) - completely soluble log Pow: 2.26 - (Lit.), Bioaccumulation is not expected. o) Partition coefficient: n-octanol/water 210 °C (410 °F) at 0.3 hPa p) Autoignition temperature q) Decomposition No data available temperature Viscosity No data available r) No data available s) Explosive properties t) Oxidizing properties none **Other safety information** 9.2

Surface tension 39 mN/m at 25 °C (77 °F)

Sigma - H5882

Page 6 of 11



SECTION 10: Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with: Strong oxidizing agents Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines!

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - 1,550 mg/kg (OECD Test Guideline 401) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Hexadecyltrimethylammonium chloride Inhalation: No data available Inhalation: Irritating to respiratory system. LD50 Dermal - Rabbit - male and female - 2,150 mg/kg Remarks: (in analogy to similar products) (ECHA) The value is given in analogy to the following substances: Hexadecyltrimethylammonium chloride No data available

Skin corrosion/irritation

Skin - Rabbit Result: Irritating to skin. - 24 h Remarks: (ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes serious eye damage.

Sigma - H5882

Page 7 of 11



(OECD Test Guideline 405) Remarks: (in analogy to similar products)

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406) Remarks: Aqueous solution

Germ cell mutagenicity

No data available

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Respiratory system

Specific target organ toxicity - repeated exposure

Oral - May cause damage to organs through prolonged or repeated exposure. - Gastrointestinal tract

Aspiration hazard

No data available

11.2 Additional Information

Repeated dose toxicity - Rabbit - male and female - Dermal - 28 d - LOAEL (Lowest observed adverse effect level) - 10 mg/kg Remarks: (in analogy to similar products)

Repeated dose toxicity - Rat - male and female - Oral - 28 d - NOAEL (No observed adverse effect level) - 100 mg/kg Remarks: (as aqueous solution) (ECHA)

RTECS: BQ7875000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish

semi-static test LC50 - Danio rerio (zebra fish) - 0.2 mg/l - 96 h (OECD Test Guideline 203)

Sigma - H5882

Page 8 of 11



	Toxicity to daphnia and other aquatic invertebrates	semi-static test EC50 - Daphnia magna (Water flea) - 0.037 mg/l - 48 h (OECD Test Guideline 202)
	Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 0.00411 mg/l - 72 h (OECD Test Guideline 201)
		static test NOEC - Desmodesmus subspicatus (green algae) - 0.001 mg/l - 72 h (OECD Test Guideline 201)
	Toxicity to bacteria	EC50 - activated sludge - 19 mg/l Remarks: (ECHA)
	Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	NOEC - Daphnia magna (Water flea) - 0.023 mg/l - 21 d (OECD Test Guideline 211)
12.2	Persistence and deg Biodegradability	radability
	Diodegradubility	Result: 100 % - Readily biodegradable. (OECD Test Guideline 301E)
12.3	Bioaccumulative pot	Result: 100 % - Readily biodegradable. (OECD Test Guideline 301E)
12.3	Bioaccumulative pot Bioaccumulation	Result: 100 % - Readily biodegradable. (OECD Test Guideline 301E) cential Cyprinus carpio (Carp) - 8 Weeks - 0.05 mg/l(N-Cetyl-N'N'N-trimethylammonium bromide)
12.3	Bioaccumulative pot Bioaccumulation Due to the distribution expected.	Result: 100 % - Readily biodegradable. (OECD Test Guideline 301E) Sential Cyprinus carpio (Carp) - 8 Weeks - 0.05 mg/l(N-Cetyl-N'N'N-trimethylammonium bromide) Bioconcentration factor (BCF): 407 - 741 coefficient n-octanol/water, accumulation in organisms is not
12.3 12.4	Bioaccumulative pot Bioaccumulation Due to the distribution expected. Mobility in soil No data available	Result: 100 % - Readily biodegradable. (OECD Test Guideline 301E) cential Cyprinus carpio (Carp) - 8 Weeks - 0.05 mg/l(N-Cetyl-N'N'N-trimethylammonium bromide) Bioconcentration factor (BCF): 407 - 741 coefficient n-octanol/water, accumulation in organisms is not
12.3 12.4 12.5	Bioaccumulative pot Bioaccumulation Due to the distribution expected. Mobility in soil No data available Results of PBT and w PBT/vPvB assessment conducted	Result: 100 % - Readily biodegradable. (OECD Test Guideline 301E) Sential Cyprinus carpio (Carp) - 8 Weeks - 0.05 mg/l(N-Cetyl-N'N'N-trimethylammonium bromide) Bioconcentration factor (BCF): 407 - 741 coefficient n-octanol/water, accumulation in organisms is not PVB assessment not available as chemical safety assessment not required/not

12.7 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life.

Sigma - H5882

Page 9 of 11



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

UN number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (N-Cetyl-N'N'N-trimethylammonium bromide) Marine pollutant : yes Marine pollutant : no IATA UN number: 3077 Class: 9 Packing group: III Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (N-Cetyl-N'N'N-

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (N-Cetyl trimethylammonium bromide)

Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Sigma - H5882

Page 10 of 11


SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies

for internal use only. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our pranding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact misbranding@sial.com. Print Date: 12/30/2023 Version: 6.7 Revision Date: 08/23/2023

Sigma - H5882

Page 11 of 11





SAFETY DATA SHEET

Creation Date 15-Jun-2009

Revision Date 24-Dec-2021

Revision Number 6

1. Identification Product Name Hexanes (Certified ACS) Cat No. : H292-1; H292-4; H292-20; H292-200; H292-500; H292SK-4 CAS No 92112-69-1 Synonyms Hex Recommended Use Laboratory chemicals. Uses advised against Food, drug, pesticide or biocidal product use.

Company Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

Г

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 2
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Reproductive Toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Respiratory system, Central nervous system	/stem (CNS).
Specific target organ toxicity - (repeated exposure)	Category 1
Target Organs - Respiratory system, Heart.	
Aspiration Toxicity	Category 1

Label Elements

Signal Word Danger

Hazard Statements

Highly flammable liquid and vapor May be fatal if swallowed and enters airways Causes skin irritation Causes serious eye irritation May cause respiratory irritation May cause drowsiness or dizziness Suspected of damaging fertility Causes damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Wear eye/face protection Do not breathe dust/fume/gas/mist/vapors/spray Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Use only non-sparking tools Take precautionary measures against static discharge Keep cool Response IF exposed or concerned: Get medical attention/advice Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Skin If skin irritation occurs: Get medical advice/attention IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse **Eves** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention Ingestion IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting Fire In case of fire: Use CO2, dry chemical, or foam for extinction Storage Store locked up Store in a well-ventilated place. Keep container tightly closed Disposal Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC) Toxic to aquatic life with long lasting effects WARNING. Reproductive Harm - https://www.p65warnings.ca.gov/.

Component		CAS No	Weight %	
Hexane, branched and linear		92112-69-1	100	
	4.	First-aid measures		
General Advice	If symptoms p	persist, call a physician.		
Eye Contact	Rinse immed medical atten	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.		
Skin Contact	Wash off imm call a physicia	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.		
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur. Risk of serious damage to the lungs (by aspiration).			
Ingestion	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward.			
Most important symptoms and effects	Difficulty in br headache, dia	reathing. Inhalation of high vapor con- zziness, tiredness, nausea and vomiti	centrations may cause symptoms like ng: Causes central nervous system	
Notes to Physician	Treat sympto	matically		
	5. Fir	re-fighting measures		
Suitable Extinguishing Media	Water spray, be used to co	carbon dioxide (CO2), dry chemical, a ool closed containers.	alcohol-resistant foam. Water mist may	

2	Comr	ocition	Unform	otion	on	Ingradiante
J.	COMP	λοδιτιστι/		allon	OIT	ingregients

Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter and spread fire
Flash Point	-22 °C / -7.6 °F
Method -	No information available
Autoignition Temperature	223 °C / 433.4 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	No data available No data available t No information available No information available

Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products Carbon monoxide (CO). Carbon dioxide (CO₂). Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u>

Health 3	Flammability 3	Instability 1	Physical hazards N/A
	6. Accidental re	lease measures	
Personal Precautions	Use personal protective ec sources of ignition. Take p	juipment as required. Ensure a recautionary measures agains	idequate ventilation. Remove all t static discharges.
Environmental Precautions	Do not flush into surface w	ater or sanitary sewer system.	
Methods for Containment and Clea Up	n Soak up with inert absorbe Remove all sources of igni Use spark-proof tools and	nt material. Keep in suitable, c tion. Take precautionary meas explosion-proof equipment.	losed containers for disposal. ures against static discharges.
	7. Handling	and storage	
Handling	Wear personal protective e clothing. Avoid ingestion a flames, hot surfaces and s tools and explosion-proof e discharges. To avoid ignition equipment must be ground	equipment/face protection. Do r nd inhalation. Ensure adequate ources of ignition. Use only no equipment. Take precautionary on of vapors by static electricity ded.	not get in eyes, on skin, or on e ventilation. Keep away from open n-sparking tools. Use spark-proof measures against static y discharge, all metal parts of the
Storage.	Keep containers tightly clo Keep away from heat, spa	sed in a dry, cool and well-vent rks and flame. Incompatible M	tilated place. Flammables area. laterials. Strong oxidizing agents.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Hexane, branched and linear		(Vacated) TWA: 500 ppm		
		(Vacated) TWA: 1800 mg/m ³		
		(Vacated) STEL: 1000 ppm		
		(Vacated) STEL: 3600		
		mg/m ³		

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.
9	. Physical and chemical properties
Physical State Appearance Odor	Liquid Colorless No information available

Hexanes (Certified ACS)

Odor Threshold	No information available
рН	No information available
Melting Point/Range	-95 °C / -139 °F
Boiling Point/Range	69 °C / 156.2 °F @ 760 mmHg
Flash Point	-22 °C / -7.6 °F
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	160 mbar @ 20°C
Vapor Density	No information available
Specific Gravity	0.659
Solubility	Immiscible
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	223 °C / 433.4 °F
Decomposition Temperature	No information available
Viscosity	0.31 mPa s @ 20 °C
Molecular Formula	C6 H14
Molecular Weight	86.18

10. Stability and reactivity

Reactive Hazard	None known, based on information available	
Stability	Stable under normal conditions.	
Conditions to Avoid	Incompatible products. Excess heat. Exposure to light. Keep away from open flames, hot surfaces and sources of ignition.	
Incompatible Materials	Strong oxidizing agents	
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)		
Hazardous Polymerization	Hazardous polymerization does not occur.	
Hazardous Reactions	None under normal processing.	

11. Toxicological information

Acute Toxicity

Product Information

Component Informat	ion					
Component		LD50 Oral		LD50 Dermal	LC50	Inhalation
Hexane, branched ar	nd linear L	D50 = 15000 mg/kg(Ra	at) LD50 =	3350 mg/kg (Rabbit)	LC50 = 2593	854 mg/m³ (Rat) 4h
Toxicologically Syne Products Delayed and immedia	rgistic ate effects as v	No information avail	able ts from short an	d long-term expo	sure	
Irritation		Irritating to eyes and	d skin			
Sensitization		No information avail	able			
Carcinogenicity		The table below indi	icates whether ea	ach agency has list	ed any ingredient	as a carcinogen.
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Hexane, branched and linear	92112-69-1	Not listed	Not listed	Not listed	Not listed	Not listed

Mutagenic Effects No information available

Reproductive Effects	Possible risk of impaired fertility.		
Developmental Effects	No information available.		
Teratogenicity	No information available.		
STOT - single exposure STOT - repeated exposure	Respiratory system Central nervous system (CNS) Respiratory system Heart		
Aspiration hazard	Category 1		
Symptoms / effects,both acute and delayed	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Causes central nervous system depression		
Endocrine Disruptor Information	No information available		
Other Adverse Effects	The toxicological properties have not been fully investigated.		
12. Ecological information			
Ecotoxicity Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Based on available literature. Data			

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Based on available literature. Data from closely analogous substances.

Persistence and Degradability	Persistence is unlikely based on information available.
Bioaccumulation/ Accumulation	No information available.
Mobility	Will likely be mobile in the environment due to its volatility.

Component	log Pow
Hexane, branched and linear	4.11

	13. Disposal considerations
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information				
DOT				
UN-No	UN1208			
Proper Shipping Name	Hexanes			
Hazard Class	3			
Packing Group	II			
TDG				
UN-No	UN1208			
Proper Shipping Name	HEXANES			
Hazard Class	3			
Packing Group	II			
ΙΑΤΑ				
UN-No	UN1208			
Proper Shipping Name	Hexanes (Mixture)			
Hazard Class	3			
Packing Group	11			
IMDG/IMO				
UN-No	UN1208			
Proper Shipping Name	Hexanes (Mixture)			
Hazard Class	3			
Packing Group	II			

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Hexane, branched and linear	92112-69-1	-	-	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Hexane, branched and linear	92112-69-1	-	-	295-570-2	-	Х	Х	Х	-	-

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

SARA 311/312 Hazard Categories	See section 2 for more information			
CWA (Clean Water Act)	Not applicable			
Clean Air Act				
OSHA - Occupational Safety and Health Administration	Not applicable			
CERCLA	This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)			

California Proposition 65

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Hexane, branched and	92112-69-1	Male reproductive	-	Developmental
linear		(n-hexane)		

U.S. State Right-to-Know

Regul	ations
-------	--------

U.S. Department of Transportation	
Reportable Quantity (RQ):	Y
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	N

U.S. Department of Homeland

This product does not contain any DHS chemicals.

Security

Other International Regulations

Mexico - Grade

Serious risk, Grade 3

Authorisation/Restrictions according to EU REACH

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Hexane, branched and linear	92112-69-1	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Hexane, branched and linear	92112-69-1	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information					
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com				
Creation Date Revision Date Print Date Revision Summary	15-Jun-2009 24-Dec-2021 24-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).				

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS



SAFETY DATA SHEET

Version 8.7 Revision Date 08/23/2023 Print Date 01/06/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

- .

	Product name	:	n-Hexane EMPLURA®
	Product Number Catalogue No. Brand Index-No. CAS-No.		1.04368 104368 Millipore 601-037-00-0 110-54-3
1.2	Relevant identified use	es	of the substance or mixture and uses advised against
	Identified uses	:	Chemical production, Solvent
1.3	Details of the supplier	of	the safety data sheet
	Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
	Telephone Fax	:	+1 314 771-5765 +1 800 325-5052
1.4	Emergency telephone		
	Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Skin irritation (Category 2), H315 Reproductive toxicity (Category 2), H361 Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336 Specific target organ toxicity - repeated exposure, Inhalation (Category 2), Nervous system, H373 Aspiration hazard (Category 1), H304 Short-term (acute) aquatic hazard (Category 2), H401 Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

Millipore - 1.04368

Page 1 of 12



2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word	Danger
Hazard statement(s) H225 H304 H315 H336 H361 H373 H411	Highly flammable liquid and vapor. May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness. Suspected of damaging fertility or the unborn child. May cause damage to organs (Nervous system) through prolonged or repeated exposure if inhaled. Toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P201 P202	Obtain special instructions before use.
1202	understood.
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233	Keep container tightly closed.
P240 P241	Ground/Dond container and receiving equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe mist or vapors.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P331	Do NOT induce vomiting.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant
P391	Collect spillage
$P_{403} \pm P_{233}$	Store in a well-ventilated place. Keen container tightly closed
P403 + P235	Store in a well-ventilated place. Keep container tighting closed.
P405	Store locked un
P501	Disnose of contents/ container to an approved waste disposal
1 301	plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

Millipore - 1.04368

Page 2 of 12



SECTION 3: Composition/information on ingredients

3.1	Substances							
	Formula	:	C6H14					
	Molecular weight	:	86.18 g/mol					
	CAS-No.	:	110-54-3					

EC-No. : 203-777-6 Index-No. : 601-037-00-0

Component	Classification	Concentration
n-Hexane		
	Flam. Liq. 2; Skin Irrit. 2; Repr. 2; STOT SE 3; STOT RE 2; Asp. Tox. 1; Aquatic Acute 2; Aquatic Chronic 2; H225, H315, H361, H336, H373, H304, H401, H411 Concentration limits: >= 5 %: STOT RE 2, H373; >= 20 %: STOT SE 3, H336;	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Pulmonary failure possible after aspiration of vomit. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

Millipore - 1.04368

Page 3 of 12



SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide (CO2) Foam Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Millipore - 1.04368

Page 4 of 12



Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Recommended storage temperature see product label.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
n-Hexane	110-54-3	TWA	50 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Danger of o	cutaneous absor	ption
		TWA	50 ppm 180 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	500 ppm 1,800 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		PEL	50 ppm 180 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		Skin		

Biological occupational exposure limits

I					
Component	CAS-No.	Parameters	Value	Biological specimen	Basis
n-Hexane	110-54-3	2,5- Hexanedion e	0.5 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift			

Millipore - 1.04368

Page 5 of 12



8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 480 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 10 min Material tested:KCL 741 Dermatril® L

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

Millipore - 1.04368

Page 6 of 12



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Color: colorless
b)	Odor	hydrocarbon-like
c)	Odor Threshold	No data available
d)	рН	7.0
e)	Melting point/freezing point	Melting point: -95.35 °C (-139.63 °F) at 1,013 hPa
f)	Initial boiling point and boiling range	69 °C 156 °F at 1,013 hPa
g)	Flash point	-22 °C (-8 °F) - c.c.
h)	Evaporation rate	15.8
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 8.1 %(V) Lower explosion limit: 1.0 %(V)
k)	Vapor pressure	175.98 hPa at 20.0 °C (68.0 °F)
I)	Vapor density	No data available
m)	Density	0.66 g/cm3 at 25 °C (77 °F)
	Relative density	No data available
n)	Water solubility	0.01 g/l at 25 °C (77 °F) - slightly soluble
o)	Partition coefficient: n-octanol/water	log Pow: ca.4 at 20 °C (68 °F) - (Lit.), Potential bioaccumulation
p)	Autoignition temperature	225 °C (437 °F) at 1,013 hPa
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	none
Oth	ner safety informatio	n

9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Vapors may form explosive mixture with air.

Millipore - 1.04368

Page 7 of 12



Vapors may form explosive mixture with air.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) . The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of explosion with: Violent reactions possible with: Strong oxidizing agents nitrogen oxides halogens rubber various plastics Risk of ignition or formation of inflammable gases or vapours with: Peroxides (sodium salt)

10.4 Conditions to avoid

Warming. Warming.

- 10.5 Incompatible materials No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 16,000 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - 4 h - 172 mg/l - vapor

Remarks: (RTECS) LD50 Dermal - Rabbit - male - > 2,000 mg/kg (OECD Test Guideline 402) Remarks: (ECHA)

Skin corrosion/irritation

Skin - Rabbit Result: Skin irritation - 24 h (OECD Test Guideline 404) Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation - 72 h (OECD Test Guideline 405)

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Millipore - 1.04368

Page 8 of 12



Result: negative (OECD Test Guideline 429)

Germ cell mutagenicity

No data available Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative

Test Type: dominant lethal test Species: Mouse

Application Route: inhalation (vapor)

Result: negative Remarks: (ECHA)

Carcinogenicity

No data available

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals. Suspected human reproductive toxicant Suspected of damaging fertility. Suspected of damaging fertility.

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness. - Central nervous system Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Specific target organ toxicity - repeated exposure

Inhalation - May cause damage to organs through prolonged or repeated exposure. - Nervous system Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Aspiration hazard

May be fatal if swallowed and enters airways. Aspiration hazard, Aspiration may cause pulmonary edema and pneumonitis.

11.2 Additional Information

Repeated dose toxicity - Rat - male - Oral - NOAEL (No observed adverse effect level) - 6.6 mg/kg Remarks: (ECHA)

Drowsiness, irritant effects, somnolence narcosis, Nausea, Tiredness, CNS disorders, paralysis symptoms Risk of corneal clouding.

Millipore - 1.04368

Page 9 of 12



It generally applies for aliphatic hydrocarbons with 6 - 18 carbon atoms that they may cause pneumonia, in some cases also pulmonary oedema, upon direct inhalation, i.e. in conditions that can occur only in very special circumstances (nebulizations, spraying, inhalation of aerosols and similar). After absorption of very large quantities: narcosis. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	LC50 - Pimephales promelas (fathead minnow) - 2.5 mg/l - 96 h Remarks: (ECOTOX Database)
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 2.1 mg/l - 48 h Remarks: (Lit.)

12.2 Persistence and degradability

Biodegradability

aerobic - Exposure time 28 d Result: 98 % - Readily biodegradable. (OECD Test Guideline 301F) Remarks: (in analogy to similar products)

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties No data available

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

Millipore - 1.04368

Page 10 of 12



SECTION 14: Transport information

DOT (US) UN number: 1208 Class: 3 Packing group: II Proper shipping name: Hexanes Reportable Quantity (RQ): 5000 lbs Poison Inhalation Hazard: No IMDG UN number: 1208 Class: 3 Packing group: II EMS-No: F-E, S-D Proper shipping name: HEXANES Marine pollutant : yes Marine pollutant : yes ΙΑΤΑ UN number: 1208 Class: 3 Packing group: II Proper shipping name: Hexanes

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

n-Hexane	CAS-No. 110-54-3	Revision Date 2020-07-14
Massachusetts Right To Know Components	CAS-No.	Revision Date
n-Hexane	110-54-3	2020-07-14
Pennsylvania Right To Know Components	CAS-No.	Revision Date
n-Hexane	110-54-3	2020-07-14
California Prop. 65 Components , which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.n- Hexane	CAS-No. 110-54-3	Revision Date 2017-12-29

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the Millipore - 1.04368

Page 11 of 12



present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our pranding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact misbranding@sial.com. Version: 8.7 Revision Date: 08/23/2023 Print Date: 01/06/2024

Millipore - 1.04368

Page 12 of 12





SAFETY DATA SHEET

Version 6.19 Revision Date 10/27/2023 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

	Product name	:	Hydrazine monohydrate
	Product Number Brand Index-No. CAS-No.	:	207942 Sigma-Aldrich 007-008-00-3 7803-57-8
1.2	Relevant identified u	ises	of the substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	:	+1 314 771-5765 +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703-
		527-3887 CHEMTREC (International) 24
		Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 2), H330 Acute toxicity, Dermal (Category 3), H311 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Skin sensitization (Category 1), H317 Carcinogenicity (Category 1B), H350 Short-term (acute) aquatic hazard (Category 1), H400

Sigma-Aldrich - 207942

Page 1 of 12



Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal Word	Danger
Hazard statement(s) H226 H301 + H311 H314 H317 H330 H350 H410	Flammable liquid and vapor. Toxic if swallowed or in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Fatal if inhaled. May cause cancer. Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P201 P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No
P233 P240 P241 P242 P243 P260 P264 P270 P271 P272 P273 P280 P284 P301 + P310 + P330	smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist or vapors. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection. Wear respiratory protection. IF SWALLOWED: Immediately call a POISON CENTER/ doctor
P301 + P310 + P330	Rinse mouth.
P301 + P330 + P331 P303 + P361 + P353	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313 P333 + P313 P362	IF exposed or concerned: Get medical advice/ attention. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

Sigma-Aldrich - 207942

Page 2 of 12



P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
D201	
P391	Collect spillage.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal
	plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms:Hydrazinium hydroxideFormula: $H_4N_2 \cdot H_2O$ Molecular weight:50.06 g/molCAS-No.:7803-57-8EC-No.:206-114-9Index-No.:007-008-00-3

Component	Classification	Concentration
hydrazine monohydrate		
	Flam. Liq. 3; Acute Tox. 3; Acute Tox. 2; Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; Skin Sens. 1; Carc. 1B; Aquatic Acute 1; Aquatic Chronic 1; H226, H301, H330, H311, H314, H318, H317, H350, H400, H410 Concentration limits: >= 10 %: Skin Corr. 1B, H314; 3 - < 10 %: Skin Irrit. 2, H315; 3 - < 10 %: Eye Irrit. 2, H319; M-Factor - Aquatic Acute: 10 - Aquatic Chronic: 10	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

Sigma-Aldrich - 207942

Page 3 of 12



SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Small (incipient) fires must be extinguished with alcohol resistant foam, dry chemical powder or carbon dioxide. Large amounts of water are ineffective. Cool containers with large amounts of water.

5.2 Special hazards arising from the substance or mixture

Nature of decomposition products not known. Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Sigma-Aldrich - 207942

Page 4 of 12



5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions Do not let product enter drains. Risk of explosion.

- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
- **6.4** Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Sigma-Aldrich - 207942

Page 5 of 12



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingreatenes with	Ingredients with workplace control parameters					
Component	CAS-No.	Value	Control	Basis		
			parameters			
hydrazine	7803-57-8	TWA	0.01 ppm	USA. ACGIH Threshold Limit		
monohvdrate				Values (TLV)		
,						
	Remarks	Confirmed	animal carcinoge	en with unknown relevance to		
		humans				
		Danger of a	cutaneous absor	ption		
		С	0.03 ppm	USA. NIOSH Recommended		
			0.04 mg/m3	Exposure Limits		
		Potential O	ccupational Carc	inogen		
		TWA	1 ppm	USA. Occupational Exposure		
			1.3 mg/m3	Limits (OSHA) - Table Z-1		
			_	Limits for Air Contaminants		
		Skin desigr	nation			
		PEL	0.01 ppm	California permissible exposure		
			0.013 mg/m3	limits for chemical		
				contaminants (Title 8, Article		
				107)		
		Skin				

Ingredients with workplace control parameters

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Latex gloves Minimum layer thickness: 0.6 mm Break through time: 480 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please

Sigma-Aldrich - 207942

Page 6 of 12



contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 30 min Material tested:KCL 741 Dermatril® L

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: Filter type K

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid, clear Color: colorless
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	10.6 - 10.7 at 10 g/l
e)	Melting point/freezing point	Melting point/range: -51.7 °C (-61.1 °F) - lit.
f)	Initial boiling point and boiling range	120.1 °C 248.2 °F - lit.
g)	Flash point	38 °C (100 °F) - closed cup - (anhydrous substance)
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	7 hPa at 25 °C (77 °F)
I)	Vapor density	No data available
m)	Density	1.032 g/cm3 at 25 °C (77 °F) - lit.

Sigma-Aldrich - 207942

Page 7 of 12



Relative density No data available

n) Water solubility completely soluble No data available o) Partition coefficient: n-octanol/water p) Autoignition No data available temperature q) Decomposition > 250 °C (> 482 °F) temperature No data available r) Viscosity s) Explosive properties Not explosive t) Oxidizing properties No data available **Other safety information**

Solubility in other Ethanol - soluble solvents

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Vapor/air-mixtures are explosive at intense warming.

10.2 Chemical stability The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Exothermic reaction with: Oxidizing agents Heavy metals Light metals metallic oxides halogens Metals acids **Organic Substances** Nitro compounds strong alkalis Risk of explosion with: Alkali metals sodium mercury compounds tin (II) chloride Violent reactions possible with: Heavy metals alkalines Light metals metallic chlorides metallic oxides

Sigma-Aldrich - 207942

Page 8 of 12



halogens Metals Acids Oxidizing agents organic nitro compounds Heavy metal salts

10.4 Conditions to avoid

Heat, flames and sparks. Heating.

- **10.5 Incompatible materials** Oxidizing agents, Oxygen, Copper, Organic materials, Zinc
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male - 262 mg/kg (OECD Test Guideline 401) Remarks: anhydrous substance LC50 Inhalation - Rat - male - 4 h - 0.76 mg/l - vapor

Remarks: (ECHA) anhydrous substance Dermal: No data available No data available

Skin corrosion/irritation

Skin - Rabbit Result: Corrosive - 4 h Remarks: (55% solution) anhydrous substance

Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

Respiratory or skin sensitization

(Regulation (EC) No 1272/2008, Annex VI) (anhydrous substance)

Germ cell mutagenicity No data available

Carcinogenicity

Presumed to have carcinogenic potential for humans

- IARC: 2A Group 2A: Probably carcinogenic to humansThe data in this record has been derived from the water-free form of this substance. (hydrazine monohydrate)
- NTP: RAHC Reasonably anticipated to be a human carcinogenThe data in this record has been derived from the water-free form of this substance. (hydrazine

Sigma-Aldrich - 207942

Page 9 of 12



monohydrate)

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

CNS stimulation., Cyanosis, Salivation, Seizures., Diarrhea, Fever, Confusion.,

Hypoglycemia, Anorexia., Convulsions, Coma.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence

Liver - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	static test LC50 - Poecilia reticulata (guppy) - 0.61 mg/l - 96 h Remarks: (ECHA)
Toxicity to daphnia and other aquatic invertebrates	semi-static test EC50 - Daphnia pulex (Water flea) - 0.16 mg/l - 48 h (US-EPA) Remarks: (in analogy to similar products)
Toxicity to algae	static test ErC50 - Desmodesmus subspicatus (green algae) - 0.017 mg/l - 48 h (Regulation (EC) No. 440/2008, Annex, C.3)
Toxicity to bacteria	static test EC50 - activated sludge - 5.5 mg/l - 3 h (OECD Test Guideline 209)
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	semi-static test NOEC - Daphnia magna (Water flea) - 0.123 mg/l - 21 d (OECD Test Guideline 211)

Sigma-Aldrich - 207942

Page 10 of 12



12.2 Persistence and degradability

Biodegradability

aerobic - Exposure time 24 h Result: 99 % - Inherently biodegradable. (OECD Test Guideline 302B) Remarks: (anhydrous substance)

- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
 12.6 Endocrine diametrics properties
- **12.6 Endocrine disrupting properties** No data available
- 12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

UN number: 2030 Class: 8 (6.1) Packing group: II Proper shipping name: Hydrazine aqueous solution Reportable Quantity (RQ): 1 lbs Poison Inhalation Hazard: No

IMDG

UN number: 2030 Class: 8 (6.1) Packing group: II EMS-No: F-A, S-B Proper shipping name: HYDRAZINE, AQUEOUS SOLUTION Marine pollutant : yes

ΙΑΤΑ

UN number: 2030 Class: 8 (6.1) Packing group: II Proper shipping name: Hydrazine, aqueous solution Sigma-Aldrich - 207942

Page 11 of 12



SECTION 15: Regulatory information

SARA 302 Components hydrazine monohydrate	CAS-No. 7803-57-8	Revision Date 2007-07-01
SARA 313 Components The following components are subject to reporting levels Section 313:	s established by S	ARA Title III,
hydrazine monohydrate	CAS-No. 7803-57-8	Revision Date 2007-07-01
Massachusetts Right To Know Components	CAS-No.	Revision Date
hydrazine monohydrate	7803-57-8	2007-07-01
Pennsylvania Right To Know Components hydrazine monohydrate	CAS-No. 7803-57-8	Revision Date 2007-07-01
California Prop. 65 Components , which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.hydrazine monohydrate	CAS-No. 7803-57-8	Revision Date 2007-09-28

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies

for internal use only. The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact misbranding@sial.com. Version: 6.19 Revision Date: 10/27/2023 Print Date: 12/30/2023

Sigma-Aldrich - 207942

Page 12 of 12





SAFETY DATA SHEET

Version 8.7 Revision Date 02/07/2023 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	[:] Hydrazine solution
Product Number	: 433632
Brand	: Aldrich

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	:	Laboratory	chemicals,	Synthesis of substances
-----------------	---	------------	------------	-------------------------

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	:	+1 314 771-5765 +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 4), H312 Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319 Skin sensitization (Category 1), H317 Carcinogenicity (Category 1B), H350 Specific target organ toxicity - single exposure (Category 3), Respiratory system, Central nervous system, H335, H336 Short-term (acute) aquatic hazard (Category 2), H401 Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

Aldrich - 433632

Page 1 of 14



2.2

GHS Label elements, including precautionary statements		
Pictogram		
Signal Word	Danger	
Hazard statement(s) H225 H302 + H312 + H332 H315 H317 H319 H335 H336 H350 H411	Highly flammable liquid and vapor. Harmful if swallowed, in contact with skin or if inhaled. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness. May cause cancer. Toxic to aquatic life with long lasting effects.	
Precautionary statement(s) P201 P202	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.	
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.	
P233 P240 P241 P242 P243 P261 P264 P270 P271	Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.	
P272	Contaminated work clothing must not be allowed out of the workplace.	
P273 P280	Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.	
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.	
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.	
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.	

IF IN EYES: Rinse cautiously with water for several minutes. P305 + P351 + P338 Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. P337 + P313 Take off contaminated clothing and wash before reuse. P362 P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. P391 Collect spillage.

Store in a well-ventilated place. Keep container tightly closed. P403 + P233 P403 + P235 Store in a well-ventilated place. Keep cool.

Aldrich - 433632

Page 2 of 14



P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

May form explosive peroxides.

ION 3: Composition/information on ingredients				
Mixtures Formula Molecular weight	: H₄N₂ : 32.05 g/mol			
Component		Classification	Concentratio	
Tetrahydrofuran				
CÁS-No. EC-No. Index-No.	109-99-9 203-726-8 603-025-00-0	Flam. Liq. 2; Acute Tox. 4; Eye Irrit. 2A; Carc. 2; STOT SE 3; H225, H302, H319, H351, H335, H336 Concentration limits: >= 25 %: Eye Irrit. 2, H319; >= 25 %: STOT SE 3, H335;	>= 90 - <= 100 %	
Hydrazine				
CAS-No. EC-No. Index-No. Registration number	302-01-2 206-114-9 007-008-00-3 01-2119492624-31- XXXX	Flam. Liq. 3; Acute Tox. 3; Acute Tox. 2; Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; Skin Sens. 1; Carc. 1B; Aquatic Acute 1; Aquatic Chronic 1; , H226, H301, H330, H311, H314, H318, H317, H350, H400, H410 Concentration limits: >= 10 %: Skin Corr. 1B, H314; 3 - < 10 %: Skin Irrit. 2, H315; 3 - < 10 %: Eye Irrit. 2, H319; M-Factor - Aquatic Acute:	>= 3 - < 5	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen. Aldrich - 433632

Page 3 of 14


In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Pay attention to flashback. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at ambient temperatures.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

Aldrich - 433632

Page 4 of 14



SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Store under inert gas. Dry residue is explosive. Test for peroxide formation periodically and before distillation. Test for peroxide formation periodically and before distillation.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Tetrahydrofuran	109-99-9	TWA	50 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Confirmed humans Danger of	animal carcinoge cutaneous absor	en with unknown relevance to ption
		STEL	100 ppm	USA. ACGIH Threshold Limit Values (TLV)
		Confirmed humans Danger of	animal carcinoge cutaneous absor	en with unknown relevance to ption

Aldrich - 433632

Page 5 of 14



735 mg/m3Exposure LimitsTWA200 ppmUSA. NIOSH Recommended Exposure LimitsTWA200 ppmUSA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air ContaminantsPEL200 ppmCalifornia permissible exposure limits for chemical contaminants (Title 8, Article 107)STEL250 ppmCalifornia permissible exposure limits for chemical contaminants (Title 8, Article 107)TWA200 ppmCalifornia permissible exposure limits for chemical contaminants (Title 8, Article 107)TWA200 ppmUSA. Table Z-1- Limits for Air Contaminants (1989 vacated values)TWA200 ppm STELUSA. Table Z-1- A Limits for Air Contaminants (1989 vacated values)Hydrazine302-01-2TWA0.01 ppmUSA. NIOSH Recommended values)Confirmed animal carcinogen Danger of cutaneous absorptionConfirmed animal carcinogen uses (TLV)Confirmed animal carcinogen uses (TLV)Confirmed animal carcinogen Danger of cutaneous absorptionUSA. NIOSH Recommended Lo.03 ppmUSA. NIOSH Recommended Lo.04 mg/m3Confirmed animal carcinogen Danger of cutaneous absorptionUSA. NIOSH Recommended Lo.04 ng/m3USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air ContaminantsConfirmed animal carcinogen Danger of cutaneous absorptionUSA. NIOSH Recommended Lo.04 mg/m3Confirmed animal carcinogen Danger of cutaneous absorptionUSA. NIOSH Recommended Lim			ST	250 ppm	USA. NIOSH Recommended
TWA200 ppm 590 mg/m3USA. NIOSH Recommended Exposure LimitsTWA200 ppm 590 mg/m3USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air ContaminantsPEL200 ppm 590 mg/m3California permissible exposure limits for chemical contaminants (Title 8, Article 107)STEL250 ppm 735 mg/m3California permissible exposure limits for chemical contaminants (Title 8, Article 107)TWA200 ppm 735 mg/m3California permissible exposure limits for chemical contaminants (Title 8, Article 107)TWA200 ppm 590 mg/m3USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)TWA200 ppm 590 mg/m3USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)Hydrazine302-01-2TWA0.01 ppmUSA. NCGH Threshold Limit Values (TLV)Confirmed animal carcinogen 0.04 mg/m3USA. NCGH Threshold Limit Values (TLV)Confirmed animal carcinogen 0.04 mg/m3USA. NCGH Threshold Limit Values (TLV)Confirmed animal carcinogen 0.04 mg/m3USA. NCGH Threshold Limit Values (TLV)Confirmed animal carcinogen 0.01 ppmUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogen				735 mg/m3	Exposure Limits
STEL590 mg/m3Exposure LimitsPEL200 ppmUSA. Occupational ExposurePEL200 ppmCalifornia permissible exposureSTEL250 mg/m3Limits for chemical contaminants (Title 8, Article 107)STEL250 ppmCalifornia permissible exposureTWA200 ppmCalifornia permissible exposure limits for chemical contaminants (Title 8, Article 107)TWA200 ppmCalifornia permissible exposure limits for chemical contaminants (Title 8, Article 107)TWA200 ppmUSA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)TWA200 ppmUSA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)STEL250 ppmUSA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)Hydrazine302-01-2TWA0.01 ppmUSA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)Confirmed animal carcinogerUSA. NIOSH Recommended 0.04 mg/m3USA. NIOSH Recommended USA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogerUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogerUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogerUSA. COLH Threshold Limit Values (TLV)Confirmed animal carcinogerUSA. COLH Threshold Limit Values (TLV)Confirmed animal carcinogerUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogerUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogerUSA. ACGIH Threshold Limit Val			TWA	200 ppm	USA. NIOSH Recommended
TWA200 ppm 590 mg/m3USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air ContaminantsPEL200 ppm 590 mg/m3California permissible exposure limits for chemical contaminants (Title 8, Article 107)STEL250 ppm 735 mg/m3California permissible exposure limits for chemical contaminants (Title 8, Article 107)TWA200 ppm 200 ppm California permissible exposure limits for chemical contaminants (Title 8, Article 107)TWA200 ppm 200 ppm Contaminants (1989 vacated values)TWA200 ppm 200 ppm Contaminants (1989 vacated values)TWA200 ppm 200 ppmSTEL250 ppm 250 ppmUSA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)Hydrazine302-01-2TWA0.01 ppmUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogen Danger of cutaneous absorptionC0.03 ppm 0.04 mg/m3Danger of cutaneous absorptionC0.01 ppmUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogen NTWA0.01 ppmUSA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air ContaminantsDanger of cutaneous absorptionTWA1 ppm 1.3 mg/m3California permissible exposure Limits for Air ContaminantsDanger of cutaneous absorptionTWA1 ppm 1.3 mg/m3Limits for Air Contaminant				590 mg/m3	Exposure Limits
Som g/m3Limits (OSHA) - Table Z-1 Limits for Air ContaminantsPEL200 ppm 590 mg/m3California permissible exposure limits for chemical contaminants (Title 8, Article 107)STEL250 ppm 735 mg/m3California permissible exposure limits for chemical contaminants (Title 8, Article 107)TWA200 ppm 200 ppm values)California permissible exposure limits for chemical contaminants (Title 8, Article 107)TWA200 ppm 200 ppm values)USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)STEL250 ppm 250 ppm values)USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)Hydrazine302-01-2TWA0.01 ppmUSA. Table Z-1-A Limits for Air Values (TLV)Confirmed animal carcinogen Danger of cutaneous absorptionConfirmed animal carcinogen USA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogen TWA0.01 ppmUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogen Danger of cutaneous absorptionConfirmed animal carcinogen Exposure LimitsPotential Occupational Carcinogen USA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorptionTWA1 ppm 1.3 mg/m3USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Ahr Contaminants <td></td> <td></td> <td>TWA</td> <td>200 ppm</td> <td>USA. Occupational Exposure</td>			TWA	200 ppm	USA. Occupational Exposure
PEL200 ppm 590 mg/m3Limits for Air ContaminantsPEL200 ppm 590 mg/m3California permissible exposure imits for chemical contaminants (Title 8, Article 107)STEL250 ppm 735 mg/m3California permissible exposure limits for chemical contaminants (Title 8, Article 107)TWA200 ppm 590 mg/m3USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)STEL250 ppm 735 mg/m3USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)Hydrazine302-01-2TWA0.01 ppmUSA. AcGIH Threshold Limit Values (TLV)Confirmed animal carcinoger Danger of cutaneous absorptionConfirmed animal carcinogenWSA. NIOSH Recommended 0.04 mg/m3Potential Occupational CarcinogenTWA0.01 ppmUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogerTWA0.01 ppmUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogenTWA0.01 ppmUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogerTWA0.01 ppmUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogerTWA0.01 ppmUSA. Occupational Exposure Limits for Air ContaminantsDanger of cutaneous absorptionCalifornia permissible exposure Limits for Air ContaminantsConfirmed animal carcinogerWA1 ppmLimits for Air ContaminantsSkin designationSkin designationCalifornia permissible exposure Limits for chemical contaminants (Title 8, Article LIO7)				590 mg/m3	Limits (OSHA) - Table Z-1
PEL200 ppm \$990 mg/m3California permissible exposure limits for chemical contaminants (Title 8, Article 107)STEL250 ppm 735 mg/m3California permissible exposure limits for chemical contaminants (Title 8, Article 107)TWA200 ppm 200 ppmUSA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)TWA200 ppm 200 ppmUSA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)TWA200 ppm 200 ppmUSA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)Hydrazine302-01-2TWA0.01 ppmUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogenWith unknown relevance to humans Danger of cutaneous absorptionUSA. NIOSH Recommended col.03 ppmConfirmed animal carcinogenTWA0.01 ppmUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogenTWA0.01 ppmUSA. CGIH Threshold Limit Values (TLV)Confirmed animal carcinogenTWA0.01 ppmUSA. CGIH Threshold Limit Values (TLV)Confirmed animal carcinogenTWA0.01 ppmUSA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air ContaminantsDanger of cutaneous absorptionUSA. Occupational Exposure Limits for Air ContaminantsConfirmed animal carcinogenTWA1 ppm 1.3 mg/m3USA. Occupational Exposure Limits for Air ContaminantsSkin designationPEL0.01 ppm 0.013 mg/m3California permissible exposure Limits for chemical contaminants (Title 8, Article 107)					Limits for Air Contaminants
STEL590 mg/m3limits for chemical contaminants (Title 8, Article 107)STEL250 ppm 735 mg/m3California permissible exposure limits for chemical contaminants (Title 8, Article 107)TWA200 ppm 200 ppmUSA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)STEL250 ppm 250 mg/m3USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)Hydrazine302-01-2TWA200 ppm 250 ppm values)USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)Hydrazine302-01-2TWA0.01 ppmUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogenUSA. NIOSH Recommended 0.04 mg/m3USA. NIOSH Recommended Exposure LimitsDanger of cutaneous absorptionUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogenTWA0.01 ppmUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogenTWA0.01 ppmUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogenTWA0.01 ppmUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogenTWA1 ppm 1.3 mg/m3USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air ContaminantsSkin designationPEL0.01 ppm 0.013 mg/m3California permissible exposure Limits for chemical contaminants (Title 8, Article 107)			PEL	200 ppm	California permissible exposure
Contaminants (Title 8, Article 107)STEL250 ppm 735 mg/m3California permissible exposure limits for chemical contaminants (Title 8, Article 107)TWA200 ppm 590 mg/m3USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)STEL250 ppm 735 mg/m3USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)Hydrazine302-01-2TWA0.01 ppmUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorptionUSA. NIOSH Recommended Exposure LimitsC0.03 ppm 0.04 mg/m3USA. NIOSH Recommended Exposure LimitsPotential Occupational CarcinogenTWA0.01 ppmUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogenTWA0.01 ppmUSA. NIOSH Recommended Exposure LimitsPotential Occupational CarcinogenTWA0.01 ppmUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogenTWA1 ppmUSA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air ContaminantsTWA1 ppmUSA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air ContaminantsSkin designationPEL0.01 ppmCalifornia permissible exposure Limits for chemical contaminants (Title 8, Article 107)				590 mg/m3	limits for chemical
STEL 250 ppm 735 mg/m3 California permissible exposure limits for chemical contaminants (Title 8, Article 107) TWA 200 ppm 590 mg/m3 USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values) STEL 250 ppm 735 mg/m3 USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values) Hydrazine 302-01-2 TWA 0.01 ppm USA. ACGIH Threshold Limit Values (TLV) Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption USA. NIOSH Recommended Exposure Limits Potential Occupational Carcinogen TWA 0.01 ppm USA. NIOSH Recommended Exposure Limits Oconfirmed animal carcinogen TWA 0.01 ppm USA. NIOSH Recommended Exposure Limits Confirmed animal carcinogen TWA 0.01 ppm USA. NIOSH Recommended Exposure Limits Confirmed animal carcinogen TWA 0.01 ppm USA. NIOSH Recommended Exposure Limits Confirmed animal carcinogen TWA 0.01 ppm USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants Danger of cutaneous absorption TWA 1 ppm 1.3 mg/m3 USA. Occupational Exposure Limits for Air Contaminants Skin designation PEL 0.01 ppm 0.013 mg/m3 California permissible exposure limits for chemical contaminants (Title					contaminants (Title 8, Article
STEL250 ppm 735 mg/m3California permissible exposure limits for chemical contaminants (Title 8, Article 107)TWA200 ppm 590 mg/m3USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)Hydrazine302-01-2TWA0.01 ppmUSA. CGIH Threshold Limit Values (TLV)Confirmed animal carcinoger Danger of cutaneous absorptionConfirmed animal carcinoger 0.01 ppmUSA. NIOSH Recommended 0.04 mg/m3Confirmed animal carcinoger ValuesConfirmed animal carcinoger valuesUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinoger Danger of cutaneous absorptionConfirmed animal carcinoger valuesUSA. NIOSH Recommended 0.04 mg/m3Confirmed animal carcinoger Danger of cutaneous absorptionConfirmed animal carcinogenUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinoger Danger of cutaneous absorptionUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinoger Danger of cutaneous absorptionUSA. ACGIH Threshold Limit Values (TLV)TWA0.01 ppmUSA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air ContaminantsDanger of cutaneous absorptionTWA1 ppm 1.3 mg/m3Danger of cutaneous absorptionSkin designationPEL0.01 ppm 0.013 mg/m3California permissible exposure limits for chemical contaminants (Title 8, Article 107)			OTEL	250	
135 Hig/III3 Immis for Chemical contaminants (Title 8, Article 107) TWA 200 ppm 590 mg/m3 USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values) Hydrazine 302-01-2 TWA 250 ppm 735 mg/m3 USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values) Hydrazine 302-01-2 TWA 0.01 ppm USA. ACGIH Threshold Limit Values (TLV) Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption C 0.03 ppm USA. NIOSH Recommended 0.04 mg/m3 Potential Occupational Carcinogen TWA 0.01 ppm USA. ACGIH Threshold Limit Values (TLV) Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption Exposure Limits Confirmed animal carcinogen USA. ACGIH Threshold Limit Values (TLV) Skin designation USA. Occupational Exposure Limits for Air Contaminants Skin designation USA. Occupational Exposure Limits for chemical contaminants (Title 8, Article 107)			SIEL	250 ppm	California permissible exposure
TWA 200 ppm 590 mg/m3 USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values) Hydrazine 302-01-2 TWA 250 ppm 735 mg/m3 USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values) Hydrazine 302-01-2 TWA 0.01 ppm USA. AcGIH Threshold Limit Values (TLV) Confirmed animal carcinogen Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption Values (TLV) C 0.03 ppm USA. NIOSH Recommended 0.04 mg/m3 Exposure Limits Potential Occupational Carcinogen TWA 0.01 ppm USA. ACGIH Threshold Limit Values (TLV) Confirmed animal carcinogen TWA 0.01 ppm USA. ACGIH Threshold Limit Values (TLV) Confirmed animal carcinogen TWA 0.01 ppm USA. ACGIH Threshold Limit Values (TLV) Confirmed animal carcinogen TWA 0.01 ppm USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits (OSHA) - Table Z-1 Limits for Air Contaminants Skin designation PEL 0.01 ppm 0.013 mg/m3 California permissible exposure Limits for chemical contaminants (Title 8, Article 107)				735 mg/m3	contaminante (Title 8 Article
TWA200 ppm 590 mg/m3USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)HydrazineSTEL250 ppm 735 mg/m3USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)Hydrazine302-01-2TWA0.01 ppmUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorptionUSA. NIOSH Recommended Exposure LimitsC0.03 ppm 0.04 mg/m3USA. ACGIH Threshold Limit Values (TLV)Potential Occupational CarcinogenUSA. NIOSH Recommended Exposure LimitsTWA0.01 ppmUSA. ACGIH Threshold Limit Values (TLV)CConfirmed animal carcinogenUSA. ACGIH Threshold Limit Values (TLV)ValuesTWA0.01 ppmUSA. ACGIH Threshold Limit Values (TLV)ValuesTWA0.01 ppmUSA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air ContaminantsDanger of Cutaneous absorptionTWA1 ppm 1.3 mg/m3USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air ContaminantsSkin designationSkin designationCalifornia permissible exposure limits for chemical contaminants (Title 8, Article 107)					107)
STEL 590 mg/m3 Contaminants (1989 vacated values) Hydrazine STEL 250 ppm USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values) Hydrazine 302-01-2 TWA 0.01 ppm USA. ACGIH Threshold Limit Values (TLV) Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption USA. NIOSH Recommended Exposure Limits C 0.03 ppm USA. NIOSH Recommended Exposure Limits Potential Occupational Carcinogen TWA 0.01 ppm USA. ACGIH Threshold Limit Values (TLV) C 0.03 ppm USA. NIOSH Recommended Exposure Limits Danger of cutaneous absorption TWA 0.01 ppm USA. CGIH Threshold Limit Values (TLV) Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption USA. Occupational Exposure to humans Danger of cutaneous absorption TWA 1 ppm USA. Occupational Exposure timits (OSHA) - Table Z-1 Limits (OSHA) - Table Z-1 Limits for Air Contaminants Skin designation Skin designation California permissible exposure limits for chemical contaminants (Title 8, Article 107)			TWA	200 ppm	USA. Table Z-1-A Limits for Air
Values) Values) STEL 250 ppm USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values) Hydrazine 302-01-2 TWA 0.01 ppm USA. ACGIH Threshold Limit Values (TLV) Confirmed animal carcinogen with unknown relevance to humans Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption C 0.03 ppm USA. NIOSH Recommended 0.04 mg/m3 Exposure Limits Potential Occupational Carcinogen Exposure Limits TWA 0.01 ppm USA. ACGIH Threshold Limit Values (TLV) Confirmed animal carcinogen USA. ACGIH Threshold Limit Values (TLV) Confirmed animal carcinogen USA. ACGIH Threshold Limit Values (TLV) Confirmed animal carcinogen USA. ACGIH Threshold Limit Values (TLV) Confirmed animal carcinogen with unknown relevance to humans TWA Danger of cutaneous absorption TWA TWA 1 ppm USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants Skin designation PEL 0.01 ppm California permissible exposure limits for chemical contaminants (Title 8, Article 107)				590 mg/m3	Contaminants (1989 vacated
STEL 250 ppm USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values) Hydrazine 302-01-2 TWA 0.01 ppm USA. ACGIH Threshold Limit Values (TLV) Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption USA. NIOSH Recommended 0.04 mg/m3 USA. NIOSH Recommended Exposure Limits Potential Occupational Carcinogen TWA 0.01 ppm USA. ACGIH Threshold Limit Values (TLV) Image: Confirmed animal carcinogen TWA 0.01 ppm USA. ACGIH Threshold Limit Values (TLV) Image: Confirmed animal carcinogen TWA 0.01 ppm USA. ACGIH Threshold Limit Values (TLV) Image: Confirmed animal carcinogen TWA 1 ppm USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants Image: Skin designation PEL 0.01 ppm California permissible exposure limits for chemical contaminants (Title 8, Article 107)					values)
Hydrazine 302-01-2 TWA 0.01 ppm USA. ACGIH Threshold Limit Values Hydrazine 302-01-2 TWA 0.01 ppm USA. ACGIH Threshold Limit Values (TLV) Confirmed animal carcinoger Usa. NIOSH Recommended 0.04 mg/m3 Exposure Limits Danger of cutaneous absorption C 0.01 ppm USA. NIOSH Recommended Exposure Limits Potential Occupational Carcinoger TWA 0.01 ppm USA. ACGIH Threshold Limit Values (TLV) Confirmed animal carcinoger TWA 0.01 ppm USA. ACGIH Threshold Limit Values (TLV) Confirmed animal carcinoger USA. ACGIH Threshold Limit Values (TLV) Values (TLV) Confirmed animal carcinoger USA. ACGIH Threshold Limit Values (TLV) Values (TLV) Confirmed animal carcinoger USA. ACGIH Threshold Limit Values (TLV) Values (TLV) Confirmed animal carcinoger USA. ACGIH Threshold Limit Values (TLV) Values (TLV) Confirmed animal carcinoger USA. ACGIH Threshold Limit Values (TLV) Values (TLV) Confirmed animal carcinoger USA. ACGIH Threshold Limit Values (DLV) Values (TLV) Skin designation USA. Occupational Exposure Limits for Air Contaminants Limits for Air Contaminants Skin Skin <td></td> <td></td> <td>STEL</td> <td>250 ppm</td> <td>USA. Table Z-1-A Limits for Air</td>			STEL	250 ppm	USA. Table Z-1-A Limits for Air
Hydrazine302-01-2TWA0.01 ppmUSA. ACGIH Threshold Limit Values (TLV)Hydrazine302-01-2TWA0.01 ppmUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorptionC0.03 ppmUSA. NIOSH Recommended Exposure LimitsC0.03 ppmUSA. NIOSH Recommended 0.04 mg/m3Exposure LimitsPotential Occupational CarcinogenTWA0.01 ppmUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorptionUSA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits (OSHA) - Table Z-1 Limits for Air ContaminantsTWA1 ppm 1.3 mg/m3USA. Occupational Exposure Limits for Air ContaminantsSkin designationPEL0.01 ppm 0.013 mg/m3California permissible exposure limits for chemical contaminants (Title 8, Article 107)				735 mg/m3	Contaminants (1989 vacated
Hydrazine 302-01-2 TWA 0.01 ppm USA: ACGIH Threshold Limit Values (TLV) Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption C 0.03 ppm USA: NIOSH Recommended Danger of cutaneous absorption C 0.03 ppm USA: NIOSH Recommended Potential Occupational Carcinogen TWA 0.01 ppm USA: ACGIH Threshold Limit Values (TLV) Confirmed animal carcinogen TWA 0.01 ppm USA: ACGIH Threshold Limit Values (TLV) Confirmed animal carcinogen USA: ACGIH Threshold Limit Values (TLV) Values (TLV) Confirmed animal carcinogen With unknown relevance to humans Values (TLV) Danger of cutaneous absorption TWA 1 ppm 1.3 mg/m3 USA: Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants Skin designation PEL 0.01 ppm 0.013 mg/m3 California permissible exposure limits for chemical contaminants (Title 8, Article 107)		202.01.2		0.04	values)
Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption C 0.03 ppm 0.04 mg/m3 USA. NIOSH Recommended Exposure Limits Potential Occupational Carcinogen TWA 0.01 ppm USA. ACGIH Threshold Limit Values (TLV) Confirmed animal carcinogen with unknown relevance to humans O.01 ppm USA. ACGIH Threshold Limit Values (TLV) Confirmed animal carcinogen with unknown relevance to humans TWA 0.01 ppm USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants Skin designation PEL 0.01 ppm California permissible exposure limits for chemical contaminants (Title 8, Article 107)	Hydrazine	302-01-2	IWA	0.01 ppm	Values (TLV)
humans Danger of <utaneous absorption<="" th="">Danger of <utaneous absorption<="" td="">Danger of <utaneous absorption<="" td="">C0.03 ppm 0.04 mg/m3Potential Occupational CarTWA0.01 ppmUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogerDanger of <utaneous absorption<="" td="">Danger of <utaneous absorption<="" td="">TWA1 ppm 1.3 mg/m3USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air ContaminantsSkin designationPEL0.01 ppm 0.013 mg/m3California permissible exposure limits for chemical contaminants (Title 8, Article 107)</utaneous></utaneous></utaneous></utaneous></utaneous>			Confirmed	animal carcinog	en with unknown relevance to
Danger of cutaneous absorptionC0.03 ppm 0.04 mg/m3USA. NIOSH Recommended Exposure LimitsPotential Occupational CarcinogenPotential Occupational CarcinogenTWA0.01 ppmUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinoger with unknown relevance to humans Danger of cutaneous absorptionWith unknown relevance to humansTWA1 ppm 1.3 mg/m3USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air ContaminantsSkin designationPEL0.01 ppm 0.013 mg/m3California permissible exposure limits for chemical contaminants (Title 8, Article 107)SkinSkinSkinUSA.			humans	_	
C0.03 ppm 0.04 mg/m3USA. NIOSH Recommended Exposure LimitsPotential Occupational CarcinogenTWA0.01 ppmUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorptionValues (TLV)TWA1 ppm 1.3 mg/m3USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air ContaminantsSkin designationSkin designationPEL0.01 ppm 0.013 mg/m3California permissible exposure limits for chemical contaminants (Title 8, Article 107)SkinSkin			Danger of o	cutaneous absor	ption
Image: space spac			С	0.03 ppm	USA. NIOSH Recommended
Potential Occupational Carcinogen TWA 0.01 ppm USA. ACGIH Threshold Limit Values (TLV) Confirmed animal carcinogen with unknown relevance to humans Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption TWA 1 ppm TWA 1 ppm USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits (OSHA) - Table Z-1 Limits for Air Contaminants Skin designation PEL 0.01 ppm California permissible exposure 0.013 mg/m3 limits for chemical contaminants (Title 8, Article 107)				0.04 mg/m3	Exposure Limits
TWA0.01 ppmUSA. ACGIH Threshold Limit Values (TLV)Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorptionwith unknown relevance to humansTWA1 ppmUSA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air ContaminantsSkin designationSkin designationPEL0.01 ppm 0.013 mg/m3California permissible exposure limits for chemical contaminants (Title 8, Article 107)SkinSkinSkin			Potential O	ccupational Card	inogen
Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption Danger of cutaneous absorption USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants Skin designation PEL 0.01 ppm 0.013 mg/m3 California permissible exposure limits for chemical contaminants (Title 8, Article 107) Skin Skin			TWA	0.01 ppm	USA. ACGIH Threshold Limit Values (TLV)
humans Danger of cutaneous absorption Danger of cutaneous absorption TWA 1 ppm USA. Occupational Exposure 1.3 mg/m3 Limits (OSHA) - Table Z-1 Limits for Air Contaminants Exposure Skin designation PEL 0.01 ppm California permissible exposure limits for chemical contaminants (Title 8, Article 107) Skin			Confirmed	animal carcinog	en with unknown relevance to
Danger of cutaneous absorption TWA 1 ppm USA. Occupational Exposure 1.3 mg/m3 Limits (OSHA) - Table Z-1 Limits for Air Contaminants Skin designation Skin designation California permissible exposure 0.01 ppm 0.013 mg/m3 California permissible exposure Imits for chemical contaminants (Title 8, Article Skin Skin			humans	_	
TWA 1 ppm USA. Occupational Exposure 1.3 mg/m3 Limits (OSHA) - Table Z-1 Limits for Air Contaminants Skin designation PEL 0.01 ppm 0.013 mg/m3 limits for chemical contaminants (Title 8, Article 107)			Danger of o	cutaneous absor	ption
1.3 mg/m3 Limits (OSHA) - Table Z-1 Limits for Air Contaminants Skin designation PEL 0.01 ppm 0.013 mg/m3 California permissible exposure limits for chemical contaminants (Title 8, Article 107) Skin			TWA	1 ppm	USA. Occupational Exposure
Limits for Air Contaminants Skin designation PEL 0.01 ppm California permissible exposure Imits for chemical Contaminants (Title 8, Article Skin Skin				1.3 mg/m3	Limits (OSHA) - Table Z-1
Skin designation PEL 0.01 ppm California permissible exposure 0.013 mg/m3 limits for chemical contaminants (Title 8, Article 107) Skin Skin Skin					Limits for Air Contaminants
PEL 0.01 ppm California permissible exposure 0.013 mg/m3 limits for chemical contaminants (Title 8, Article 107)			Skin desigr	nation	
0.013 mg/m3 limits for chemical contaminants (Title 8, Article 107)			PEL	0.01 ppm	California permissible exposure
contaminants (Title 8, Article 107) Skin				0.013 mg/m3	limits for chemical
Skin					contaminants (Title 8, Article
			Skin		

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Tetrahydrofuran	109-99-9	Tetrahydrof uran	2 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift (As soon as	possible after exp	osure ceases)

Aldrich - 433632

Page 6 of 14



8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

required

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	65 °C 149 °F
g)	Flash point	-20 °C (-4 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Density	0.886 g/cm3 at 25 °C (77 °F)
	Relative density	No data available

Aldrich - 433632

Page 7 of 14

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



- n) Water solubility No data available
- o) Partition coefficient: No data available n-octanol/water
- p) Autoignition No data available temperature
- q) Decomposition No data available temperature
- r) Viscosity No data available
- s) Explosive properties Not classified as explosive.
- t) Oxidizing properties none
- 9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Formation of peroxides possible. Vapors may form explosive mixture with air.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions No data available

- **10.4 Conditions to avoid** Warming. Moisture.
- **10.5 Incompatible materials** Zinc, Oxidizing agents, Organic materials, Oxygen, Copper
- **10.6 Hazardous decomposition products** Peroxides In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Oral: No data available Acute toxicity estimate Oral - 1,351 mg/kg (Calculation method) Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Inhalation: No data available

Aldrich - 433632

Page 8 of 14

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



Acute toxicity estimate Inhalation - 4 h - 19 mg/l - vapor(Calculation method)

Symptoms: Possible symptoms:, mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract Dermal: No data available

Acute toxicity estimate Dermal - 1,919 mg/kg (Calculation method)

Skin corrosion/irritation

Remarks: Mixture causes skin irritation.

Serious eye damage/eye irritation

Remarks: Mixture causes serious eye damage.

Respiratory or skin sensitization

Mixture may cause an allergic skin reaction.

Germ cell mutagenicity

No data available

Carcinogenicity

Possible carcinogen.

IARC: 2A - Group 2A: Probably carcinogenic to humans (Hydrazine)

2A - Group 2A: Probably carcinogenic to humansThe data in this record has been derived from the water-free form of this substance. (Hydrazine)

- IARC: 2B Group 2B: Possibly carcinogenic to humans (Tetrahydrofuran)
- NTP: RAHC Reasonably anticipated to be a human carcinogenThe reference note has been added by TD based on the background information of the NTP. (Hydrazine)

RAHC - Reasonably anticipated to be a human carcinogenThe data in this record has been derived from the water-free form of this substance. (Hydrazine)

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Mixture may cause respiratory irritation. Mixture may cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Central nervous system depression, Cough, chest pain, Difficulty in breathing, Exposure to high airborne concentrations can cause anesthetic effects., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Handle in accordance with good industrial hygiene and safety practice.

Aldrich - 433632

Page 9 of 14



Stomach - Irregularities - Based on Human Evidence

Liver - Irregularities - Based on Human Evidence

Components

Tetrahydrofuran

Acute toxicity

LD50 Oral - Rat - male and female - 1,650 mg/kg Remarks: (ECHA) Symptoms: Irritation of mucous membranes LC50 Inhalation - Rat - male and female - 6 h - > 14.7 mg/l - vapor (US-EPA) LD50 Dermal - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 72 h (Draize Test) Remarks: Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes serious eye irritation. Remarks: (IUCLID) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse Result: negative (OECD Test Guideline 429)

Germ cell mutagenicity

Test Type: Ames test Test system: S. typhimurium Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Result: negative Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Result: negative Method: OECD Test Guideline 474 Species: Mouse - male and female - Red blood cells (erythrocytes) Result: negative

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Central nervous system

Aldrich - 433632

Page 10 of 14





Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) May cause drowsiness or dizziness. Acute oral toxicity - Irritation of mucous membranes

Specific target organ toxicity - repeated exposure

Aspiration hazard

No data available

Hydrazine

Acute toxicity

LD50 Oral - Rat - male - 262 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - male - 4 h - 0.76 mg/l - vapor Remarks: (ECHA) Dermal: No data available No data available

Skin corrosion/irritation

Skin - Rabbit Result: Corrosive - 4 h (OECD Test Guideline 404) Remarks: (55% solution) Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

Respiratory or skin sensitization

(Regulation (EC) No 1272/2008, Annex VI)

Germ cell mutagenicity

No data available

Carcinogenicity

Presumed to have carcinogenic potential for humans

- IARC: The data in this record has been derived from the waterfree form of this substance.
- NTP: The reference note has been added by TD based on the background information of the NTP.

The data in this record has been derived from the water-free form of this substance.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

Aldrich - 433632

Page 11 of 14





SECTION 12: Ecological information

12.1 Toxicity

Mixture No data available

12.2 Persistence and degradability No data available

- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Endocrine disrupting properties** No data available

12.7 Other adverse effects

No data available

Components

Tetrahydrofuran

Toxicity to fish	flow-through test LC50 - Pimephales promelas (fathead minnow) - 2,160 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 3,485 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to fish(Chronic toxicity)	flow-through test NOEC - Pimephales promelas (fathead minnow) - 216 mg/l - 33 d Remarks: (ECHA)
Hydrazine	
Toxicity to fish	static test LC50 - Poecilia reticulata (guppy) - 0.61 mg/l - 96 h Remarks: (ECHA)
Toxicity to daphnia and other aquatic invertebrates	semi-static test EC50 - Daphnia pulex (Water flea) - 0.16 mg/l - 48 h (US-EPA)
	Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Hydrazine hydrate
Toxicity to algae	static test ErC50 - Desmodesmus subspicatus (green algae) - 0.017 mg/l - 48 h
	(Regulation (EC) No. 440/2008, Annex, C.3)
Toxicity to bacteria	static test EC50 - activated sludge - 5.5 mg/l - 3 h
Aldrich - 433632	Page 12 of 14

iness of Merck KGaA, Darmstadt, Germany



Toxicity to daphnia
and other aquatic
invertebrates(Chronicsemi-static test NOEC - Daphnia magna (Water flea) - 0.123
mg/l - 21 d
(OECD Test Guideline 211)
toxicity)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

DOT (US)

UN number: 1993 Class: 3 Packing group: II Proper shipping name: Flammable liquids, n.o.s. (Hydrazine, Tetrahydrofuran) Reportable Quantity (RQ): 25 lbs Poison Inhalation Hazard: No

IMDG

UN number: 1993 Class: 3 Packing group: II EMS-No: F-E, S-E Proper shipping name: FLAMMABLE LIQUID, N.O.S. (Hydrazine, Tetrahydrofuran)

ΙΑΤΑ

UN number: 1993 Class: 3 Packing group: II Proper shipping name: Flammable liquid, n.o.s. (Hydrazine, Tetrahydrofuran)

SECTION 15: Regulatory information

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302: Hydrazine CAS-No. Revision Date

302-01-2 200	7-07-01

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
Hydrazine	302-01-2	2007-07-01

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Aldrich - 433632

Page 13 of 14



Tetrahydrofuran	CAS-No. 109-99-9	Revision Date 1993-02-16
Hydrazine	302-01-2	2007-07-01
Pennsylvania Right To Know Components Tetrahydrofuran	CAS-No. 109-99-9	Revision Date 1993-02-16
Hydrazine	302-01-2	2007-07-01
California Prop. 65 Components , which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.Tetrahydrofuran	CAS-No. 109-99-9	Revision Date 2021-12-31

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 8.7

Revision Date: 02/07/2023

Print Date: 12/30/2023

Aldrich - 433632

Page 14 of 14





Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 13, 2020

1 Identification	
· Product identifier	
 Trade name: <u>Hydrochloric Acid, ACS, 12M</u> Product code: S25358 	
 Recommended use and restriction on use Recommended use: Laboratory chemicals Restrictions on use: No relevant information available. 	
 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com Distributor: Fisher Science Education 6771 Silver Crest Road, Nazareth, PA 18064 (800) 955-1177 	
Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)	
2 Hazard(s) identification	
 2 Hazard(s) identification Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. STOT SE 3 H335 May cause respiratory irritation. 	
 2 Hazard(s) identification Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. STOT SE 3 H335 May cause respiratory irritation. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: 	
 2 Hazard(s) identification Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. STOT SE 3 H335 May cause respiratory irritation. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: GHS05 GHS07 	
 2 Hazard(s) identification Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. STOT SE 3 H335 May cause respiratory irritation. Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: 	
2 Hazard(s) identification • Classification of the substance or mixture Met. Corr. 1 H290 May be corrosive to metals. Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. STOT SE 3 H335 May cause respiratory irritation. • Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). • • Hazard pictograms: ● ● ● ● ● ● ● ● GHS05 GHS07 • Signal word: Danger • Hazard statements: H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation. • Precautionary statements: P234 Keep only in original container. (Contd. on pa	 age 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 13, 2020

Trade name: Hydrochloric Acid, ACS, 12M

	(Cont'd. of page 1)
P260	Do not breathe mist/vapors/spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection.
P301+P330+P331	If swallowed: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	B If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	B IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
• Other hazards	There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

7732-18-5	Water	60-75%
7647-01-0	hydrochloric acid	25-40%
	Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318	
	() Acute Tox. 4, H302; STOT SE 3, H335	

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[•] Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

• After inhalation: Supply fresh air and to be sure to call for a doctor.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek immediate help for blistering or open wounds.

If skin irritation continues, consult a doctor.

• After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 13, 2020

Trade name: Hydrochloric Acid, ACS, 12M

(Cont'd. of page 2)

Do not induce vomiting; immediately call for medical help. • Most important symptoms and effects, both acute and delayed: Eye damage. Acidosis Coughing Strong caustic effect on skin and mucous membranes. May cause respiratory irritation. Gastric or intestinal disorders when ingested. • Danger: Danger of gastric perforation. Causes serious eye damage. • Indication of any immediate medical attention and special treatment needed: If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

• Extinguishing media

• Suitable extinguishing agents: Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents: No relevant information available.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.

[•] Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

• Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Use limestone to neutralize and/or absorb spill.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

[·] Handling

· Precautions for safe handling:

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 13, 2020

Trade name: Hydrochloric Acid, ACS, 12M

(Cont'd. of page 3)

Prevent formation of aerosols. Avoid splashes or spray in enclosed areas. Use only in well ventilated areas. Information about protection against explosions and fires: No special measures required. · Conditions for safe storage, including any incompatibilities · Requirements to be met by storerooms and receptacles: Unsuitable material for receptacle: steel. Unsuitable material for receptacle: aluminium. Store only in the original receptacle. Information about storage in one common storage facility: Store away from metals. Store away from foodstuffs. Do not store together with alkalis (caustic solutions). · Further information about storage conditions: Keep containers tightly sealed. Store in cool, dry conditions in well sealed receptacles. • Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

7647-01-0 hydrochloric acid

PEL (USA)	Ceiling limit value: 7 mg/m³, 5 ppm
REL (USA)	Ceiling limit value: 7 mg/m³, 5 ppm
TLV (USA)	Ceiling limit value: 2.98 mg/m³, 2 ppm
EL (Canada)	Ceiling limit value: 2 ppm
EV (Canada)	Ceiling limit value: 2 ppm
LMPE (Mexico)	Ceiling limit value: 2 ppm
	A4

• Exposure controls

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

• Engineering controls: Provide adequate ventilation.

· Breathing equipment:

Use suitable respiratory protective device when high concentrations are present.

Suitable respiratory protective device recommended.

• Protection of hands:

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 13, 2020

Trade name: Hydrochloric Acid, ACS, 12M

(Cont'd. of page 4)

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Material of gloves

Butyl rubber, BR Fluorocarbon rubber (Viton)

Neoprene gloves

Nitrile rubber, NBR

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eve protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· Body protection: Acid resistant protective clothing.

· Limitation and supervision of exposure into the environment No relevant information available.

9 Physical and chemical prope	erties	
[·] Information on basic physical a	and chemical properties	
· Appearance:		
Form:	Liquid	
Color:	Clear	
· Odor:	Odorless	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Melting point/Melting range:	Not determined.	
· Boiling point/Boiling range:	105-110 °C (221-230 °F)	
· Flash point:	The product is not flammable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Not determined.	
· Vapor pressure:	Not determined.	
		(Cont'd. on page

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 13, 2020

Trade name: Hydrochloric Acid, ACS, 12M (Cont'd. of page 5) · Density: Relative density: Not determined. Vapor density: Not determined. Evaporation rate: Not determined. · Solubility in / Miscibility with Fully miscible. Water: · Partition coefficient (n-octanol/water): Not determined. · Viscosity **Dynamic:** Not determined. Kinematic: Not determined. Other information No relevant information available.

10 Stability and reactivity

· Reactivity: No relevant information available.

- Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Corrosive action on metals.

Reacts with alkali (lyes).

Reacts with light alloys to form hydrogen.

Reacts with strong oxidizing agents.

Toxic fumes may be released if heated above the decomposition point.

Conditions to avoid No relevant information available.

[·] Incompatible materials

Metals.

Alkalis.

Oxidizers

[•] Hazardous decomposition products

Under fire conditions only:

Hydrogen chloride (HCl)

11 Toxicological information

[·] Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

7647-01-0 hydrochloric acid

Oral LD50 900 mg/kg (rabbit)

Primary irritant effect:

· On the skin: Strong caustic effect on skin and mucous membranes.

· On the eye: Strong caustic effect.

 \cdot Sensitization: Based on available data, the classification criteria are not met.

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 13, 2020

Trade name: Hydrochloric Acid, ACS, 12M

(Cont'd. of page 6)

3

· IARC (International Agency for Research on Cancer):

7647-01-0 hydrochloric acid

• NTP (National Toxicology Program):

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

Acute effects (acute toxicity, irritation and corrosivity):

Causes severe skin burns and eye damage.

- May cause respiratory irritation.
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- STOT-single exposure: May cause respiratory irritation.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity

- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · **Bioaccumulative potential:** No relevant information available.
- Mobility in soil: No relevant information available.

Additional ecological information

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

• Other adverse effects No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

[·] Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

(Cont'd. of page 7)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 13, 2020

Trade name: Hydrochloric Acid, ACS, 12M

14 Transport information · UN-Number · DOT, ADR/RID/ADN, IMDG, IATA UN1789 · UN proper shipping name · DOT Hydrochloric acid · ADR/RID/ADN, IMDG, IATA HYDROCHLORIC ACID Transport hazard class(es) · DOT · Class 8 · Label 8 · ADR/RID/ADN · Class 8 (C1) · Label 8 · IMDG, IATA · Class 8 · Label 8 [•] Packing group DOT, ADR/RID/ADN, IMDG, IATA Ш · Environmental hazards Not applicable. Special precautions for user Warning: Corrosive substances · Hazard identification number (Kemler code): 80 · EMS Number: F-A,S-B · Segregation groups Acids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

· United States (USA)

(Cont'd. on page 9)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 13, 2020

Trade name: Hydrochloric Acid, ACS, 12M
(Cont'd. of page 8
· Section 302 (extremely hazardous substances):
None of the ingredients are listed.
· Section 313 (Specific toxic chemical listings):
7647-01-0 hydrochloric acid
· TSCA (Toxic Substances Control Act)
7647-01-0 hydrochloric acid
7732-18-5 Water
· Proposition 65 (California)
· Chemicals known to cause cancer:
None of the ingredients are listed.
· Chemicals known to cause developmental toxicity for females:
None of the ingredients are listed.
· Chemicals known to cause developmental toxicity for males:
None of the ingredients are listed.
· Chemicals known to cause developmental toxicity:
None of the ingredients are listed.
· EPA (Environmental Protection Agency):
None of the ingredients are listed.
· IARC (International Agency for Research on Cancer):
7647-01-0 hydrochloric acid 3
Canadian Domestic Substances List (DSL):
None of the ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/

(Cont'd. on page 10)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 13, 2020

Trade name: Hydrochloric Acid, ACS, 12M

(Cont'd. of page 9)

overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com



Hydrochloric acid, ACS reagent ,025LFL

/ersion 1.0	Revision Date 09/30/2016	Print Date 12/20/2016
ECTION 1. PRODUCT AND CC	MPANY IDENTIFICATION	
Product name	: Hydrochloric acid	
Number	: 00000020253	
Product Use Description	: Laboratory chemicals	
Manufacturer or supplier's details	: Honeywell International Inc. 115 Tabor Road Morris Plains, NJ 07950-2546	
For more information call	: 1-800-368-0050 +1-231-726-3171 (Monday-Friday, 9:00am-5:00pm)	
In case of emergency call	 Medical: 1-800-498-5701 or +1-303-3 Transportation (CHEMTREC): 1-800 527-3887 	89-1414 -424-9300 or +1-703-
	: : (24 hours/day, 7 days/week)	
ECTION 2. HAZARDS IDENTIF	ICATION	
Emergency Overview		
Form	: liquid	
Color	: colourless	
Odor	: stinging	
Classification of the substa	nce or mixture	
Classification of the substance or mixture	: Corrosive to metals, Category 1 Skin corrosion, Category 1A Serious eye damage, Category 1 Specific target organ toxicity - single Respiratory system	e exposure, Category 3,
GHS Label elements, inclu	ding precautionary statements	
	Page 1 / 13	



Hydrochloric acid, ACS reagent ,025LFL

00000020253		
Version 1.0	Revision Date 09/30/2016	Print Date 12/20/2016
Symbol(s)		
Signal word	: Danger	
Hazard statements	: May be corrosive to metals. Causes severe skin burns and eye May cause respiratory irritation.	damage.
Precautionary statements	: Prevention: Keep only in original container. Avoid breathing dust/ fume/ gas/ mi Wash skin thoroughly after handling Use only outdoors or in a well-ventil. Wear protective gloves/protective c protection.	ist/vapours/spray. j. ated area. lothing/eye protection/face
	Response: IF SWALLOWED: rinse mouth. Do IF ON SKIN (or hair): Remove/ Take contaminated clothing. Rinse skin w IF INHALED: Remove victim to fres position comfortable for breathing. IF IN EYES: Rinse cautiously with w Remove contact lenses, if present a rinsing. Immediately call a POISON CENTE Specific treatment (see supplementa this label). Wash contaminated clothing before Absorb spillage to prevent material	NOT induce vomiting. e off immediately all vith water/ shower. h air and keep at rest in a water for several minutes. and easy to do. Continue R/doctor. al first aid instructions on reuse. damage.
	Storage: Store in a well-ventilated place. Kee Store locked up. Store in corrosive resistant stainles resistant inner liner.	ep container tightly closed. s steel container with a
	Disposal: Dispose of contents/ container to ar plant.	n approved waste disposal
Carcinogenicity		

ON ETT DATA ONE	: 1		Honeywell <i>Fluka</i> "
Hydrochloric acid, ACS reage	nt ,0	25LFL	
00000020253			
Version 1.0		Revision Date 09/30/2016	Print Date 12/20/2016
No component of this produce or anticipated carcinogen by	ct pre / NTP	sent at levels greater than or equal , IARC, or OSHA.	to 0.1% is identified as a known
SECTION 3. COMPOSITION/IN	FORI	MATION ON INGREDIENTS	
Formula		: HCI	
Chemical nature		: Substance	
Chemica	l nam	e CAS-No.	Concentration
Water		7732-18-5	>=50.00 - <70.00 %
Hydrogen chloride		7647-01-0	>=30.00 - <50.00 %
SECTION 4. FIRST AID MEAS	JRES		
General advice	:	First aider needs to protect himself down. Immediately take off contam body with plenty of water.	. Remove from exposure, lie inated clothing and rinse
Inhalation	:	Remove to fresh air. If breathing is oxygen as required, provided a qua Call a physician immediately.	difficult, give oxygen. Use alified operator is present.
Skin contact	:	Wash off immediately with plenty of minutes. Take off contaminated clo immediately. Wash contaminated of Immediate medical treatment is ne wounds from corrosion of the skin difficulty.	of water for at least 15 othing and shoes clothing before re-use. cessary as untreated heal slowly and with
Eye contact	:	Protect unharmed eye. Irrigate eye with copious quantities of water, ke away from eyeballs during irrigation immediately.	es for at least 15 minutes eeping eyelids apart and n. Call a physician
Ingestion	:	Do NOT induce vomiting. Never gi unconscious person. Rinse mouth water. Magnesium hydroxide (mill- may be given. Call a physician imr	ve anything by mouth to an with water. Drink plenty of of Magnesia) as an antacid nediately.
		Page 3 / 13	



Hydrochloric acid, ACS reagent ,025LFL

Version 1.0	Revision Date 09/30/2016	Print Date 12/20/2016
SECTION 5. FIREFIGHTING MEAS	SURES	
Suitable extinguishing media	: Use extinguishing measures that ar circumstances and the surrounding If use of water is necessary use cop	e appropriate to local environment. pious amounts.
Specific hazards during firefighting	: Contact with metals liberates hydrog Vapours are heavier than air and m	gen gas. ay spread along floors.
Special protective equipment for firefighters	: In the event of fire and/or explosion Wear self-contained breathing appa No unprotected exposed skin areas	do not breathe fumes. aratus and protective suit.
Further information	: The product itself does not burn. Use a water spray to cool fully close Collect contaminated fire extinguish must not be discharged into drains.	ed containers. ing water separately. This
SECTION 6. ACCIDENTAL RELEA	ASE MEASURES	
Personal precautions	 Immediately evacuate personnel to s Wear personal protective equipment. must be kept away. Keep people away from and upwind Ensure adequate ventilation. Do not breathe vapours or spray mis 	safe areas. Unprotected persons of spill/leak. t.
Environmental precautions	: Discharge into the environment must Prevent further leakage or spillage if Do not flush into surface water or sai If the product contaminates rivers an respective authorities.	t be avoided. safe to do so. nitary sewer system. d lakes or drains inform
Methods for cleaning up	: Ventilate the area. Neutralise with the following product(lime soda ash With acids neutralization takes place heat.	s): under development of
SECTION 7. HANDLING AND STO	DRAGE	
Handling		
	Page 4 / 13	



Hydrochloric acid, ACS reagent ,025LFL

sion 1.0		Revision Date 09/30/2016	Print Date 12/20/2
		Revision Date 09/30/2010	
Handling	:	Wear personal protective equipment. Use only in well-ventilated areas. Keep container tightly closed. Use only acid resistant equipment. When diluting, always add the product t water to the product. Do not breathe vapours or spray mist.	o water. Never add
Advice on protection against fire and explosion	:	Normal measures for preventive fire pro	tection.
Storage			
Requirements for storage areas and containers	:	Store in original container. Keep containers tightly closed in a dry, place. Protect from physical damage.	cool and well-ventilated
		De net store torether with	
Advice on common storage	:	Oxidizing agents alkalines	
Advice on common storage	: ROL	Oxidizing agents alkalines S/PERSONAL PROTECTION	
Advice on common storage	: ROL :	S/PERSONAL PROTECTION Ensure that eyewash stations and safety the workstation location. Legal requirements are to be considered selection, use and care of personal prot Do not breathe vapours or spray mist.	y showers are close to d in regard of the ective equipment.
Advice on common storage	: ROL :	S/PERSONAL PROTECTION Ensure that eyewash stations and safety the workstation location. Legal requirements are to be considered selection, use and care of personal prot Do not breathe vapours or spray mist. Use with local exhaust ventilation. Use only acid resistant equipment. acid resisting floor Emergency sprinkling nozzle	y showers are close to d in regard of the tective equipment.
Advice on common storage	: ROL :	Do not store together with: Oxidizing agents alkalines S/PERSONAL PROTECTION Ensure that eyewash stations and safety the workstation location. Legal requirements are to be considered selection, use and care of personal prot Do not breathe vapours or spray mist. Use with local exhaust ventilation. Use only acid resistant equipment. acid resisting floor Emergency sprinkling nozzle Wear as appropriate: Goggles or face shield, giving complete	y showers are close to d in regard of the tective equipment.
Advice on common storage TION 8. EXPOSURE CONTR Protective measures Engineering measures Eye protection Hand protection	: ROL :	Do not store together with: Oxidizing agents alkalines S/PERSONAL PROTECTION Ensure that eyewash stations and safety the workstation location. Legal requirements are to be considered selection, use and care of personal prot Do not breathe vapours or spray mist. Use with local exhaust ventilation. Use with local exhaust ventilation. Use only acid resistant equipment. acid resisting floor Emergency sprinkling nozzle Wear as appropriate: Goggles or face shield, giving complete Protective gloves Gloves must be inspected prior to use. Replace when worn.	y showers are close to d in regard of the tective equipment.



Hydrochloric acid, ACS reagent ,025LFL

00000020253

Version 1.0		Revision Date 09/30/2016	Print Date 12/20/2016
	I	Full protective suit	
Respiratory protection	: (n case of insufficient ventilation wear equipment.	suitable respiratory
Hygiene measures	: 	Handle in accordance with good indus practice. Provide adequate ventilation. When using, do not eat, drink or smok Wash thoroughly after handling. Keep working clothes separately. Remove and wash contaminated cloth Contaminated work clothing should no vorkplace. Do not swallow. Do not breathe vapours or spray mist. Do not get in eyes, on skin, or on cloth This material has an established AIHA The current list of ERPG exposure lim http://www.aiha.org/insideaiha/Guidelin bocuments/2011erpgweelhandbook_tab	trial hygiene and safety e. hing before re-use. It be allowed out of the hing. A ERPG exposure limit. its can be found at heDevelopment/ERPG/D ble-only.pdf.

Exposure Guidelines

Components	CAS-No.	Value	Control parameters	Upda te	Basis
Hydrogen chloride	7647-01-0	Ceiling : Ceiling Limit Value:	(2 ppm)	2008	ACGIH:US. ACGIH Threshold Limit Values
Hydrogen chloride	7647-01-0	Ceil_Tim e : Ceiling Limit Value and Time Period (if specified) :	7 mg/m3 (5 ppm)	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards
Hydrogen chloride	7647-01-0	Ceiling : Ceiling Limit Value:	7 mg/m3 (5 ppm)	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)
Page 6 / 13					



Hydrochloric acid, ACS reagent ,025LFL

Version 1.0 Revision Date 09/30/2010		9/30/2016		Print Date 12/20/2	016		
	Hydrogen chloride	7647-01-0	Ceiling : Ceiling Limit Value:	7 mg/m3 (5 ppm)	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)	
SEC	CTION 9. PHYSICAL	AND CHEMICAL	PROPERTI	ES			
	Physical state	: liqu	id				
	Color	: colo	ourless				
	Odor	: stin	ging				
	рН	: >0).1 at , 20 ℃	2			
	Melting point/range	: ca.	-35 °C				
	Boiling point/boiling	range : ca.	42 °C at 1,0	013 hPa			
	Flash point	: Not	e: Not appli	cable			
	Flammability	: Not	applicable				
	Lower explosion limi	t : Not	e: Not appli	cable			
	Upper explosion limi	t : Not	e: Not appli	cable			
	Vapor pressure	: 96 at 5 19 at 2	5 hPa 50 °C(122 °F 0 hPa 20 °C(68 °F)	=)			
	Density	: ca.	1.190 g/cm	3 at 20 °C			
	Water solubility	: Not	e: complete	ly miscible			
			Doco 7	/ 13			
			Fage 7	/ 10			



Hydrochloric acid, ACS reagent ,025LFL

Version 1.0	Revision Date 09/30/2016	Print Date 12/20/2016
Partition coefficient: n- octanol/water	: Note: no data available	
Ignition temperature	: Note: Not applicable	
Decomposition temperature	: Note: No decomposition if used as directed. heat may cause violent rupture of packages.	, Fire or intense
Viscosity, dynamic	: 1.9 mPa.s at 15 °C	
Molecular weight	: 36.46 g/mol	
Corrosivity	: Note: Corrosive to metals	
SECTION 10. STABILITY AND REA	CTIVITY	
Chemical stability	: Stable under normal conditions.	
Possibility of hazardous reactions	: Hazardous polymerisation does not occur.	
Conditions to avoid	: Keep away from heat. Protect from moisture.	
Incompatible materials to avoid	: Metals Water Amines Acetic anhydride Strong bases Alkalis Strong oxidizing agents Sulfuric acid Chlorosulfonic acid Ammonia Ethyleneimine	
Hazardous decomposition products	: Hydrogen, by reaction with metals Hydrogen chloride gas	
SECTION 11. TOXICOLOGICAL IN	FORMATION	
Acute oral toxicity	: Note: Toxicity is determined by the corrosivit	y of the product.
	Page 8 / 13	



Hydrochloric acid, ACS reagent ,025LFL

ersion 1.0	Revision Date 09/30/2016	Print Date 12/20/2016
Acute inhalation toxicity	: Note: Toxicity is determined by the c	orrosivity of the product.
Acute dermal toxicity	: Note: Toxicity is determined by the c	orrosivity of the product.
Skin irritation	: Species: Rabbit Result: Corrosive Method: OECD Test Guideline 404	
Eye irritation	: Note: Conclusive and supporting cla Dossier - ECHA disseminated data)	ssification (Ref: REACH
Sensitisation	: Species: Guinea pig Classification: non-sensitizing Test substance: anhydrous substance Method: OECD Test Guideline 406	ce
ECTION 12. ECOLOGICAL INFO	PRMATION	
Ecotoxicity effects		
Toxicity to fish	 semi-static test LC50: 3.25 - 3.5 mg/l Exposure time: 96 h Species: Lepomis macrochirus (Blue 	gill sunfish)
Toxicity to daphnia and other aquatic invertebrates	: static test EC50: 4.92 mg/l Exposure time: 48 h Species: Daphnia (water flea) Method: OECD Test Guideline 202	
Toxicity to algae	: Growth rate EC50: 4.7 mg/l Exposure time: 72 h Species: Chlorella vulgaris (Fresh wa Method: OECD Test Guideline 201	ater algae)
	Page 9 / 13	

SAFETY	DATA SHEET		Honeywell Fluka [™]	
Hydrochloric	acid, ACS reagent ,025LFL			
00000002	0253			
Version 1.0	Re	vision Date 09/30/2016	Print Date 12/20/2016	
Eliminati	on information (persistence	and degradability)		
Biodegrac	lability : Note appli	e: The methods for determining icable to inorganic substances.	he methods for determining biodegradability are not ble to inorganic substances.	
Further in	nformation on ecology			
Ecotoxic	ology Assessment			
Results o This subs is not con Additiona informatic	f PBT assessment tance is not considered to be sidered to be very persistent a l ecological : Neut n	persistent, bioaccumulating and and very bioaccumulating (vPvB ralisation will reduce ecotoxic e	d toxic (PBT)., This substance). effects.	
SECTION 13. Disposal	DISPOSAL CONSIDERATION methods : Obse regul	NS erve all Federal, State, and Loc lations.	al Environmental	
SECTION 14.	TRANSPORT INFORMATION	N		
DOT	UN/ID No. Proper shipping name Class Packing group Hazard Labels	: UN 1789 : HYDROCHLORIC ACID 8 II 8		
ΙΑΤΑ	UN/ID No. Description of the goods Class Packaging group Hazard Labels Packing instruction (cargo aircraft) Packing instruction (passenger aircraft) Packing instruction (passenger aircraft)	: UN 1789 : HYDROCHLORIC ACID : 8 : II : 8 : 855 : 851 : Y840		
IMDG	UN/ID No. Description of the goods Class	: UN 1789 : HYDROCHLORIC ACID : 8		



Hydrochloric acid, ACS reagent ,025LFL

Version 1.0	Revision Date 09/30/2016	Print Date 12/20/2016
Packaging group Hazard Labels EmS Number Marine pollutant	: II : 8 : F-A, S-B : no	
SECTION 15. REGULATORY INI	FORMATION	
Inventories		
US. Toxic Substances Control Act	: On TSCA Inventory	
Australia. Industrial Chemical (Notification and Assessment) Act	: On the inventory, or in compliance v	with the inventory
Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)	: All components of this product are c	on the Canadian DSL
Japan. Kashin-Hou Law List	: On the inventory, or in compliance w	with the inventory
Korea. Toxic Chemical Control Law (TCCL) List	: On the inventory, or in compliance w	vith the inventory
Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act	: On the inventory, or in compliance v	with the inventory
China. Inventory of Existing Chemical Substances	: On the inventory, or in compliance w	vith the inventory
New Zealand. Inventory of Chemicals (NZloC), as published by ERMA New Zealand	: On the inventory, or in compliance v	with the inventory
National regulatory informa	ation	
US. EPA CERCLA Hazardous Substances (40 CFR 302)	: The following component(s) of this prelease reporting under 40 CFR 302 Reportable Quantity (RQ):	product is/are subject to when release exceeds the
	Reportable quantity: 5000 lbs	
	Page 11 / 13	



Hydrochloric acid, ACS reagent ,025LFL

Version 1.0	Revision Date 09/30/2016	Print Date 12/20/2016	
US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A)	Hydrogen chloride The following component(s) of this emergency planning provisions of 4 amounts equal to or greater than th Quantity (TPQ): Threshold Planning Quantity:: 5000 Hydrogen chloride	7647-01-0 product is/are subject to the 0 CFR 355 when there are e Threshold Planning lbs 7647-01-0	
SARA 302 Components	The following components are subjected established by SARA Title III, Section Hydrogen chloride	ect to reporting levels on 302: 7647-01-0	
SARA 313 Components	The following components are subject to reporting levels established by SARA Title III, Section 313: Hydrogen chloride 7647-01-0		
SARA 311/312 Hazards	Acute Health Hazard		
California Prop. 65	This product does not contain any of California to cause cancer, birth def reproductive harm.	hemicals known to State of ects, or any other	
Massachusetts RTK	Hydrogen chloride	7647-01-0	
New Jersey RTK	Hydrogen chloride	7647-01-0	
Pennsylvania RTK	Hydrogen chloride	7647-01-0	
SECTION 16. OTHER INFORMATION Health hazard Flammability Physical Hazard Instability Hazard rating and rating system use of individuals trained in the	DN HMIS III NFPA 3 3 0 0 1 1 ms (e.g. HMIS® III, NFPA): This inform a particular system.	nation is intended solely for the	
Page 12 / 13			



Hydrochloric acid, ACS reagent ,025LFL

00000020253

Version 1.0

Revision Date 09/30/2016

Print Date 12/20/2016

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group



Creation Date 24-Aug-2009

Revision Date 13-Oct-2023

Revision Number 8

Product Name	Hydrochloric Acid
Cat No. :	A144-212; A144-212LC; A144-500; A144-500LB; A144-500LC; A144-612GAL; A144C-212; A144C-212EA; A144P-19; A144P-20; A144S-212; A144S-212EA; A144S-500; A144SI-212
CAS No	7647-01-0
Synonyms	Muriatic acid
Recommended Use	Laboratory chemicals.
Uses advised against	Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

<u>Company</u> Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Fisher Scientific UK Bishop Meadow Rd Loughborough, Leicestershire, LE11 5RG Great Britain Tel: 01509 231166

Emergency Telephone Number

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Specific target organ toxicity (single exposure) Target Organs - Respiratory system. Category 1 Category 1 B Category 1 Category 3

Label Elements

Signal Word Danger

Hazard Statements May be corrosive to metals Causes severe skin burns and eye damage May cause respiratory irritation



Precautionary Statements

Prevention

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Use only outdoors or in a well-ventilated area Keep only in original container Response Immediately call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse Eves IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Spills Absorb spillage to prevent material damage Storage Store locked up Store in a well-ventilated place. Keep container tightly closed Store in corrosive resistant polypropylene container with a resistant inliner Store in a dry place Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Water	7732-18-5	62-65
Hydrochloric acid	7647-01-0	35-38

4. First-aid measures		
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.	
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.	
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a	
	pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.	
-------------------------------------	---	
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately.	
Most important symptoms and effects	Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation	
Notes to Physician	Treat symptomatically	

5. Fire-fighting measures

Suitable Extinguishing Media	Substance is nonflammable; use agent most appropriate to extinguish surrounding fire

...

Unsuitable Extinguishing Media	No information available
Flash Point	No information available
Method -	No information available
Autoignition Temperature	No information available
Explosion Limits	
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impac	t No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Corrosive material. Causes burns by all exposure routes. Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Hydrogen chloride gas.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health 3	Flammability 0	Instability 0	Physical hazards N/A
	6. Accidental re	lease measures	
Personal Precautions	Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Do not get in eves, on skin, or on clothing.		
Environmental Precautions	Should not be released into the environment. See Section 12 for additional Ecological Information.		

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance.
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Incompatible Materials. Metals. Strong oxidizing agents. Bases. sodium hypochlorite. Amines. Fluorine. Cyanides. Alkaline.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Hydrochloric acid	Ceiling: 2 ppm	Ceiling: 5 ppm Ceiling: 7 mg/m ³ (Vacated) Ceiling: 5 ppm (Vacated) Ceiling: 7 mg/m ³	IDLH: 50 ppm Ceiling: 5 ppm Ceiling: 7 mg/m ³	Ceiling: 2 ppm

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Recommended Filter type:	Particulates filter conforming to EN 143. or. Acid gases filter: Type E, Yellow.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State	Liquid
Appearance	Colorless
Odor	pungent
Odor Threshold	No information available
рН	< 1
Melting Point/Range	-35 °C / -31 °F
Boiling Point/Range	57 °C / 135 °F @ 760 mmHg
Flash Point	No information available
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	125 mbar @ 20 °C
Vapor Density	1.27
Specific Gravity	1.18
Solubility	Soluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	1.8 mPa.s @ 15°C
Molecular Formula	HCI

Molecular Weight	lar Weight 36.46					
		10. Stabi	lity and r	eactivity		
Reactive Hazard		None known, base	d on informatio	n available		
Stability		Stable under norm	al conditions.			
Conditions to Avoid	I	Incompatible produ	ucts. Excess he	at.		
ncompatible Materi	als	Metals, Strong oxic Alkaline	dizing agents, E	ases, sodium hypoc	hlorite, Amines, Flu	orine, Cyanide
lazardous Decomp	osition Produc	ts Hydrogen chloride	gas			
lazardous Polymer	ization	Hazardous polyme	rization does n	ot occur.		
lazardous Reactior	ıs	Contact with metal	s may evolve fl	ammable hydrogen g	jas.	
		11. Toxico	logical ir	formation		
Acute Toxicity						
Product Information Oral LD50 Dermal LD50 /apor LC50 Component Information Component Information	1 Ation	Based on ATE data Based on ATE data Based on ATE data	a, the classifica a, the classifica a, the classifica	tion criteria are not n tion criteria are not n tion criteria are not n	net. ATE > 2000 mg net. ATE > 2000 mg net. ATE > 20 mg/l.	g/kg. g/kg.
Component Informa	it l	LD50 Oral		LD50 Dermal	LC50	Inhalation
Water Hydrochloric a	acid	238 - 277 mg/kg(Rat) > 5010 mg/kg(Rabbit) 1.68 mg/l		- /L(Rat)1 h		
oxicologically Syn	rgistic No information available					
Products Delayed and immed	iate effects as	well as chronic effe	cts from short	and long-term expo	osure_	
rritation		Causes burns by a	II exposure rou	tes		
Sensitization		No information available				
Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinoge						
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Water	7732-18-5	Not listed	Not listed	Not listed	Not listed	Not listed
Hydrochloric acid IARC (Internationa	7647-01-0 al Agency for Res	Not listed Search on Cancer)	Not listed IARC (Ir Group 1 Group 2 Group 2	Not listed ternational Agency for - Carcinogenic to Hum A - Probably Carcinoge B - Possibly Carcinoge	Not listed Research on Cancer) ans nic to Humans nic to Humans	Not listed
Nutagenic Effects		No information ava	ilable			
Reproductive Effect	productive Effects No information available.					
Developmental Effe	ifects No information available.					
Teratogenicity		No information ava	ilable.			

STOT - single exposureRespiratory systemSTOT - repeated exposureNone known

Aspiration hazard No information available

Symptoms / effects,both acute and delayed	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation
Endocrine Disruptor Information	No information available
Other Adverse Effects	The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Hydrochloric acid		282 mg/L LC50 96 h	-	56mg/L EC50 72h Daphnia
-		Gambusia affinis		
		mg/L LC50 48 h Leucscus		
		idus		
Persistence and Degradability Persistence is unlikely based on information available.				
Bioaccumulation/ Accum	umulation/ Accumulation No information available.			
Mobility Will likely be		e mobile in the environment	due to its water solubility.	
	13. D	isposal considera	ations	
Waste Disposal Methods Chemical v hazardous national ha		aste generators must deterr vaste. Chemical waste gen ardous waste regulations to	mine whether a discarded lerators must also consult o ensure complete and ac	chemical is classified as a local, regional, and curate classification.
	14	Fransport inform	ation	

DOT	
UN-No	UN1789
Proper Shipping Name	HYDROCHLORIC ACID
Hazard Class	8
Packing Group	ll
<u>TDG</u>	
UN-No	UN1789
Proper Shipping Name	HYDROCHLORIC ACID
Hazard Class	8
Packing Group	II
IATA	
UN-No	UN1789
Proper Shipping Name	Hydrochloric acid
Hazard Class	8
Packing Group	ll
IMDG/IMO	
UN-No	UN1789
Proper Shipping Name	Hydrochloric acid
Hazard Class	8
Packing Group	<u> </u>
	15 Regulatory information
	ion regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Water	7732-18-5	Х	ACTIVE	-
Hydrochloric acid	7647-01-0	X	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Water	7732-18-5	Х	-	231-791-2	Х	Х		Х	Х	KE-35400
Hydrochloric acid	7647-01-0	Х	-	231-595-7	Х	Х	Х	Х	Х	KE-20189

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Hydrochloric acid	7647-01-0	35-38	1.0

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Hydrochloric acid	X	5000 lb	-	-

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Hydrochloric acid	X		-

OSHA - Occupational Safety and Not applicable Health Administration

	Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals
	Hydrochloric acid	-	TQ: 5000 lb
CERCLA	This mat substand Act (CEF	erial, as supplied, contains one or more su e under the Comprehensive Environmenta CLA) (40 CFR 302)	bstances regulated as a hazardous Il Response Compensation and Liability

Component	Hazardous Substances RQs	CERCLA EHS RQs
Hydrochloric acid	5000 lb	5000 lb

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water	-	-	Х	-	-
Hydrochloric acid	Х	Х	Х	Х	Х

U.S. Department of Transportation

Reportable Quantity (RQ):	Y
DOT Marine Pollutant	N
DOT Severe Marine Pollutant	N

U.S. Department of Homeland Security

This product contains the following DHS chemicals: Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

Component	DHS Chemical Facility Anti-Terrorism Standard
Hydrochloric acid	Release STQs - 15000lb (concentration >=37%)
	Release STQs - 5000lb (anhydrous)
	Theft STQs - 500lb (anhydrous)

Other International Regulations

Mexico - Grade

No information available

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Water	7732-18-5	-	-	-
Hydrochloric acid	7647-01-0	-	Use restricted. See item	-
			75.	
			(see link for restriction	
			details)	

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Hydrochloric acid	7647-01-0	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
		Notification	Requirements		
Water	7732-18-5	Not applicable	Not applicable	Not applicable	Not applicable
Hydrochloric acid	7647-01-0	25 tonne	250 tonne	Not applicable	Annex I - Y34

16. Other information

Prepared By

Regulatory Affairs

Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com

Creation Date
Revision Date
Print Date
Revision Summary

24-Aug-2009 13-Oct-2023 13-Oct-2023 SDS sections updated. 2. 3. 11.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS



SAFETY DATA SHEET

Version 6.8 Revision Date 01/25/2023 Print Date 01/06/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	[:] Hydrofluoric acid
Product Number	: 695068
Brand	: SIGALD

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	:	Laboratory	chemicals,	Synthesis of substances
-----------------	---	------------	------------	-------------------------

1.3 Details of the supplier of the safety data sheet

:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
:	+1 314 771-5765 +1 800 325-5052
	:

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 2), H300 Acute toxicity, Inhalation (Category 2), H330 Acute toxicity, Dermal (Category 1), H310 Skin corrosion (Category 1A), H314 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word

Danger

SIGALD - 695068

Page 1 of 11



Hazard statement(s) H300 + H310 + H330 H314	Fatal if swallowed, in contact with skin or if inhaled. Causes severe skin burns and eye damage.
Precautionary statement(s)	
P260	Do not breathe mist or vapors.
P262	Do not get in eyes, on skin, or on clothing.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P284	Wear respiratory protection.
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302 + P350 + P310	IF ON SKIN: Gently wash with plenty of soap and water.
	Immediately call a POISON CENTER or doctor/ physician.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable
	for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 +	IF IN EYES: Rinse cautiously with water for several minutes.
P310	Remove contact lenses, if present and easy to do. Continue
	rinsing. Immediately call a POISON CENTER/ doctor.
P362	Take off contaminated clothing and wash before reuse.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal
	plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Formula

: HF

Component		Classification	Concentration
Hydrofluoric acid			
CAS-No. EC-No. Index-No.	7664-39-3 231-634-8 009-003-00-1	Acute Tox. 2; Acute Tox. 1; Skin Corr. 1A; Eye Dam. 1; H300, H330, H310, H314, H318 Concentration limits: >= 7 %: Skin Corr. 1A, H314; 1 - < 7 %: Skin Corr. 1B, H314; 0.1 - < 1 %: Eye Irrit. 2, H319;	>= 30 - < 50 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SIGALD - 695068

Page 2 of 11



SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance. Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician. First treatment with calcium gluconate paste.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

SECTION 5: Firefighting measures

- 5.1 Extinguishing media No data available
- **5.2** Special hazards arising from the substance or mixture Hydrogen fluoride Not combustible.
- **5.3** Advice for firefighters No data available
- 5.4 Further information No data available

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** For personal protection see section 8.
- 6.2 Environmental precautions No data available

SIGALD - 695068

Page 3 of 11



- 6.3 Methods and materials for containment and cleaning up No data available
- **6.4** Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Do not store in glass

Storage class

Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Hydrofluoric acid	7664-39-3	TWA	0.5 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Danger of o	cutaneous absor	ption
		С	2 ppm	USA. ACGIH Threshold Limit Values (TLV)
		Danger of a	cutaneous absor	ption
		С	6 ppm 5 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	3 ppm 2.5 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	3 ppm	USA. Occupational Exposure Limits (OSHA) - Table Z-2
		TWA	3 ppm	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
		STEL	6 ppm	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
		PEL	0.4 ppm 0.33 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		Skin		

SIGALD - 695068

Page 4 of 11





STEL	1 ppm 0.83 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin		

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Hydrofluoric acid	7664-39-3	Fluoride	2 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	Prior to shift	(16 hours	after exposure cea	ases)
		Fluoride	3 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
		End of shift (As soon as possible after exposure ceases)			

8.2 Exposure controls

Personal protective equipment

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Chloroprene Minimum layer thickness: 0.6 mm Break through time: > 480 min Material tested:Camapren® (KCL 722 / Aldrich Z677493, Size M)

Splash contact Material: Nature latex/chloroprene Minimum layer thickness: 0.6 mm Break through time: 180 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Control of environmental exposure

Prevent product from entering drains.

SIGALD - 695068

Page 5 of 11



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	()No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Density	No data available
	Relative density	No data available
n)	Water solubility	No data available
o)	Partition coefficient: n-octanol/water	No data available
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	Not classified as explosive.
t)	Oxidizing properties	none
~	<i>. .</i>	

9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability No data available

SIGALD - 695068

Page 6 of 11



- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** Reacts dangerously with glass.
- **10.5 Incompatible materials** Strong oxidizing agents, glass
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Oral: No data available Acute toxicity estimate Oral - 10.63 mg/kg (Calculation method)

Inhalation: No data available

Acute toxicity estimate Inhalation - 4 h - 1.25 mg/l - vapor(Calculation method)

Dermal: No data available

Acute toxicity estimate Dermal - 10.63 mg/kg (Calculation method)

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitization No data available

Germ cell mutagenicity No data available

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

SIGALD - 695068

Page 7 of 11



Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia., Material can cause severe burns and blistering which may not be immediately painful or visible. The full extent of tissue damage may not exhibit itself for 12-24 hours after exposure., Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., necrosis of the skin

Stomach - Irregularities - Based on Human Evidence

Components

Hydrofluoric acid

Acute toxicity

Oral: No data available LC50 Inhalation - Rat - 1 h - 1.34 mg/l - vapor Remarks: (IUCLID) Acute toxicity estimate Inhalation - 0.6 mg/l - vapor (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Symptoms: burns of mucous membranes, Cough, Shortness of breath, Possible damages:, damage of respiratory tract, Resultant lesions may affectthe following:, bronchitis, Pneumonia, Lung edema Inhalation: Corrosive to respiratory system. Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit Result: Causes burns. - 4 h (OECD Test Guideline 404) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Remarks: Symptoms may be delayed. Possible damages: Necrosis Tendency of poor wound-healing after penetration of the substance.

Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes burns. (OECD Test Guideline 405) Remarks: (IUCLID) Remarks: Causes serious eye damage.

Respiratory or skin sensitization

No data available

SIGALD - 695068

Page 8 of 11



Germ cell mutagenicity

Test Type: Ames test Test system: S. typhimurium Result: negative Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Result: Positive results were obtained in some in vitro tests. Species: Rat Remarks: Cytogenetic analysis

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Acute inhalation toxicity - burns of mucous membranes, Cough, Shortness of breath, Possible damages:, damage of respiratory tract, Resultant lesions may affect following:, bronchitis, Pneumonia, Lung edema

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

SECTION 12: Ecological information

12.1 Toxicity

Mixture

No data available

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

- **12.6 Endocrine disrupting properties** No data available
- **12.7 Other adverse effects** No data available

Components

Hydrofluoric acid

Toxicity to daphniastatic test NOEC - Daphnia magna (Water flea) - 3.7 mg/l - 21and other aquaticdinvertebrates(ChronicRemarks: (ECHA)

SIGALD - 695068

Page 9 of 11



SECTION 13: Disposal considerations

13.1 Waste treatment methods No data available

SECTION 14: Transport information

DOT (US) UN number: 1790 Class: 8 (6.1) Proper shipping name: Hydrofluoric acid Reportable Quantity (RQ): 208 lbs Poison Inhalation Hazard: No	Packing group: II	
IMDG UN number: 1790 Class: 8 (6.1) Proper shipping name: HYDROFLUORIC A	Packing group: II E	EMS-No: F-A, S-B
IATA UN number: 1790 Class: 8 (6.1) Proper shipping name: Hydrofluoric acid	Packing group: II	
SECTION 15: Regulatory information		
SARA 302 Components Hydrofluoric acid	CAS-No. 7664-39-3	Revision Date 2007-07-01
SARA 313 Components The following components are subject to Section 313:	reporting levels established	by SARA Title III,
Hydrofluoric acid	CAS-No. 7664-39-3	Revision Date 2007-07-01
SARA 311/312 Hazards Acute Health Hazard, Chronic Health Haz	ard	
Massachusetts Right To Know Compo	onents CAS-No.	Revision Date
water	7732-18-5	
Hydrofluoric acid	/004-39-3	2007-07-01
Pennsylvania Right To Know Compon Hydrofluoric acid	rents CAS-No. 7664-39-3	Revision Date 2007-07-01

SIGALD - 695068

Page 10 of 11



SECTION 16: Other information

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.8

Revision Date: 01/25/2023

Print Date: 01/06/2024

SIGALD - 695068

Page 11 of 11



SAFETY DATA SHEET

Hydrogen



Section 1. Identification

GHS product identifier	: Hydrogen
Chemical name	: hydrogen
Other means of identification	: Hydrogen, compressed;
Product type	: Gas.
Product use	: Synthetic/Analytical chemistry.
Synonym SDS #	Hydrogen, compressed;001026
Supplier's details	: Airgas USA, LLC and its affiliates 259 North Radnor-Chester Road Suite 100 Radnor, PA 19087-5283 1-610-687-5253
24-hour telephone	Inside the US: 1-833-723-3267 (Chemtrec, 24 hours) Outside the US: 1-703-527-3887 (Chemtrec, 24 hours) : 1-866-734-3438

Section 2. Hazards identification

OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the	: FLAMMABLE GASES - Category 1
substance or mixture	GASES UNDER PRESSURE - Compressed gas
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: Extremely flammable gas.
	Contains gas under pressure; may explode if heated.
	May displace oxygen and cause rapid suffocation.
	May form explosive mixtures with air.
Precautionary statements	
General	: Read and follow all Safety Data Sheets (SDS'S) before use. Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand. Close valve after each use and when empty. Use equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use a back flow preventative device in the piping. Use only equipment of compatible materials of construction. Approach suspected leak area with caution.
Prevention	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Response	: Leaking gas fire: Do not extinguish, unless leak can be stopped safely. In case of leakage, eliminate all ignition sources.
Storage	: Protect from sunlight. Store in a well-ventilated place.
Disposal	: Not applicable.
Hazards not otherwise classified	: In addition to any other important health or physical hazards, this product may displace oxygen and cause rapid suffocation.

Date of issue/Date of revision

Date of previous issue

Section 3. Composition/information on ingredients

Substance/mixture	:	Substance
Chemical name	÷	hydrogen
Other means of identification	:	Hydrogen, compressed;
Product code	:	001026

CAS number/other identifiers

CAS number : 1333-74-0

Ingredient name	%	CAS number
Hydrogen	100	1333-74-0

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. To avoid the risk of static discharges and gas ignition, soak contaminated clothing thoroughly with water before removing it. Get medical attention if symptoms occur.
Ingestion	: As this product is a gas, refer to the inhalation section.

Potential acute health effec	<u>ts</u>	
Eye contact	:	Contact with rapidly expanding gas may cause burns or frostbite.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	Contact with rapidly expanding gas may cause burns or frostbite.
Frostbite	:	Try to warm up the frozen tissues and seek medical attention.
Ingestion	1	As this product is a gas, refer to the inhalation section.
Over-exposure signs/symp	ton	<u>15</u>
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	1	No specific data.
Ingestion	:	No specific data.
Indication of immediate med	ica	l attention and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	1	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: Contains gas under pressure. Extremely flammable gas. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.
Hazardous thermal decomposition products	: No specific data.
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Contact supplier immediately for specialist advice. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. If involved in fire, shut off flow immediately if it can be done without risk. If this is impossible, withdraw from area and allow fire to burn. Fight fire from protected location or maximum possible distance. Eliminate all ignition sources if safe to do so.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protec	tiv	e equipment and emergency procedures
For non-emergency personnel	:	Accidental releases pose a serious fire or explosion hazard. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Shut off all ignition sources. No flares, smoking or flames in hazard area. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Ensure emergency procedures to deal with accidental gas releases are in place to avoid contamination of the environment. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	nta	ainment and cleaning up
Small spill	:	Immediately contact emergency personnel. Stop leak if without risk. Use spark-proof tools and explosion-proof equipment.
Large spill	:	Immediately contact emergency personnel. Stop leak if without risk. Use spark-proof tools and explosion-proof equipment. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	: Put on ap pressure. respirator spaces ur equipmen Protect cy hand trucl Use only containers sparks, op (ventilatin	Avoid breathing gas. Use when ventilation is inadequaless adequately ventilated. t rated for cylinder pressure linders from physical dama for cylinder movement. non-sparking tools. Avoid s retain product residue and ben flame or any other igniti g, lighting and material hand	e equipment (see Sect only with adequate ver ate. Do not enter stora Do not puncture or in- c. Close valve after ea ge; do not drag, roll, sl contact with eyes, skir can be hazardous. S on source. Use explo- dling) equipment.	tion 8). Con ntilation. We age areas an cinerate con ch use and v ide, or drop. n and clothin tore and use sion-proof el	tains gas u ear appropr nd confined itainer. Us when empt Use a sui g. Empty e away fron lectrical	ınder riate d e ty. itable n heat,
Date of issue/Date of revision	: 3/2/2023	Date of previous issue	: 10/31/2022	Version	: 6.01	3/11

Section 7. Handling and storage

Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in a segregated and approved area. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Eliminate all ignition sources. Cylinders should be stored upright, with valve protection cap in place, and firmly secured to prevent falling or being knocked over. Cylinder temperatures should not exceed 52 °C (125 °F). Keep container tightly closed and sealed until ready for use. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
hydrogen	California PEL for Chemical Contaminants (<i>Table AC-1</i>) (United States). Oxygen Depletion [Asphyxiant].
	ACGIH TLV (United States, 1/2021). Oxygen Depletion [Asphyxiant]. Explosive potential.

Biological exposure indices

No exposure indices known.

Appropriate engineering controls	: Use only other en recomm vapor or ventilatio	/ with adequate ventilation. gineering controls to keep w ended or statutory limits. Th dust concentrations below a on equipment.	Use process enclosu orker exposure to air ne engineering contro any lower explosive li	res, local exha borne contam ols also need t mits. Use exp	aust ventilation o inants below any o keep gas, llosion-proof
Environmental exposure controls	: Emission they con cases, fu will be no	ns from ventilation or work p nply with the requirements o ume scrubbers, filters or eng ecessary to reduce emissior	rocess equipment sh f environmental prote jineering modificatior ns to acceptable level	ould be check ection legislations to the proce ls.	ed to ensure on. In some oss equipment
Individual protection meas	<u>ures</u>				
Hygiene measures	: Wash ha eating, s Appropri Wash co showers	ands, forearms and face tho moking and using the lavato iate techniques should be us ontaminated clothing before are close to the workstatior	roughly after handling ory and at the end of sed to remove potent reusing. Ensure that n location.	g chemical pro the working pe ially contamina eyewash stat	oducts, before eriod. ated clothing. ions and safety
Eye/face protection	: Safety e assessm gases of the asse shields.	yewear complying with an a nent indicates this is necess r dusts. If contact is possible essment indicates a higher d	pproved standard sho ary to avoid exposure e, the following protec egree of protection:	buld be used v to liquid splas ction should be safety glasses	vhen a risk shes, mists, e worn, unless s with side-
Skin protection					
Hand protection	: Chemica worn at a necessa during u noted th glove ma protectio	al-resistant, impervious glove all times when handling cher ry. Considering the parame se that the gloves are still re at the time to breakthrough anufacturers. In the case of on time of the gloves cannot	es complying with an mical products if a ris iters specified by the taining their protectiv for any glove materia mixtures, consisting be accurately estima	approved star k assessment glove manufac e properties. I may be differ of several sub ted.	ndard should be indicates this is cturer, check It should be rent for different ostances, the
Date of issue/Date of revision	: 3/2/2023	Date of previous issue	: 10/31/2022	Version	:6.01 4/1

Date of issue/Date of revision : 10/31/2022 : 3/2/2023 Date of previous issue

Section 8. Exposure controls/personal protection

Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear antistatic protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

<u>Appearance</u>		
Physical state	:	Gas. [Compressed gas.]
Color	1	Colorless.
Odor	1	Odorless.
Odor threshold	1	Not available.
рН	1	Not applicable.
Melting point	1	-259.15°C (-434.5°F)
Boiling point	1	-253°C (-423.4°F)
Critical temperature	1	-240.15°C (-400.3°F)
Flash point	1	Not applicable.
Evaporation rate	4	Not available.
Flammability (solid, gas)	:	Extremely flammable in the presence of the following materials or conditions: oxidizing materials.
Lower and upper explosive (flammable) limits	1	Lower: 4% Upper: 76%
Vapor pressure	1	Not available.
Vapor density	4	0.07967 (Air = 1)
Specific Volume (ft ³ /lb)	1	12.0482
Gas Density (Ib/ft ³)	1	0.00523
Relative density	1	Not applicable.
Solubility in water	1	Not available.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	1	500 to 571°C (932 to 1059.8°F)
Decomposition temperature	:	Not available.
Flow time (ISO 2431)	:	Not available.
Molecular weight	:	2.02 g/mole
<u>Aerosol product</u>		
Heat of combustion	5	-116486080 J/ka

Section 10. Stability and reactivity

Date of issue/Date of revision	: 3/2/2023	Date of previous issue	: 10/31/2022	Version : 6.01	5/11
Possibility of hazardous reactions	: Under no	ormal conditions of storage a	and use, hazardous r	reactions will not occur.	
Chemical stability	: The prod	uct is stable.			
Reactivity	: No speci	fic test data related to react	vity available for this	product or its ingredients	3.

Section 10. Stability and reactivity

Conditions to avoid	:	Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
Incompatible materials	:	Oxidizers
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Hazardous polymerization : Under normal conditions of storage and use, hazardous polymerization will not occur.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Not available.

Irritation/Corrosion

Not available.

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely	: Not available
routes of exposure	

Potential acute health effects

Eye contact	4	Contact with rapidly expanding gas may cause burns or frostbite.
Inhalation	1	No known significant effects or critical hazards.
Skin contact	1	Contact with rapidly expanding gas may cause burns or frostbite.
Ingestion	:	As this product is a gas, refer to the inhalation section.

Symptoms related to	the physical, chemical and toxicological characteristics	
Eye contact	: No specific data.	
Inhalation	: No specific data.	

Section 11. Toxicological information

	-
Skin contact	: No specific data.
Ingestion	: No specific data.
Delayed and immediate effec	<u>ts and also chronic effects from short and long term exposure</u>
<u>Short term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effe	ects
Not available.	
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
-	J. A Contract of the second se

Numerical measures of toxicity

Acute toxicity estimates Not available.

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Empty pressure vessels should be returned to the supplier. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

Section 14. Transport information

	DOT	TDG	Mexico	IMDG	ΙΑΤΑ
UN number	UN1049	UN1049	UN1049	UN1049	UN1049
UN proper shipping name	HYDROGEN, COMPRESSED	HYDROGEN, COMPRESSED	Hydrogen, compressed	HYDROGEN, COMPRESSED	HYDROGEN, COMPRESSED
Transport hazard class(es)	2.1	2.1	2.1	2.1	2.1
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.

"Refer to CFR 49 (or authority having jurisdiction) to determine the information required for shipment of the product."

Additional information		
DOT Classification	:	<u>Limited quantity</u> Yes. <u>Quantity limitation</u> Passenger aircraft/rail: Forbidden. Cargo aircraft: 150 kg.
TDG Classification	:	Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.13-2.17 (Class 2). Explosive Limit and Limited Quantity Index 0.125 ERAP Index 3000 Passenger Carrying Vessel Index Forbidden Passenger Carrying Road or Rail Index Forbidden
ΙΑΤΑ	:	Quantity limitation Passenger and Cargo Aircraft: Forbidden. Cargo Aircraft Only: 150 kg.
Special precautions for user	:	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
Transport in bulk according to IMO instruments	:	Not available.

Section 15. Regulatory information

	-				
U.S. Federal regulations	: TSCA 8 Clean A	(a) CDR Exempt/Partial exe	mption: This mate	rial is listed or exempted.	
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Not liste	d			
Clean Air Act Section 602 Class I Substances	: Not liste	d			
Clean Air Act Section 602 Class II Substances	: Not liste	d			
DEA List I Chemicals (Precursor Chemicals)	: Not liste	d			
DEA List II Chemicals (Essential Chemicals)	: Not liste	d			
<u>SARA 302/304</u>					
Composition/information	on ingredie	<u>nts</u>			
No products were found.					
SADA 304 DO	• Not ann	licable			
SARA 304 RQ SARA 311/312	. Not app				
Classification	: Refer to	Section 2: Hazards Identifica	tion of this SDS for	classification of substance).
State regulations					
Massachusetts	: This ma	terial is listed.			
New York	: This ma	terial is not listed.			
New Jersey	: This ma	terial is listed.			
Pennsylvania	: This ma	terial is listed.			
<u>California Prop. 65</u>					
This product does not r	equire a Saf	e Harbor warning under Califo	ornia Prop. 65.		
International regulations		-			
Chemical Weapon Conven	tion List Sc	hedules I. II & III Chemicals			
Not listed.					
Montreal Protocol					
Not listed.					
Stockholm Convention on	Porsistant (Organic Pollutants			
Not listed.		organie i onatanto			
Rotterdam Convention on	Prior Inform	ned Consent (PIC)			
Not listed.					
LINECE Aarbus Protocol o	n POPs and	Heavy Motals			
Not listed		<u>Tieavy Wetais</u>			
Not listed.					
Inventory list					
Australia	: This ma	aterial is listed or exempted.			
Canada	: This ma	aterial is listed or exempted.			
China	: This ma	aterial is listed or exempted.			
Eurasian Economic Union	: Russia	n Federation inventory: Not	determined.		
Japan	: Japan Japan	Inventory (CSCL): Not deterministication (ISHL): Not determ	mined. nined.		
New Zealand	: This ma	aterial is listed or exempted.			
Philippines	: This ma	aterial is listed or exempted.			
Date of issue/Date of revision	: 3/2/2023	Date of previous issue	: 10/31/2022	Version : 6.01	9/11
		· · · · · · · · · · · · · · · · · · ·			

Section 15. Regulatory information

Republic of Korea	:	This material is listed or exempted.
Taiwan	:	This material is listed or exempted.
Thailand	:	This material is listed or exempted.
Turkey	:	Not determined.
United States	:	This material is active or exempted.
Viet Nam	:	This material is listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

	Justification	
FLAMMABLE GASES - Cat GASES UNDER PRESSUR	Expert judgment According to package	
<u>History</u>		
Date of printing	: 3/2/2023	
Date of issue/Date of revision	: 3/2/2023	
Date of previous issue	: 10/31/2022	
Version	: 6.01	
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classif IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goo LogPow = logarithm of the octanol/water partiti	fication and Labelling of Chemicals ods ion coefficient

Section 16. Other information

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations

References

: Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



SAFETY DATA SHEET

Version 6.8 Revision Date 12/13/2023 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

	Product name	:	Hydrogen chloride solution
	Product Number Brand CAS-No.	:	294837 SIGALD 7647-01-0
1.2	Relevant identified us	es	of the substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	:	+1 314 771-5765 +1 800 325-5052
	•	1 2 000 020 0002

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Corrosive to Metals (Category 1), H290 Acute toxicity, Oral (Category 4), H302 Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



SIGALD - 294837

Page 1 of 15



Signal Word	Danger
Hazard Statements H225 H290 H302 H336	Highly flammable liquid and vapor. May be corrosive to metals. Harmful if swallowed. May cause drowsiness or dizziness.
Precautionary Statements	
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233	Keep container tightly closed.
P234	Keep only in original container.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing mist or vapors.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P2/1	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ eye protection/ face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel
	UNWEIL KINSE MOULI. IE ON SKIN (ar bair), Taka off immediately all centaminated
P303 + P301 + P353	clothing. Rinse skin with water/ shower.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable
	for breatning. Call a POISON CENTER/ doctor if you feel unwell.
P370 + P378	In case of fire: Use dry sand, dry chemical of alconol-resistant
P200	Iodin to extinguish.
	Absolution spinage to prevent material damage.
$P_{403} + P_{235}$	Store in a well-ventilated place. Keep container tightly closed.
P405 + P255	Store locked up
P406	Store in corrosive resistant container with a resistant inner
1 100	liner
P501	Dispose of contents/ container to an approved waste disposal
	plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS May form explosive peroxides. Repeated exposure may cause skin dryness or cracking.

SECTION 3: Composition/information on ingredients

3.2	Mixtures			
	Formula Molecular weight	: HCl : 36.46	i g/mol	
	Component		Classification	Concentration

SIGALD - 294837

Page 2 of 15



Diethyl ether			
CAS-No. EC-No. Index-No. Registration number	60-29-7 200-467-2 603-022-00-4 01-2119535785-29- XXXX	Flam. Liq. 1; Acute Tox. 4; STOT SE 3; H224, H302, H336 Concentration limits: >= 20 %: STOT SE 3, H336;	>= 90 - <= 100 %
Hydrochloric Acid			
CAS-No. EC-No. Index-No. Registration number	7647-01-0 231-595-7 017-002-00-2 01-2119484862-27- XXXX	Met. Corr. 1; Skin Corr. 1B; Eye Dam. 1; STOT SE 3; H290, H314, H318, H335 Concentration limits: >= 0.1 %: Met. Corr. 1, H290; >= 25 %: Skin Corr. 1B, H314; 10 - < 25 %: Skin Irrit. 2, H315; 10 - < 25 %: Eye Irrit. 2, H319; >= 10 %: STOT SE 3, H335;	>= 1 - < 5 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SIGALD - 294837

Page 3 of 15



SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Hydrogen chloride gas Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

SIGALD - 294837

Page 4 of 15



Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

No metal containers.

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Storage stabilityRecommended storage temperature

2 - 8 °C

Air sensitive. Light sensitive. Test for peroxide formation periodically and before distillation.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

SIGALD - 294837

Page 5 of 15



Component	CAS-No.	Value	Control parameters	Basis
Diethyl ether	60-29-7	TWA	400 ppm	USA. ACGIH Threshold Limit Values (TLV)
		STEL	500 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	400 ppm 1,200 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		STEL	500 ppm 1,500 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		PEL	400 ppm 1,200 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Hydrochloric Acid	7647-01-0	С	2 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Not classifi	able as a human	i carcinogen
		С	5 ppm 7 mg/m3	USA. NIOSH Recommended Exposure Limits
		С	5 ppm 7 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		PEL	0.3 ppm 0.45 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		С	2 ppm	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Splash contact

Material: Fluorinated rubber

SIGALD - 294837

Page 6 of 15



Minimum layer thickness: 0.7 mm Break through time: 30 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	-40 °C (-40 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
SIGALD - 2	94837	

Page 7 of 15


k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Density	0.731 g/mL at 25 °C (77 °F)
	Relative density	No data available
n)	Water solubility	No data available
o)	Partition coefficient: n-octanol/water	No data available
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	Not classified as explosive.
t)	Oxidizing properties	none

9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Formation of peroxides possible. Vapors may form explosive mixture with air.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) . Contains the following stabilizer(s): butyl hydroxytoluene (BHT) (1 ppm)

10.3 Possibility of hazardous reactions No data available

10.4 Conditions to avoid

Air Heat. Light. Warming. Moisture.

10.5 Incompatible materials

Strong oxidizing agents, Bases, Amines, Alkali metals, Copper, Copper alloysMetals

10.6 Hazardous decomposition products Peroxides

In the event of fire: see section 5

SIGALD - 294837

Page 8 of 15



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Acute toxicity estimate Oral - 1,261 mg/kg (Calculation method) Acute toxicity estimate Oral - 1,257 mg/kg (Calculation method) Acute toxicity estimate Inhalation - 4 h - 34.47 mg/l - vapor(Calculation method)

Dermal: No data available

Skin corrosion/irritation

Remarks: Repeated exposure with the mixture may cause skin dryness or cracking.

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization No data available

NO GALA AVAIIADIE

Germ cell mutagenicity

No data available

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure Mixture may cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SIGALD - 294837

Page 9 of 15



Liver - Ingestion may provoke the following symptoms:, Irregularities - Based on Human Evidence

Components

Diethyl ether

Acute toxicity

LD50 Oral - Rat - 1,211 mg/kg Remarks: (RTECS) Symptoms: Risk of aspiration upon vomiting., Aspiration may cause pulmonary edema and pneumonitis. LC50 Inhalation - Mouse - 4 h - 97.5 mg/l - vapor Remarks: (RTECS) Symptoms: mucosal irritations LD50 Dermal - Rabbit - male - > 20,000 mg/kg (OECD Test Guideline 402) Remarks: (ECHA) No data available

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404) Remarks: Dermatitis

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse Result: negative (OECD Test Guideline 429)

Germ cell mutagenicity

Test Type: Micronucleus test Test system: Human lymphocytes Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Mouse lymphoma test Result: negative Method: OECD Test Guideline 474 Species: Mouse - male and female Result: negative

Carcinogenicity

No data available

Reproductive toxicity No data available

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness. - Central nervous system

SIGALD - 294837

Page 10 of 15



Acute oral toxicity - Risk of aspiration upon vomiting., Aspiration may cause pulmonary edema and pneumonitis. Acute inhalation toxicity - mucosal irritations

Specific target organ toxicity - repeated exposure

Aspiration hazard

No data available

Hydrochloric Acid

Acute toxicity

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach. Inhalation: Cough Difficulty in breathing Inhalation: Corrosive to respiratory system. Symptoms: mucosal irritations, Cough, Shortness of breath, Inhalation may lead to the formation of oedemas in the respiratory tract., Possible damages:, damage of respiratory tract, tissue damage Dermal: No data available

Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE) Result: Corrosive (OECD Test Guideline 431)

Serious eye damage/eye irritation

Eyes - Bovine cornea Result: Causes serious eye damage. - 10 min (OECD Test Guideline 437)

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Result: Positive results were obtained in some in vitro tests. Remarks: (ECHA) Test Type: mitotic recombination assay Test system: Saccharomyces cerevisiae Result: negative Remarks: (ECHA) Test Type: Ames test Test system: mouse lymphoma cells Result: positive Remarks: (ECHA)

Carcinogenicity No data available

Reproductive toxicity

No data available

SIGALD - 294837

Page 11 of 15



Specific target organ toxicity - single exposure

May cause respiratory irritation. - Respiratory system Acute oral toxicity - If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Acute inhalation toxicity - mucosal irritations, Cough, Shortness of breath, Inhalation may lead to the formation of oedemas in the respiratory tract., Possible damages:, damage of respiratory tract, tissue damage

Specific target organ toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

SECTION 12: Ecological information

12.1 Toxicity

Mixture

No data available

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

- **12.6 Endocrine disrupting properties** No data available
- **12.7 Other adverse effects** No data available

Components

SIGALD -

Diethyl ether

Toxicity to fish	LC50 - Leuciscus idus (Golden orfe) - 2,840 mg/l - 48 h Remarks: (ECOTOX Database)
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 1,380 mg/l - 48 h Remarks: (IUCLID)
Toxicity to algae	static test ErC50 - Desmodesmus subspicatus (green algae) - > 100 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	static test EC50 - activated sludge - 21,000 mg/l - 3 h
294837	Page 12 of 15

The life science business of Merck KGaA, Darmstadt, Germany



		(OECD Test Guideline 209)
		static test NOEC - activated sludge - 42 mg/l - 3 h (OECD Test Guideline 209)
Toxicity to da and other aqu invertebrates toxicity)	phnia Jatic (Chronic	semi-static test NOEC - Daphnia magna (Water flea) - > 100 mg/l - 21 d (OECD Test Guideline 211)
Hydrochloric Acia Toxicity to fis	j h	LC50 - Gambusia affinis (Mosquito fish) - 282 mg/l - 96 h Remarks: (IUCLID)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

DOT (US)

UN number: 2924 Class: 3 (8) Packing group: II Proper shipping name: Flammable liquids, corrosive, n.o.s. (Diethyl ether, Hydrochloric Acid) Reportable Quantity (RQ): 103 lbs Reportable Quantity (RQ): 100 lbs Poison Inhalation Hazard: No

IMDG

UN number: 2924 Class: 3 (8) Packing group: II EMS-No: F-E, S-C Proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Diethyl ether, Hydrochloric Acid)

ΙΑΤΑ

UN number: 2924 Class: 3 (8) Packing group: II Proper shipping name: Flammable liquid, corrosive, n.o.s. (Diethyl ether, Hydrochloric Acid)

SIGALD - 294837

Page 13 of 15



SECTION 15: Regulatory information

a section 302 EHS	TPQ.			
els established by	SARA Title III,			
CAS-No. 7647-01-0	Revision Date 2013-02-08			
SARA 311/312 Hazards Fire Hazard, Acute Health Hazard, Chronic Health Hazard				
Reportable Quantity F003 lbs				
Massachusetts Right To Know Components				
CAS-No. 60-29-7	Revision Date 1993-02-16			
7647-01-0	2013-02-08			
Pennsylvania Right To Know Components				
CAS-No. 60-29-7	Revision Date 1993-02-16			
7647-01-0	2013-02-08			
	a section 302 EHS vels established by CAS-No. 7647-01-0 ard CAS-No. 60-29-7 7647-01-0 CAS-No. 60-29-7 7647-01-0			

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 6.8 Revision Date: 12/13/2023 Print Date: 12/30/2023

SIGALD - 294837

Page 14 of 15



SIGALD - 294837

Page 15 of 15





SAFC[®]

Version 8.5 Revision Date 12/01/2023 Print Date 12/30/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

	Product name	:	Hydrogen peroxide 35%
	Product Number	:	1.08600
	Catalogue No.	:	108600
	Brand	:	Millipore
_			

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Pharmaceutical production and analysis

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	:	+1 314 771-5765 +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Skin irritation (Category 2), H315 Serious eye damage (Category 1), H318 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 Short-term (acute) aquatic hazard (Category 2), H401 Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Millipore - 1.08600

Page 1 of 13



Signal Word	Danger
Hazard Statements H302 H315 H318 H335 H401 H412	Harmful if swallowed. Causes skin irritation. Causes serious eye damage. May cause respiratory irritation. Toxic to aquatic life. Harmful to aquatic life with long lasting effects.
Precautionary Statements P261 P264 P270 P271 P273 P280 P301 + P312 + P330	Avoid breathing mist or vapors. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/ eye protection/ face protection. IE SWALLOWED: Call a POISON CENTER/ doctor if you feel
P302 + P352	unwell. Rinse mouth. IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P332 + P313 P362 P403 + P233 P405 P501	If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Component		Classification	Concentration
Hydrogen Peroxide			
CAS-No. EC-No. Index-No. Registration number	7722-84-1 231-765-0 008-003-00-9 01-2119485845-22- xxxx	Ox. Liq. 1; Acute Tox. 4; Skin Corr. 1A; Eye Dam. 1; STOT SE 3; Aquatic Acute 2; Aquatic Chronic 3; H271, H302, H332, H314, H318, H335, H401, H412 Concentration limits: >= 70 %: Ox. Liq. 1, H271; 50 - < 70 %: Ox. Liq. 2, H272; >= 70 %;	>= 35 - < 40 %

Millipore - 1.08600

Page 2 of 13



Skin Corr. 1A, H314; 50 -
< 70 %: Skin Corr. 1B,
H314; 35 - < 50 %: Skin
Irrit. 2, H315; 8 - < 50 %:
Eye Dam. 1, H318; 5 - < 8
%: Eye Irrit. 2, H319; >=
35 %: STOT SE 3, H335;
> 40 - < 50 %: Ox. Liq. 3,
H272;

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

If inhaled

After inhalation: fresh air. Consult doctor if feeling unwell.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture Nature of decomposition products not known. Not combustible. Has a fire-promoting effect due to release of oxygen.

Millipore - 1.08600

Page 3 of 13



5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.Advice for emergency responders:Protective equipment see section 8.

For personal protection see section 8.

6.2 Environmental precautions Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.Observe possible material restrictions (see sections 7 and 10).Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Close containers in such a way to enable internal pressure to escape (e.g. excess pressure valve). No metal containers.

Tightly closed. Protected from light. Away from combustible materials and sources of ignition and heat.

Recommended storage temperature see product label.

Storage class

Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

Millipore - 1.08600

Page 4 of 13



7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Hydrogen Peroxide	7722-84-1	TWA	1 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Confirmed humans	animal carcinoge	en with unknown relevance to
		TWA	1 ppm 1.4 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	1 ppm 1.4 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		PEL	1 ppm 1.4 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Latex gloves Minimum layer thickness: 0.6 mm Break through time: > 480 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please

Millipore - 1.08600

Page 5 of 13



contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: > 480 min Material tested:KCL 741 Dermatril® L

Respiratory protection

required when vapours/aerosols are generated.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Color: colorless
b)	Odor	slight
c)	Odor Threshold	No data available
d)	рН	ca.2 - 4 at 20 °C (68 °F)
e)	Melting point/freezing point	Melting point: ca24 °C (ca11 °F)
f)	Initial boiling point and boiling range	ca.110 °C ca.230 °F at 1,013 hPa
g)	Flash point	()Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	ca.20 hPa at 20 °C (68 °F)
I)	Vapor density	No data available
m)	Density	1.13 g/cm3 at 20 °C (68 °F)
	Relative density	No data available
n)	Water solubility	soluble
o)	Partition coefficient: n-octanol/water	No data available
p)	Autoignition temperature	No data available
q)	Decomposition	> 100 °C (> 212 °F) -
Millipore -	1.08600	

Page 6 of 13



temperature

- r) Viscosity No data available
- s) Explosive properties Not classified as explosive.
- t) Oxidizing properties Oxidizing potential

9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

heat-sensitive Sensitivity to light Contains the following stabilizer(s): Disodium pyrophosphate (0.015 %) phosphoric acid (0.01 %) Ammonium nitrate (0.006 %)

10.3 Possibility of hazardous reactions

Risk of explosion with: Risk of ignition or formation of inflammable gases or vapours with: hydrazine and derivatives hydrides combustible substances Ether anhydrides Oxidizing agents **Organic Substances** peroxi compounds permanganates organic solvent organic nitro compounds Brass Alkali metals alkali salts Alkaline earth metals Metals metallic oxides Metallic salts nonmetals nonmetallic oxides Aldehydes Alcohols Amines Ammonia Acids strong alkalis

Millipore - 1.08600

Page 7 of 13



Acetaldehyde Acetone Activated charcoal anilines Lead Powdered metals acetic acid Acetic anhydride Potassium iodides potassium permanganate Methanol sodium oils phosphorus Oxides of phosphorus conc. sulfuric acid Heavy metals silver in powder form alkali hydroxides with Heavy metals vinyl acetate with Catalyst Exothermic reaction with: alkali hydroxides Metals Nitric acid zinc oxide Metallic salts phenol with metal catalysts

10.4 Conditions to avoid

Heating.

10.5 Incompatible materials

Lead, bronze, Iron, Copper, Brass, silver, Metals, metal alloys

10.6 Hazardous decomposition products

In the event of fire: see section 5

Millipore - 1.08600

Page 8 of 13



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

LD50 Oral - Rat - 1,193 - 1,270 mg/kg Acute toxicity estimate Inhalation - 4 h - 31.71 mg/l - vapor(Calculation method)

LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg (US-EPA) No data available

Skin corrosion/irritation

Remarks: After long-term exposure to the chemical: Causes skin burns.

Serious eye damage/eye irritation

Remarks: conjunctivitis

Respiratory or skin sensitization

Sensitisation test: - Guinea pig Result: negative Remarks: (External MSDS)

Germ cell mutagenicity

No data available

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Mixture may cause respiratory irritation. - Respiratory system

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

Dizziness, Unconsciousness, Diarrhea, Nausea, Vomiting, Headache, Convulsions, muscle twitching, insomnia, shock, Irritation and corrosion, conjunctivitis Risk of serious damage to eyes. Systemic effects:

Millipore - 1.08600

Page 9 of 13



Headache Dizziness Nausea Vomiting Diarrhea insomnia muscle twitching Convulsions Unconsciousness shock

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Components

Hydrogen Peroxide

Acute toxicity

LD50 Oral - Rat - female - 693.7 mg/kg (OECD Test Guideline 401) Acute toxicity estimate Inhalation - 4 h - 11.1 mg/l - vapor (Expert judgment) LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg (US-EPA) No data available

Skin corrosion/irritation Remarks: Causes severe burns. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Serious eye damage/eye irritation Remarks: Causes serious eye damage.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity Method: OECD Test Guideline 474 Species: Mouse - male and female - Bone marrow

Result: negative **Carcinogenicity**

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure Inhalation - May cause respiratory irritation. - Respiratory Tract

Specific target organ toxicity - repeated exposure

Aspiration hazard

No data available

Millipore - 1.08600

Page 10 of 13



SECTION 12: Ecological information

12.1 Toxicity

Mixture

No data available

Toxicity to algae

IC50 - Chlorella vulgaris (Fresh water algae) - 2.5 mg/l - 72 h (OECD Test Guideline 201)

12.2 Persistence and degradability

Biodegradability Remarks: No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties No data available

12.7 Other adverse effects

No interference with wastewater treatment plants are to be expected when used properly. Discharge into the environment must be avoided. No data available

Components

Hydrogen Peroxide

 Toxicity to fish	semi-static test LC50 - Pimephales promelas (fathead minnow) - 16.4 mg/l - 96 h (US-EPA)
Toxicity to daphnia and other aquatic invertebrates	semi-static test LC50 - Daphnia pulex (Water flea) - 2.4 mg/l - 48 h (US-EPA)
Toxicity to algae	static test ErC50 - Skeletonema costatum (marine diatom) - 1.38 mg/l - 72 h Remarks: (ECHA)
	static test NOEC - Skeletonema costatum (marine diatom) - 0.63 mg/l - 72 h Remarks: (ECHA)
Toxicity to bacteria	static test EC50 - activated sludge - 466 mg/l - 30 min (OECD Test Guideline 209)

Millipore - 1.08600

Page 11 of 13



static test EC50 - activated sludge - > 1,000 mg/l - 3 h
(OECD Test Guideline 209)Toxicity to daphnia
and other aquatic
invertebrates(Chronic
toxicity)flow-through test NOEC - Daphnia magna (Water flea) - 0.63
mg/l - 21 d
Remarks: (ECHA)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

DOT (US)

UN number: 2014 Class: 5.1 (8) Packing group: II Proper shipping name: Hydrogen peroxide, aqueous solutions Reportable Quantity (RQ): Poison Inhalation Hazard: No

IMDG

UN number: 2014 Class: 5.1 (8) Packing group: II EMS-No: F-H, S-Q Proper shipping name: HYDROGEN PEROXIDE, AQUEOUS SOLUTION

ΙΑΤΑ

UN number: 2014 Class: 5.1 (8) Packing group: II Proper shipping name: Hydrogen peroxide, aqueous solution

SECTION 15: Regulatory information

SARA 302 Components

Hydrogen Peroxide

CAS-No. 7722-84-1 Revision Date 2014-05-05

SARA 313 Components

Millipore - 1.08600

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



Page 12 of 13

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Massachusetts Right To Know Components		
water	CAS-No. 7732-18-5	Revision Date
Hydrogen Peroxide	7722-84-1	2014-05-05
Pennsylvania Right To Know Components Hydrogen Peroxide	CAS-No. 7722-84-1	Revision Date 2014-05-05
phosphoric acid	7664-38-2	1993-02-16

SECTION 16: Other information The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact misbranding@sial.com. Print Date: 12/30/2023 Version: 8.5 Revision Date: 12/01/2023

Millipore - 1.08600

Page 13 of 13





Creation Date 26-Sep-2009

Revision Date 24-Dec-2021

Revision Number 5

Product Name	Hydroquinone
Cat No. :	AC219930000; AC219930010; AC219930050; AC219930051; AC219930500; AC219932500
CAS No Synonyms	123-31-9 1,4-Dihydroxybenzene; 1,4-Benzenediol
Recommended Use Uses advised against	Laboratory chemicals. Food, drug, pesticide or biocidal product use.
Details of the supplier of the	safety data sheet

<u>Company</u> Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity	Category 4
Serious Eye Damage/Eye Irritation	Category 1
Skin Sensitization	Category 1
Germ Cell Mutagenicity	Category 2
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Respiratory system, Central nervous syste	em (CNS).
Combustible dust	Yes

Label Elements

Signal Word

Danger

Hazard Statements

May form combustible dust concentrations in air Harmful if swallowed May cause an allergic skin reaction Causes serious eye damage May cause respiratory irritation Suspected of causing genetic defects Suspected of causing cancer



Precautionary Statements

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Use only outdoors or in a well-ventilated area

Response

IF exposed or concerned: Get medical attention/advice

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Hydroquinone	123-31-9	99

4. First-aid measures		
General Advice	If symptoms persist, call a physician.	
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.	
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention.	
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention.	
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.	
Most important symptoms and effects	Causes eye burns. May cause allergic skin reaction Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing	
Notes to Physician	Treat symptomatically	

5. Fire-fighting measures

Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.
Unsuitable Extinguishing Media	No information available
Flash Point	165 °C / 329 °F
Method -	No information available
Autoignition Temperature	520 °C / 968 °F
Explosion Limits	
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impac	t No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Fine dust dispersed in air may ignite. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition. Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Ν	F	PA	1
			_

Health 2	Flammability 1	Instability 1	Physical hazards N/A
	6. Accidental rel	ease measures	
Personal Precautions	Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation.		
Environmental Precautions	Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local au should be advised if significant spillages cannot be contained. See Section 12 for Ecological Information. Avoid release to the environment. Collect spillage.		Do not allow material to entering drains. Local authorities ined. See Section 12 for additional . Collect spillage.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed Up containers for disposal.

	7 Handling and storage
	7. Handing and storage
Handling	Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Strong oxidizing agents. Strong bases. Alkaline.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Hydroquinone	TWA: 1 mg/m ³	(Vacated) TWA: 2 mg/m ³	IDLH: 50 mg/m ³	TWA: 1 mg/m ³
		TWA: 2 mg/m ³	Ceiling: 2 mg/m ³	

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Tight sealing safety goggles.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

	7. Physical and chemical properties
Physical State	Solid
Appearance	Off-white
Odor	Odorless
Odor Threshold	No information available
рН	3.75 70 g/l aq.sol
Melting Point/Range	170 - 174 °C / 338 - 345.2 °F
Boiling Point/Range	285 - 287 °C / 545 - 548.6 °F @ 760 mmHg
Flash Point	165 °C / 329 °F
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	1 mmHg @ 132 °C
Vapor Density	Not applicable
Specific Gravity	1.320
Solubility	Soluble
Partition coefficient; n-octanol/wat	er No data available

Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula Molecular Weight 520 °C / 968 °F No information available Not applicable C6 H6 O2 110.11

10. Stability and reactivity

Reactive Hazard	None known, based on information available		
Stability	Stable under normal conditions.		
Conditions to Avoid	Avoid dust formation. Incompatible products. Excess heat.		
Incompatible Materials	Strong oxidizing agents, Strong bases, Alkaline		
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)			
Hazardous Polymerization	Hazardous polymerization does not occur.		
Hazardous Reactions	None under normal processing.		

11. Toxicological information

Acute Toxicity

Product Information

Component Informa	ation						
Componen	t	LD50 Oral		LD50 Dermal	LC50	Inhalation	
Hydroquinor	ne	LD50 = 298 mg/kg (Ra	at) LD50 = 7	4800 mg/kg (Rabbit) No	ot listed	
Toxicologically Syn Products	ergistic	No information avai	ilable				
Delayed and immed	iate effects as	s well as chronic effec	ts from short ar	d long-term expos	sure		
Irritation		Severe eye irritant					
Sensitization		May cause sensitiz	ation by skin cont	act			
Carcinogenicity		The table below inc	licates whether ea	ach agency has liste	ed any ingredient	as a carcinogen.	
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico	
Hydroguinone	123-31-9	Not listed	Not listed	A3	Not listed	A3	
ACGIH: (America Hygienists) Mutagenic Effects	n Conference o	f Governmental Industria	al A1 - Knowr A2 - Suspe A3 - Anima ACGIH: (A	Human Carcinogen sted Human Carcinog Carcinogen merican Conference c	en of Governmental Ind	ustrial Hygienists)	
Reproductive Effect	ts	Experiments have shown reproductive toxicity effects on laboratory animals.					
Developmental Effe	cts	No information available.					
Teratogenicity		No information available.					
STOT - single expos STOT - repeated exp	sure posure	Respiratory system Central nervous system (CNS) None known					
Aspiration hazard No information available							

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

delayed

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Endocrine Disruptor Information No information available

Other Adverse Effects

The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Very toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Hydroquinone	EC50: = 0.335 mg/L, 72h (Pseudokirchneriella subcapitata)	LC50: = 0.17 mg/L, 96h (Brachydanio rerio) LC50: = 0.044 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: = 0.044 mg/L, 96h flow-through (Pimephales promelas) LC50: 0.1 - 0.18 mg/L, 96h static (Pimephales promelas)	EC50 = 0.038 mg/L 15 min EC50 = 0.0382 mg/L 30 min EC50 = 0.042 mg/L 5 min EC50 = 23.75 mg/L 60 min	EC50: = 0.29 mg/L, 48h (Daphnia magna)
Persistence and Degrada	ability Soluble in wa	ater Persistence is unlikelv	based on information avai	lable.

Persistence and Degradability

Bioaccumulation/Accumulation

No information available.

Mobility

Component log Pow Hydroquinone 0.5

. Will likely be mobile in the environment due to its water solubility.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT	
UN-No	UN3077
Proper Shipping Name	Environmentally hazardous substances, solid, n.o.s.
Technical Name	HYDROQUINONE
Hazard Class	9
Packing Group	III
TDG	
UN-No	UN3077
Proper Shipping Name	Environmentally hazardous substances, solid, n.o.s.
Hazard Class	9
Packing Group	III
ΙΑΤΑ	
UN-No	UN3077
Proper Shipping Name	Environmentally hazardous substances, solid, n.o.s.
Hazard Class	9
Packing Group	III
IMDG/IMO	
UN-No	UN3077
Proper Shipping Name	Environmentally hazardous substances, solid, n.o.s.
Hazard Class	9
Packing Group	III

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Hydroquinone	123-31-9	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Hydroquinone	123-31-9	Х	-	204-617-8	Х	Х	Х	Х	Х	KE-35112

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Hydroquinone	123-31-9	99	1.0

SARA 311/312 Hazard Categories See section 2 for more information

Y

CWA (Clean Water Act) Not applicable

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Hydroquinone	Х		-

OSHA - Occupational Safety and	Not applicable
Health Administration	

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Hydroquinone	100 lb	100 lb

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Hydroquinone	Х	Х	Х	Х	Х

U.S. Department of Transportation

Reportable Quantity (RQ):

U.S. Department of Homeland	This product does not contain any DHS chemicals
DOT Marine Pollutant	N
DOT Severe Marine Pollutant	N

Other International Regulations

Mexico - Grade

Slight risk, Grade 1

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Hydroquinone	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous
					Substances (Rons)
Hydroquinone	123-31-9	Listed	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Hydroquinone	123-31-9	Not applicable	Not applicable	Not applicable	Annex I - Y39

	16. Other information
Prepared By	Regulatory Affairs
	Thermo Fisher Scientific
	Email: EMSDS.RA@thermofisher.com
Creation Date	26-Sep-2009
Revision Date	24-Dec-2021
Print Date	24-Dec-2021
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS



Page 1/9 Creation Date 16-Nov-2010 Revision Date 11-Dec-2020 Version 3

ACR17036

Hydroxylamine hydrochloride

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明:	盐酸羟胺
Product Description:	Hydroxylamine hydrochloride
Cat No. :	170360000; 170360010; 170360050; 170361000; 170365000
Synonyms	Hydroxylammonium chloride, Oxammonium hydrochloride
CAS No	5470-11-1
Molecular Formula	H3 N O . H Cl
Supplier	UK entity/business name Fisher Scientific UK Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom General info; Tel: +44 (0)1509 231166 EU entity/business name Acros Organics BVBA Janssen Pharmaceuticalaan 3a, 2440 Geel, Belgium General Info; Tel: +32-14-57 52 11 (info@acros.com) Technical Support; Tel +32-14-56 56 00 (acros.techsupport@thermofisher.com)
Emergency Telephone Number	For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11 Emergency Number US: 001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US: 001-800-424-9300 / Europe: 001-703-527-3887
E-mail address	begel.sdsdesk@thermofisher.com
Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

SECTION 2. HAZARD IDENTIFICATION

Physical State	Appearance	Odor
Solid	White	Odorless

Emergency Overview

May be corrosive to metals. Toxic if swallowed. Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. Moisture sensitive. Air sensitive. May form combustible dust concentrations in air.

Classification of the substance or mixture

Substances/mixtures corrosive to metal	Category 1
Acute Oral Toxicity	Category 3
Acute Dermal Toxicity	Category 4
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Skin Sensitization	Category 1
Carcinogenicity	Category 2
Specific target organ toxicity - (repeated exposure)	Category 2
Acute aquatic toxicity	Category 1

Label Elements



Signal Word

Danger

Hazard Statements

H290 - May be corrosive to metals

- H301 Toxic if swallowed
- H312 Harmful in contact with skin
- H315 Causes skin irritation

H317 - May cause an allergic skin reaction

- H319 Causes serious eye irritation
- H351 Suspected of causing cancer
- H373 May cause damage to organs through prolonged or repeated exposure
- H400 Very toxic to aquatic life

Precautionary Statements

Prevention

- P202 Do not handle until all safety precautions have been read and understood
- P234 Keep only in original container
- P201 Obtain special instructions before use
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P272 Contaminated work clothing should not be allowed out of the workplace
- P280 Wear protective gloves/protective clothing/eye protection/face protection

Response

- P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

- P312 Call a POISON CENTER or doctor if you feel unwell
- P330 Rinse mouth
- P390 Absorb spillage to prevent material damage
- P362 + P364 Take off contaminated clothing and wash it before reuse

Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P406 - Store in corrosion resistant polypropylene container with a resistant inliner

P405 - Store locked up

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Physical and Chemical Hazards

May be corrosive to metals. May form combustible dust concentrations in air.

Health Hazards

Toxic if swallowed. Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure.

Environmental hazards

Very toxic to aquatic life. Will likely be mobile in the environment due to its water solubility. The product is water soluble, and may spread in water systems.

Other Hazards

May form explosible dust-air mixture if dispersed. Toxic to terrestrial vertebrates.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hydroxylamine hydrochloride

Component	CAS No	Weight %
Hydroxylamine, hydrochloride	5470-11-1	<=100

SECTION 4. FIRST AID MEASURES

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

Inhalation

Remove to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.

Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and effects

May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Notes to Physician

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

Risk of explosion by shock, friction, fire or other sources of ignition. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Do not allow run-off from fire-fighting to enter drains or water courses. Fine dust dispersed in air may ignite.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation. Remove all sources of ignition. Take precautionary measures against static discharges.

Environmental Precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent

Hydroxylamine hydrochloride

product from entering drains. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage.

Methods for Containment and Clean Up

Remove all sources of ignition. Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

Refer to protective measures listed in Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

Handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Corrosives area.

Specific Use(s)

Use in laboratories

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Exposure Controls

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

Personal protective equipment

Eye Protection	Goggles (European standard - EN 166)				
Hand Protection	Protectiv	ve gloves			
Glove material Natural rubber Nitrile rubber Neoprene PVC	Breakthrough time See manufacturers recommendations	Glove thickness -	EU standard EN 374	Glove comments (minimum requirement)	

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection

n Wear appropriate protective gloves and clothing to prevent skin exposure

Hydroxylamine hydrochloride

Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particulates filter conforming to EN 143
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141 When RPE is used a face piece Fit Test should be conducted
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Physical State	White Solid	
Odor Odor Threshold pH Melting Point/Range Softening Point Boiling Point/Range	Odorless No data available 2.5-3.5 155 - 158 °C / 311 - 316.4 °F No data available No information available	5% aq.sol
Flash Point	No information available	Method - No information available
Evaporation Rate Flammability (solid,gas) Explosion Limits	Not applicable No information available No data available	Solid
Vapor Pressure	negligible	
Vapor Density	Not applicable	Solid
Specific Gravity / Density	1.6700 Ne dete eveileble	
Bulk Density Water Solubility	No data avallable $560 \text{ g/L} (20^{\circ}\text{C})$	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/wate	r)	
Autoignition Temperature	No data available	
Decomposition Temperature	152 °C	
Viscosity	Not applicable	Solid
Explosive Properties Oxidizing Properties	No information available No information available	
Molecular Formula Molecular Weight	H3 N O . H Cl 69.49	

SECTION 10. STABILITY AND REACTIVITY

Stability	Moisture sensitive. Air sensitive.
Hazardous Reactions	None under normal processing.
Hazardous Polymerization	Hazardous polymerization does not occur.

Hydroxylamine hydrochloride

Conditions to Avoid	Avoid dust formation. Incompatible products. Excess heat. Exposure to air. Exposure to moist air or water.
Materials to avoid	Strong oxidizing agents. Heavy metals.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO₂). Hydrogen chloride gas.

SECTION 11. TOXICOLOGICAL INFORMATION

Product Information

(a) acute toxicity;			
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydroxylamine, hydrochloride	LD50 = 141 mg/kg (Rat)		
(b) skin corrosion/irritation;	Category 2		
(c) serious eye damage/irritation;	Category 2		
(d) respiratory or skin sensitization; Respiratory Skin	No data available Category 1	n contact	
	May cause sensilization by ski	II COMACI	
(e) germ cell mutagenicity;	No data available		
(f) carcinogenicity;	Category 2		
	Limited evidence of a carcinog	enic effect	
(g) reproductive toxicity;	No data available		
(h) STOT-single exposure;	No data available		
(i) STOT-repeated exposure;	Category 2		
Target Organs	Gastrointestinal tract (GI), sple	een, Thyroid, Blood.	
(j) aspiration hazard;	Not applicable Solid		
Symptoms / effects,both acute and delayed	Symptoms of allergic reaction of the hands and feet, dizzines	may include rash, itching, swell s, lightheadedness, chest pain	ing, trouble breathing, tingling , muscle pain or flushing

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity effects Very toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Hydroxylamine, hydrochloride	LC50= 1-10 mg/L/48h			
	(Leuciscus idus)			

Hydroxylamine hydrochloride

Persistence and Degradability Persistence Degradation in sewage treatment plant	Soluble in water, Persistence is unlikely, based on information available. Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.	
Bioaccumulative Potential	Bioaccumulation is unlikely	
Mobility in soil	The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility Highly mobile in soils	
Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential	This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance This product does not contain any known or suspected substance	
	SECTION 13. DISPOSAL CONSIDERATIONS	
Waste from Residues/Unused Products	Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.	
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.	
Other Information	Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not let this chemical enter the environment.	
SECTION 14. TRANSPORT INFORMATION		

Road and Rail Transport

UN-No	UN2923
Proper Shipping Name	Corrosive solid, toxic, n.o.s.
Technical Shipping Name	Hydroxylammonium chloride
Hazard Class	8
Subsidiary Hazard Class	6.1
Packing Group	111

IMDG/IMO

UN-No	UN2923
Proper Shipping Name	Corrosive solid, toxic, n.o.s.
Technical Shipping Name	Hydroxylammonium chloride
Hazard Class	8
Subsidiary Hazard Class	6.1
Packing Group	III

<u>IATA</u>

UN-No	UN2923
Proper Shipping Name	Corrosive solid, toxic, n.o.s.
Technical Shipping Name	Hydroxylammonium chloride
Hazard Class	8
Subsidiary Hazard Class	6.1
Packing Group	111
SAFETY DATA SHEET

Special Precautions for User

No special precautions required

SECTION 15. REGULATORY INFORMATION

International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	The	List of	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
	Inventory of Hazardous Chemicals (2015 Edition)	dangerous goods GB 12268 - 2012										
Hydroxylamine, hydrochloride	-	-	Х	Х	226-798-2	Х	Х	Х	Х	Х	Х	KE-20602

National Regulations

SECTION 16. OTHER INFORMATION

Creation Date	16-Nov-2010
Revision Date	11-Dec-2020
Revision Summary	Not applicable.

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers. Chemical incident response training.

Legend

CAS - Chemical Abstracts Service	TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
EINECS/ELINCS - European Inventory of Existing Commercial Chemica Substances/EU List of Notified Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances	 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIOC - New Zealand Inventory of Chemicals
WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic	 TWA - Time Weighted Average IARC - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC) LD50 - Lethal Dose 50% EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative
ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code OECD - Organisation for Economic Co-operation and Development BCF - Bioconcentration factor	ICAO/IATA - International Civil Aviation Organization/International Air Transport Association MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC (volatile organic compound)

SAFETY DATA SHEET

Hydroxylamine hydrochloride

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



SAFETY DATA SHEET

Version 6.3 Revision Date 04/04/2022 Print Date 01/18/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

	Product name	:	(Hydroxypropyl)methyl cellulose
	Product Number Brand CAS-No.	::	H9262 Sigma 9004-65-3
1.2	Relevant identified use	es	of the substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone	:	+1 314 771-5765
	:	+1 800 325-5052

1.4 Emergency telephone

Emergency Phone #

: 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2 GHS Label elements, including precautionary statements

Not a hazardous substance or mixture.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

CAS-No. : 9004-65-3

No components need to be disclosed according to the applicable regulations.

Sigma - H9262

Page 1 of 8



SECTION 4: First aid measures

4.1 Description of first-aid measures

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

In case of skin contact

Wash off with soap and plenty of water.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- **5.2 Special hazards arising from the substance or mixture** Carbon oxides
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- 5.4 Further information No data available

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Avoid dust formation. Avoid breathing vapors, mist or gas. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Sweep up and shovel. Keep in suitable, closed containers for disposal.
- **6.4** Reference to other sections For disposal see section 13.

Sigma - H9262

Page 2 of 8



SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on protection against fire and explosion

Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures

General industrial hygiene practice. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place. Keep in a dry place.

Storage class

Storage class (TRGS 510): 13: Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls General industrial hygiene practice.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Sigma - H9262

Page 3 of 8



Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: powder Color: beige
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	()No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Density	No data available
	Relative density	No data available
n)	Water solubility	No data available
o)	Partition coefficient: n-octanol/water	No data available
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available

9.2 Other safety information No data available

Sigma - H9262

Page 4 of 8

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



SECTION 10: Stability and reactivity

- **10.1 Reactivity** No data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** No data available
- **10.5 Incompatible materials** Strong oxidizing agents, Cellulose and its derivatives may react vigorously with:, bleaching powder, Fluorine, Nitric acid
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - > 2,000 mg/kg Remarks: (External MSDS) Inhalation: No data available Dermal: No data available No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitization No data available

Germ cell mutagenicity No data available

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Sigma - H9262

Page 5 of 8

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish

LC50 - Fish - > 100 mg/l - 96 h Remarks: (External MSDS)

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Endocrine disrupting properties** No data available
- 12.7 Other adverse effects No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

Sigma - H9262

Page 6 of 8



IMDG Not dangerous goods

ΙΑΤΑ

Not dangerous goods

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

No SARA Hazards

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components 2-hydroxypropyl methyl cellulose	CAS-No. 9004-65-3	Revision Date
New Jersey Right To Know Components 2-hydroxypropyl methyl cellulose	CAS-No. 9004-65-3	Revision Date

California Prop. 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

SECTION 16: Other information

Further information

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma - H9262

Page 7 of 8



The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.3

Revision Date: 04/04/2022

Print Date: 01/18/2023

Sigma - H9262

Page 8 of 8

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada





Safety Data Sheet

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Identification of the substance or mixture

Product code Product name H36004 3"-(p-hydroxyphenyl) fluorescein (HPF) *5 mM solution in DMF*

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses For research use only.

Uses advised against No information available.

Company/undertaking identification

Life Technologies Corporation 5781 Van Allen Way PO Box 6482 Carlsbad, CA 92008 +1 760 603 7200

Life Technologies Korea 11&12 FL, Suseo Office Building 281 Gwangpyeong-ro, Gangnam-gu Seoul, 135-884, Korea T 82.2.2023.0600

Invitrogen Trading (Shanghai) Co., Ltd 379 Debao Road Waigaoqiao Free Trade Zone, Bldg 59W Shanghai, China

7th Floor, building C Global Trade Center North Ring Road No.36, Dong Cheng District Beijing, China Tel: +86-010-87946900 Hotline: 800 820 8982

Unit 204-206, No.26-38 Huanyu No.3 Road North Tower Guangzhou international Bio Island Guangzhou 510320 Guangdong China Tel: +86-020-82401698-22698 Hotline: 800 820 8982 Life Technologies New Zealand Limited 18 - 24 Botha Road Penrose Auckland 1061 NEW ZEALAND +64 9 579 3024 0800 636 327

Life Technologies Australia Pty Limited 5 Caribbean Drive Scoresby VIC 3179 AUSTRALIA +61 3 9262 3700 1800 636 327

LIFE TECHNOLOGIES HOLDINGS PTE LTD BLK 33, MARSILING INDUSTRIAL ESTATE ROAD 3, #07-06, SINGAPORE 739256 (65) 6362 9300

Life Technologies Co. Ltd 8F., No. 123, Sec. 2, Zhongxiao E. Rd. Zhongzheng District City 10058, Taiwan Tel: +886-2-2358 2838 Fax: +886-2-2358 2839

24 hour Emergency Response for Hazardous Materials Within the USA + Canada: 1-800-424-9300 and[or Dangerous Goods] Incident. Spill, Leak, Fire,1-703-527-3887Exposure, or Accident. Call CHEMTRECOutside the USA + Canada: 1-703-741-5970

Country Specific Emergency Number (if available):

(
+(972)-37630639 (Greeting Language: Hebrew)
1-800-815-308 (Toll Free) (Greeting Language: Malay)
+(60)-327884561 (Greeting Language: Malay)
1-800-1-116-1020 (Toll Free) (Greeting Language: Tagalog)
+(63) 632-395-3308 (Greeting Language: Tagalog)
+(966)-8111095861 (Greeting Language: Arabic and English)
800-101-2201 (Toll Free) (Greeting Language: English and Mandarin)
+(65)-31581349 (Greeting Language: English and Mandarin)
+(61)-290372994 (Greeting Language: English)
+(64)-98010034 (Greeting Language: English)
0-800-983-611 (Greeting Language: English)
+(84)-444581771 (welcome Language: Vietnamese)
00-308-13-2549 (free call) (Welcome language: Korean)
+(82) 070-7686-0086 (Welcome language: Korean)

Australian SDS Statement

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonised System (GHS) Hazardous Substance. Non-Dangerous Goods.

GHS Classification

Health hazards

Acute dermal toxicity	Category 4
Acute inhalation toxicity - dust/mist	Category 4
Serious eye damage/eye irritation	Category 2
Reproductive Toxicity	Category 1A

Physical hazards

GHS Physical Hazard	Flammable liquids
GHS Physical Hazard Category Number	Category 3

Environmental hazards

Not Hazardous

Label elements

Signal Word DANGER

Hazard pictograms



Hazard Statements

H226 - Flammable liquid and vapour

H312 - Harmful in contact with skin

- H332 Harmful if inhaled
- H319 Causes serious eye irritation
- H360 May damage fertility or the unborn child

Precautionary Statements

Prevention

Revision date28-Jan-2021Product codeH36004

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P201 - Obtain special instructions before use

P264 - Wash hands thoroughly after handling

Response

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P308 + P313 - IF exposed or concerned: Get medical advice/attention

Storage

P403 + P235 - Store in a well-ventilated place. Keep cool

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other hazards

Not Applicable

SECTION 3: Composition/information on ingredients

Chemical Name	CAS No	Common name	EINECS-No.	Weight-%
Dimethylformamide	68-12-2	Not applicable	200-679-5	60-100

We recommend handling all chemicals with caution.

SECTION 4: First aid measures

Description of first aid measures

Skin contact	Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Immediate medical attention is required.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting without medical advice. Get medical attention if symptoms occur.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. If symptoms persist call a doctor.
Notes to Physician	Treat symptomatically.

Most important symptoms and effects, both acute and delayed

H226 - Flammable liquid and vapour H312 - Harmful in contact with skin H332 - Harmful if inhaled H319 - Causes serious eye irritation H360 - May damage fertility or the unborn child

Indication of any immediate medical attention and special treatment needed

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF exposed or concerned: Get medical advice/attention.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media Water spray. Carbon dioxide (CO₂). Foam. Dry chemical. No information available.

Special hazards arising from the substance or mixture No data

Advice for firefighters

Wear self-contained breathing apparatus and protective suit.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation Avoid contact with skin, eyes or clothing Use personal protection equipment See section 8 for more information

Environmental precautions

Avoid discharge into drains and waterways whenever possible.

Methods and material for containment and cleaning up

Soak up with inert absorbent material.

Reference to other sections

See section 8 for more information.

SECTION 7: Handling and storage

Precautions for safe handling

Always wear recommended Personal Protective Equipment. See section 8 for more information. Do not get in eyes, on skin, or on clothing. Do not ingest. If during normal use the material presents a respiratory hazard, use adequate ventilation and/or wear appropriate respirator.

Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. Store in accordance with local regulations.

Storage Conditions

CR in Dark/Protect from Light.

Specific end use(s)

For research use only.

SECTION 8: Exposure controls/personal protection

Control parameters

Chemical Name	Australia STEL	Australia	Australia - Skin Absorbers	Australia - OES - Peak
Dimethylformamide	None	10 ppm	None	None
68-12-2		30 mg/m ³		
Chemical Name	New Zealand - Workplace	New Zealand TWA	New Zealand STEL	New Zealand Ceiling
	Exposure Limits			Limits
Dimethylformamide	Skin absorption	10 ppm	None	None
68-12-2		30 mg/m ³		
Chemic	al Name	China OEL (MAC)	China - Skin Absorbers	Hong Kong OEL
Dimethylf	ormamide	TWA: 20 mg/m ³	Skin notation	TWA: 10 ppm
68-	12-2			TWA: 30 mg/m ³
Chemic	al Name	Korea OEL (CEILING)	Korea OEL (TWA)	Korea OEL (STEL)
Dimethylf	ormamide	None	10 ppm	None

Revision date Product code

68-12-2			
Chemical Name	Korea OEL (Skin Notations)	Korea PEL (STELs)	Korea PEL (TWAs)
Dimethylformamide 68-12-2	Skin notation	None	10 ppm
Chemical Name	Korea OEL (Carcinogens)	Korea OEL (Germ Cell Mutagenicity)	Korea OEL (Reproductive Toxicity)
Dimethylformamide 68-12-2	None	None	Reproductive Tox. 1B

Chemical Name	Taiwan OEL - TWA	Taiwan OEL (Skin notations, Carcinogens)	Taiwan OEL (STELs)	Taiwan OEL (Ceilings)
Dimethylformamide 68-12-2	10 ppm 30 mg/m³	Skin notation (type 2 organic solvent)	15 ppm STEL (type 2 organic solvent); 45 mg/m ³ STEL (type 2 organic solvent)	None

Chemical Name	Singapore OEL (PEL)	Singapore OEL (STEL)	Malaysia - OEL (TWA)	Malaysia - OEL (Ceilings)
Dimethylformamide	10 ppm	None	10 ppm	None
68-12-2	30 mg/m ³		30 mg/m ³	

Chemical Name	ACGIH OEL (TWA)	ACGIH OEL (STEL)
Dimethylformamide	5 ppm	None
68-12-2		

Engineering Measures Ensure adequate ventilation, especially in confined areas

Exposure controls

Personal Protective Equipment

Respiratory protection	In case of insufficient ventilation wear respirators and components tested and approved under appropriate government standards.
Hand protection	Wear suitable gloves Glove material: Compatible chemical-resistant gloves.
Eye protection	Tight sealing safety goggles
Skin and Body Protection	Wear laboratory coat for body protection
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice

Environmental exposure controls

Avoid discharge into drains and waterways whenever possible.

Information on basic physical and chemical properties

Physical state	Solution	
Colour	No data	
Odour	Mixture has not been tested	
Odour Threshold	Mixture has not been tested	
Molecular Weight	No data	
Melting point / melting range	°C No data	°F No data
Boiling point / boiling range	°C No data	°F No data
Flammability (solid, gas)	Not Applicable	
Lower explosion limit	No data	
Upper explosion limit	No data	
Flash point	° C 55-58	°F 131-136.4
Autoignition Temperature	°C No data	°F No data
Decomposition temperature	°C No data	°F No data
рН	Mixture has not been tested	
Evaporation rate	No data	
Viscosity	Mixture has not been tested	
Solubility	Mixture has not been tested	
Partition coefficient:	No data	
n-octanol/water		
Vapour Pressure	No data	
Specific gravity	No data	
Relative density	No data	
Vapour density	No data	
Explosive properties	Mixture has not been tested	
Oxidising properties	Mixture has not been tested	
Particle characteristics	No data	

Other information

Information with regards to physical hazard classes No information available

Other safety characteristics

No information available

	SECTION 10: Stability and reactivity
Reactivity	None known.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	Hazardous reaction has not been reported.
Conditions to avoid	None known.
Incompatible materials	No dangerous reaction known under conditions of normal use.
Hazardous decomposition products	No known hazardous decomposition products.

SECTION 11: Toxicological information

Information on toxicological effects

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Dimethylformamide	= 2800 mg/kg (Rat)	= 1.500 mg/kg (Rabbit)	4 h - 9 - 15 mg/l (Rat)
Principal Routes of Exposi	ıre		
Acute toxicity	Harmful in contact with	n skin. Harmful if inhaled.	
Skin corrosion/irritatior	Data are conclusive bu	ut insufficient for classification	
Serious eye damage/irr	itation Irritating to eyes		
Respiratory or skin sensitisation	Data are conclusive bu	t insufficient for classification	
Specific target organ to (STOT) – single exposu	xicity Data are conclusive bu re	at insufficient for classification	
Specific target organ to (STOT) – repeated expo	xicity Data are conclusive bu sure	ut insufficient for classification	
Carcinogenicity	Data are conclusive bu	at insufficient for classification	
Germ cell mutagenicity	Data are conclusive bu	at insufficient for classification	
Reproductive toxicity	May cause adverse re infertility	productive effects - such as birt	h defect, miscarriages, or
Aspiration hazard	Data are conclusive bu	at insufficient for classification	

SECTION 12: Ecological information

Toxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Microtox Data	log Pow
Dimethylformamide	Desmodesmus subspicatus EC50>500 mg/L (96 h)	Daphnia magna EC50=7500 mg/L (48 h) Daphnia magna EC50=8485 mg/L (48 h) Daphnia magna EC506800 - 13900 mg/L (48 h)	No data available	No data available	logPow-1.028

Mobility in soil	No information available.
Persistence and degradability	No information available.
Bioaccumulative potential	No information available.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Other adverse effects

No information available.

SECTION 13: Disposal considerations

Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in according to approved disposal technique. Disposal of this product, its solutions or of any by-products, shall comply with the requirements of all applicable local, regional or national/federal regulations.

SECTION 14: Transport information

IATA / ADR / DOT-US / IMDG

This product is subject to the de minimis exceptions for dangerous goods / hazardous materials in accordance with the following regulations: IATA 2.6.10, ADR 3.5.1.4, and U.S. DOT 49 CFR 173.4b.

UN number or ID number UN proper shipping name Transport hazard class(es) Packing group UN2265 N,N-Dimethylformamide solution 3 III

Environmental hazards Not Applicable

Special precautions for user

Revision date28-Jan-2021Product codeH36004

Not Applicable

Maritime transport in bulk according to IMO instruments Not Applicable.

SECTION 15: Regulatory information

International Inventories

Chemical Name	US TSCA	Canada (DSL)	NDSL	PICCS (Philippines)
Dimethylformamide	Listed	Listed	-	Listed
Chemical Name	ENCS (Japan)	IECSC - China Inventory of Existing Chemical	South Korea (KECL)	AICS (Australia)
Dimethylformamide	Listed	Listed	Listed	Listed
Differtyfformaniae	Liotod	Elotod	Listou	Liotou

Chemical Name	NZIOC - New Zealand Inventory	EINECS (European Union)	ELINCS (European List of
	of Chemicals		Notified Chemical Substances)
Dimethylformamide	Listed	Listed	-

UN (United Nations) - Chemical Weapons Convention (CWC)

Not Applicable

<u>Korea</u>

Occupational Safety and Health Act

Chemical Name	ISHA - Substances to be controlled - Metals	ISHA - Substances to be controlled - Organic Substances	ISHA - Substances to be controlled - Acids and bases	ISHA - Substances to be controlled - Gas-phase substances
Dimethylformamide	Not Applicable	>=0.3 % mixture (specially	Not Applicable	Not Applicable
		controlled substance,		
		[011])		

Chemical Name	ISHA - Harmful Substances Prohibited for Manufacturing, Importing, Transferring, or Supplying	ISHA - Harmful Substances Requiring Permission	Special management materials
Dimethylformamide	Not Applicable	Not Applicable	When the ratio is 0.3 %(volume) or more

Chemical Name	Harmful agents subject to work environment monitoring - Organic compounds	Harmful agents subject to work environment monitoring - Metals	Harmful agents subject to work environment monitoring - Acids and alkalis	Harmful agents subject to work environment monitoring - Gas-phase substances	Harmful agents subject to work environment monitoring - Dusts
Dimethylformamide	>=1 % mixture (Measurement cycle: 6 months, [011])	Not Applicable	Not Applicable	Not Applicable	Not Applicable

Chemical Name	Harmful agents	Harmful agents	Harmful agents	Harmful agents	Harmful agents
	subject to workers	subject to workers	subject to workers	subject to workers	subject to workers
	requiring health	requiring health	requiring health	requiring health	requiring health
	examination -	examination - Metals	examination - Acids	examination -	examination - Dusts
	Organic compounds		and alkalis	Gas-phase	

Revision date Product code

				substances	
Dimethylformamide	>=1 % mixture (Diagnostic cycle: 12 months, [013])	Not Applicable	Not Applicable	Not Applicable	Not Applicable

Chemical Name	Korea OEL (CEILING)	Korea OEL (TWA)	Korea OEL (STEL)	Korea OEL (Skin Notations)
Dimethylformamide	Not Applicable	Applicable	Not Applicable	Applicable

Chemical Name	Korea OEL (Carcinogens)	Korea OEL (Germ Cell Mutagenicity)	Korea OEL (Reproductive Toxicity)	Korea PEL (STELs)	Korea PEL (TWAs)
Dimethylformamide	Not Applicable	Not Applicable	Applicable	Not Applicable	Applicable

Chemical Name	ISHA - Harmful or Dangerous Substances	ISHA - Harmful or Dangerous Substances
	Subject to Submission of Process Safety	Subject to Submission of Process Safety
	Reports - Storage	Reports - Manufacturing or Handling
Dimethylformamide	Not Applicable	Not Applicable

Chemicals Control Act

Chemical Name	Toxic substance	Prohibited substance	Restricted substance
Dimethylformamide	2014-1-694 0.1% mixture cut-off	Not Applicable	Not Applicable
Chemical Name	Threshold Values (%)	Quantity limit for	Quantity limit for
		manufacture/use	custody/storage
Dimethylformamide	Not Applicable	Not Applicable	Not Applicable

Chemical Name	Pollutant Release and Transfer Registers	Pollutant Release and Transfer Registers
	(PRTR) - Group I	(PRTR) - Group II
Dimethylformamide	Not Applicable	>=0.1 % w/w cut-off value [031]

Act on Registration, Evaluation, etc. of Chemicals (K-REACH)

Chemical Name	Ministry of Environment - CMR risk	Ministry of Environment - Critically Controlled Substance	Existing substances subject to registration	Substances Exempted from Registration or Notification - Annex 1	Substances Exempted from Registration or Notification - Annex 2
Dimethylformamide	Not Applicable	CMR	Present (registration completed, [018])	Not Applicable	Not Applicable

Safety Control of Dangerous Substances Act

Chemical Name	Safety Control of Dangerous Substances Act
Dimethylformamide	Not Applicable

Wastes Control Act

Chemical Name	Wastes Control Act
Dimethylformamide	Not Applicable

Singapore

Chemical Name	Singapore - Poisons List
Dimethylformamide	Not Listed

Revision date	28-Jan-2021
Product code	H36004

Page 12 / 14 Product name 3"-(p-hydroxyphenyl) fluorescein (HPF) *5 mM solution in DMF*

<u>Taiwan</u>

Chemical Name	Toxic Chemical Substances	Toxic Chemical Substances	Hazard Prevention Standard for
	Control Act - Classification and	Control Act - Threshold	Specified Chemical
	Control Levels	Regulated Quantities	Substances
Dimethylformamide	Class 2 Cutoff: 30 wt%	50 kg TRQ	Not Listed

<u>China</u>

Chemical Name	China - Catalogue of Occupational Hazard Factors	China - Dangerous Goods List	China - Catalog of Hypertoxic Chemicals	China - List of Dangerous Chemicals for Priority Management
Dimethylformamide	Present	Present Present (solid); Present (liquid; flammable; flashpoint not less than 23° C); Present	Not Listed	Not Listed

SECTION 16: Other information

Reason for revision	SDS sections updated.
Revision number	2
Revision date	28-Jan-2021

For research use only. Not for use in diagnostic procedures.

References

- ECHA: http://echa.europa.eu/
- TOXNET: http://toxnet.nlm.nih.gov/
- eChemPortal: http://www.echemportal.org/
- · LOLI database: https://www.chemadvisor.com/loli-database

Abbreviations and acronyms

TWA - Time-Weighted Average

OELs - Occupational Exposure Limits

STEL - Short Term Exposure Limit

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

KECL - Korean Existing and Evaluated Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

CEPA - Canadian Environmental Protection Act

EPA - Environmental Protection Agency

OSHA - Occupational Safety and Health Administration of the US Department of Labour

IATA - International Air Transport Association

DOT - Department of Transportation

IMDG - International Maritime Dangerous Goods

ACGIH - American Conference of Governmental Industrial Hygienists

NIOSH - National Institute for Occupational Safety and Health

AIHA - American Industrial Hygiene Association

HMIS - Department of Defense Hazardous Materials Information System

NTP - National Toxicology Program **IARC** - International Agency for Research on Cancer

"The above information was acquired by diligent search and/or investigation and the recommendations are based on prudent application of professional judgment. The information shall not be taken as being all inclusive and is to be used only as a guide. All materials and mixtures may present unknown hazards and should be used with caution. Since the Company cannot control the actual methods, volumes, or conditions of use, the Company shall not be held liable for any damages or losses resulting from the handling or from contact with the product as described herein. THE INFORMATION IN THIS SDS DOES NOT CONSTITUTE A WARRANTY, EXPRESSED OR IMPLIED,INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE"

End of Safety Data Sheet